(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 10 October 2002 (10.10.2002)

PCT

(10) International Publication Number WO 02/079416 A2

(51) International Patent Classification7:

C12N

- (21) International Application Number: PCT/US02/09653
- (22) International Filing Date: 28 March 2002 (28.03.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

- (30) Priority Data: 60/280,549 30 March 2001 (30.03.2001) U
- (71) Applicant (for all designated States except US): TEXAS A & M UNIVERSITY SYSTEM [US/US]; M/S 3369, College Station, TX 77843-3369 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): DUNNE, Patrick, W. [/US]; College Station, TX (US). PIEDRAHITA, Jorge [/US]; College Station, TX (US).
- (74) Agent: HANSON, Robert, E.; Fulbright & Jaworski, L.L.P., 600 Congress Avenue, Suite 2400, Austin, TX 78701 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

/079416 A2

(54) Title: TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE SPONGIFORM ENCEPHALOPATHIES

(57) Abstract: The invention provides modified prion-encoding genes for the creation of transgenic bovine and cervid animals resistant to transmissible spongiform encephalopathies including bovine spongiform encephalopathy (BSE). The transgenic animals homozygous for the mutant genes continue to express a functional copy of the prion-encoding gene, thereby not interfering with the normal role of the polypeptide and effectively decreasing tendency for alteration of sleep-wake cycles.

DESCRIPTION

TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE SPONGIFORM ENCEPHALOPATHIES

5

BACKGROUND OF THE INVENTION

This application claims the priority of U.S. Provisional Patent Application No. 60/280,549, filed March 30, 2001, the entire disclosure of which is specifically incorporated herein by reference.

10

Field of the Invention

The present invention relates generally to the field of genetic transformation. More particularly, it concerns modification of a bovine prion protein gene useful in producing transgenic cattle exhibiting resistance to bovine spongiform encephalopathy.

Description of Related Art

15

Prions are highly infectious pathogens recognized as causing transmissible spongiform encephalopathies (TSEs) in humans and animals. Among the invariably fatal neurodegenerative diseases caused by these pathogens are bovine spongiform encephalopathy (BSE), scrapie in sheep and goats, chronic wasting disease in mule deer and elk, and Creutzfeldt-Jakob disease in humans. The pathogenic agent is an abnormal form of an endogenous protein (PrP^c), distinct from viruses and viroids in that prions are not associated with nucleic acids and appear to be composed entirely of an abnormal protein (PrP^{sc}).

20

Prions are not associated with any nucleic acid and appear to be composed entirely of a modified protein (PrP). PrP exists in normal form in the cell but is believed to be converted to an abnormal form through a post-translational process resulting in a high beta-sheet content. Particular prions associated with a given species are encoded by the chromosomal PrP gene of the mammal in which it replicated. It is thought that prions embody strain specific properties in the tertiary structure of the modified prion protein. It is believed that the modified prion

polypeptide acts as a template upon which normally occurring prion polypeptide is refolded into the modified form possibly facilitated by another protein (Prusiner S.B., 1998).

Bovine spongiform encephalopathy affects domestic cattle as a particular serious problem in the United Kingdom, France, Portugal and other European countries. The disease is invariably fatal for cattle, typically within weeks to months after becoming symptomatic. While BSE is associated with the transmissible agent, the precise mechanism of transmission is not well understood. A possible mode of transmission was believed to be the incorporation of sheep infected with scrapie in commercial cattle feed. In humans no direct link between CJD and BSE has been found but there is compelling evidence that a variant form of CJD may be caused by consumption of BSE contaminated beef (U.S. Pat. No. 5, 737,061).

Symptoms of BSE in cattle commonly include changes in behavior such as unsteady gait or excessive nose licking. Recently, methods of diagnosis have been disclosed which relate the size of the pupil of the eye in conjunction with treatment of the animals prior to and subsequent to the administration of a neuro transmitter agonist or antagonist as differentiated from changes induced in the non-afflicted cattle (U.S. Pat. No. 5,737, 061).

Prion protein encoding genes have been cloned, sequenced and expressed in transgenic animals. PrP^c for example is encoded by a single copy host gene and is normally found at the outer surface of neurons (Basler, et al., 1986). The biological function of PrP^c is not known, although it has been suggested that it is associated with acetyl coline receptor inducing activity (Harris, et al., 1991). The PrP gene is found in all mammals, including humans. The cause and mechanism of the transformation to the purportedly disease causing form is not known. However, certain mutations in the PrP gene such a proline to leucine change at position 102 have been linked to the disease in certain familial forms of spongiform encephalopathy (Hsaio and Prusiner, 1990). Mice carrying a PrP transgene with a proline to leucine change at position 102 develop a fatal scrapie-like disease.

More than twenty mutations of the PrP gene are now considered to cause the inherited human prion diseases and in some cases genetic linkages have been established for these mutations, for example, as described in Gabizon, et al., 1993.

Í

5

10

15

20

25

Ĵ

Recombinant PrP mutated form has been produced. The isoform causing the disease may involve refolding of the residues within the region between residues 90 and 140 that form beta sheets. Anti-PrP Fabs have been selected from Phage Display Libraries and data from two monoclonal antibodies from hybridomas have led to the conclusion that the major conformational change that occurs during conversion of normal prion polypeptide into mutated polypeptide is located within a region bounded by residues 90 to 112 (Peretz, 1997). A currently unknown point mutations in PrP polypeptide without any known biological significance appear to occur either within or adjacent to regions of putative secondary structure in PrP polypeptide and may well destabilize the structure of PrP.

10

15

5

The entire open reading frame of all known mammalian and avian PrP genes resides within a single exon. The mouse, sheep, cattle and rat PrP genes contain three exons with the open reading frames in exon 3. Comparative sequencing of sheep and human cosmid clones containing PrP genes has revealed an additional putative small untranslated 5' exon in the human PrP gene. Mapping of PrP genes to the short arm of human chromosome 20 and to the homologous region of the Mo chromosome 2 suggests the existence of PrP genes prior to the speciation of mammals. Mice expressing different levels of wild-type hamster PrP transgenes have been constructed inoculation of transgenic mice with prion disease forms of the hamster protein resulted in disease systems in the mice (Prusiner, 1998).

20

25

In view of the recent BSE epidemic in Great Britain, increased emphasis and study of prion strains and species barrier have been initiated. In cattle, the mean incubation time for BSE is approximately five years so that in a great majority of cattle harboring the disease which were slaughtered between ages 2 and 3 did not show manifestations of the disease. The origin of bovine prions that may have caused BSE cannot be determined from the amino acid sequence of the disease causing PrP polypeptide. The PrP.Sc in these animals has bovine sequence regardless of the source of the prions that may have caused the wild-type expressed PrP to alter its confirmation. Only one PrP polymorphism has been found in cattle. Most bovine PrP alleles encode 5 Octa repeats. Where 5 Octa repeats have been found, PrP alleles do not seem to be overexpressing BSE (Prusiner, 1998).

SUMMARY OF THE INVENTION

A method has been developed to produce cattle that are expected to be resistant to boyine spongiform encephalopathy (BSE) without deleting a functional copy of the PrP gene. The method is applicable to all breeds of beef and dairy cattle. The bovine prion protein (PrP) gene confers susceptibility to scrapie-like agents from sheep or cattle that are responsible for the recent BSE epidemic in Britain (Anderson et al., 1996) The bovine gene was cloned and then modified by site-directed mutagenesis to produce a BSE-resistant form of the gene. The modified gene has been targeted to the location of the endogenous PrP gene in bovine fetal fibroblasts where it will replace the susceptible gene with the resistant form by homologous recombination.

The generation of transgenic cattle that are resistant to bovine spongiform encephalopathy (BSE) is accomplished by constructing a BSE-resistant prion protein (PrP) gene by site-directed mutagenesis. This is followed by *in vitro* conversion of the wild-type (susceptible) bovine PrP allele to a resistant allele by recombinant DNA technology and replacement of the wild-type allele by the resistant PrP allele in bovine fetal fibroblasts by homologous recombination. Live BSE-resistant cattle offspring from genetically manipulated fetal fibroblasts by nuclear transfer are then produced.

One aspect of the invention concerns a transgenic bovine comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence that renders the bovine resistant to bovine spongiform encephalopathy disease. Another embodiment of the invention concerns a transgenic bovine that comprises a mutated PrP polypeptide with an amino acid substitution in position 154 and/or 222. Such a substitution may be in place of or in addition to a substitution at position 171. In one embodiment of the invention, the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. The glutamine residue at position 171 of a transgenic bovine may be substituted with histidine, lysine or arginine. In one embodiment of the invention, the transgenic bovine is further defined as produced by a method comprising introducing a transgene encoding the mutant PrP polypeptide into the genome of a bovine embryo and allowing the embryo to develop into a bovine whose somatic and germ cells comprise the transgene.

Ì.

5

10

15

20

25

The invention further provides a progeny of any generation of a transgenic bovine of the invention, wherein the progeny comprises the transgene. Still further provided is a fertilized embryo of a transgenic bovine of the invention, wherein the embryo comprises the transgene.

A transgenic bovine prepared in accordance with the invention may be further defined as lacking a functional wild type PrP gene. In one embodiment of the invention, a wild type PrP gene is replaced with a null allele by homologous recombination. The term "null allele" is understood by those of skill in the art to describe an allele which lacks function with respect to a wild type allele.

In another aspect of the invention, a method is provided of producing a transgenic bovine resistant to BSE comprising: a) introducing into a bovine embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence; and b) allowing the embryo to develop into a bovine the somatic and germ cells of which express the transgene, thereby rendering the transgenic bovine resistant to BSE. In the method, the mutant PrP polypeptide may further comprise an amino acid substitution at a position of the sequence selected from the group consisting of 154 and 222. In the method, the amino acid substitution may comprise substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. In certain embodiments, the glutamine residue at position 171 has been substituted with histidine, lysine or arginine. In further embodiments, the transgenic bovine is further defined as lacking a functional wild type PrP gene and may be replaced with a null allele by homologous recombination.

In yet another aspect of the current invention, a transgenic cervid is provided comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence that renders the cervid resistant to cervid spongiform encephalopathy disease. Another embodiment of the invention concerns a transgenic cervid that comprises a mutated PrP polypeptide with an amino acid substitution in position 154 and/or 222. Such a substitution may be in place of or in addition to a substitution at position 171. In one embodiment of the invention, the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. The glutamine residue at position 171 of a transgenic cervid may be

5

10

15

20

25

substituted with histidine, lysine or arginine. In one embodiment of the invention, the transgenic cervid is further defined as produced by a method comprising introducing a transgene encoding the mutant PrP polypeptide into the genome of a cervid embryo and allowing the embryo to develop into a cervid whose somatic and germ cells comprise the transgene.

5

10

15

20

ī

The invention further provides a progeny of any generation of a transgenic cervid of the invention, wherein the progeny comprises the transgene. Still further provided is a fertilized embryo of a transgenic cervid of the invention, wherein the embryo comprises the transgene. A transgenic cervid prepared in accordance with the invention may be further defined as lacking a functional wild type PrP gene. In one embodiment of the invention, a wild type PrP gene is replaced with a null allele by homologous recombination.

In still yet another aspect of the invention, a method is provided of producing a transgenic cervid resistant to BSE comprising: a) introducing into a cervid embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence; and b) allowing the embryo to develop into a cervid the somatic and germ cells of which express the transgene, thereby rendering the transgenic cervid resistant to BSE. In the method, the mutant PrP polypeptide may further comprise an amino acid substitution at a position of the sequence selected from the group consisting of 154 and 222. In the method, the amino acid substitution may comprise substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. In certain embodiments, the glutamine residue at position 171 has been substituted with histidine, lysine or arginine. In further embodiments, the transgenic cervid is further defined as lacking a functional wild type PrP gene and may be replaced with a null allele by homologous recombination.

25

BRIEF DESCRIPTION OF THE DRAWINGS

The following drawings form part of the present specification and are included to further demonstrate certain aspects of the present invention. The invention may be better understood by reference to one or more of these drawings in combination with the detailed description of specific embodiments presented herein.

FIG. 1. Nucleic acid sequence (SEQ ID NO:1) and corresponding predicted amino acid sequence (SEQ ID NO:2) of wild-type bovine PrP and the boxed sequence representing the CAG to CGG mutation introduced at amino acid 179 (171), changing Gln to Arg.

- FIG. 2. Verification of CAG to CGG mutation in the bovine PrP amino acid 171 codon changing a codon for Gln (CAG) to one coding for Arg (CGG). Asterisk indicates altered base.
- FIG. 3. The PrP dominant negative transgene contains three elements: (1) an endogenous PrP promoter consisting of a portion of the 5' UTR of bovine PrP gene, exon1, intron 1, exon 2 and the splice donor region of intron 2; (2) a 7.0 kb fragment containing a portion of intron 2 including the splice acceptor region of intron 2, and exon 3 modified at codon 171(179) to produce the dominant negative mutation Q171R; (3) a positive-negative neomycin-HSV-TK selection cassette.
- FIG. 4. Targeting of the bovine PrP locus to generate a BSE-resistant null allele. The top line represents the normal PrP locus containing a promoter (Pr), three exons and a polyA addition site (pA). The second line represents the targeting vector that contains the promoterless selectable marker puromycin (puropA) cloned in-frame with PrP ORF. Homologous recombination between the targeting vector and the endogenous PrP locus results in substitution of the wild-type gene with the mutated gene, as illustrated on line 3.
- FIG. 5. PCR diagnostics for targeting the PrP locus. a) endogenous gene. b) Targeted loci gains increase in size due to insertion of the puromycin gene. Primers 1r and 2r are outside the targeting construct. c) PCR results for targeted line (+1 and +2) and negative control (-1 and -2).
- FIG. 6. Comparison of the PrP amino acid sequence among white tail deer (wtd) (SEQ ID NO:6), mule deer (md) (SEQ ID NO:6), elk (e) (SEQ ID NO:10), sheep (sh) (SEQ ID NO:4) and cattle (bov) (SEQ ID NO:2).
- FIG. 7, 7A. Cervid dominant negative substitutions at amino acids 154, 171 and 222 can be achieved in each case with a single base change to produce a resistant allele from a susceptible allele. The base change in each codon is underlined. The sequences represent the complete open reading frame for white tail deer (wtd) on line 1, elk (elk) on line 2, and mule deer (md) on line

5

10

15

20

3. The corresponding PrP nucleic acid sequences are given in SEQ ID NO:5, SEQ ID NO:9 and SEQ ID NO:7, respectively.

DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The invention overcomes the limitations of the prior art by allowing creation of PrP mutants that leave intact a functional copy of the PrP gene. Inactivation (knock-out) of the endogenous PrP (prion protein) gene in mice by homologous recombination produces animals that are healthy and capable of reproducing normally, while being resistant to spongiform encephalopathy (Bueler et al., 1993). Although the knock-out in mice leaves the affected mice physically normal, there is incontestable evidence of alteration in sleep-wake cycles and circadian rhythms (Tobler et al., 1996). Alteration in sleep regulation would likely have severe behavioral consequences for cattle. Caution is especially warranted since one of the inherited forms of human prion diseases, fatal familial insomnia, shows large changes in sleep and in the daily rhythms of several hormones.

Therefore, in the absence of knowledge of the normal function of this ubiquitously expressed protein, prudence would dictate maintaining a BSE-resistant but functional copy of the PrP gene in transgenic cattle. In order to create a resistant yet functional copy of the PrP gene in cattle, the disclosed procedures take advantage of the fact that a scrapie-resistance genotype already exists in sheep, a closely related member of the ruminant family. In sheep, where spongiform encephalopathy (scrapie) is an endemic disease, analysis of DNA derived from individual animals from infected flocks indicates that sheep resistant to the disease have a different PrP genotype from susceptible animals. In particular, the PrP genotypes Val 136, GLN 171 (PrP^{VQ}) and Ala 136, GLN 171 (PrP^{AQ}) have been shown to be associated with high susceptibility to scrapie and short survival times. In contrast, animals with Arg at position 171 (PrPVR and PrPAR) are resistant to infection and have incubation periods beyond their lifespan (Laplanche et al., 1993; Westway et al., 1994; Goldman et al., 1994; Clouscard et al., 1995; Belt et al., 1995). In the bovine, PrP is not polymorphic at the GLN 171 position, its genotype corresponding to PrPAQ (Ryan and Womack, 1993; Hunter et al., 1994). Since bovine and sheep PrP are 98% identical at the amino acid level (Prusiner et al., 1993), it is highly likely that producing the same genotype in cattle that confers resistance in sheep (PrPAR), would be expected to show a similar level of resistance to the bovine spongiform encephalopathy. This change can

Ý

5

10

15

20

25

be accomplished by a single amino acid substitution (GLNto Arg at position 171). Since this genotype in cattle is unknown in nature, this invention represents a novel method for producing cattle resistant to BSE.

I. Rationale and Significance of the Invention

5

10

15

20

25

The invention contributes to the art by providing mechanisms for the generation of animals resistant to TSEs. In this manner, the spread of such diseases can be eliminated. In a first aspect of the invention, a bovine or cervid animal is made resistance by expression of a transgene expressing a dominant-negative PrP protein. By introduction into a wild type background a resistant form of PrP, the protein can act in a dominant-negative manner and block production of amyloid particles.

A further aspect of the invention provides methods for the creation of TSE resistant animals by expression of a resistant form of PrP in a PrP minus background. In certain embodiments of the invention, this comprises generating a PrP deleted animal by homologous recombination to introduce into that animal the resistant form of PrP.

The invention also provides for the production of cervids expressing a resistant form of PrP in a wild-type and null background. Cervids contain a PrP that is 98% identical to sheep and bovine PrP at the amino acid level. Therefore, the inventors contemplate introducing the same mutations proposed for BSE resistance in cattle into cervids, including deer and elk species.

The invention is significant in that TSE diseases represent a critical and emerging issue to US and world agriculture. For example, the drastic effect BSE has had on the cattle industry in Europe, entry of TSE into a country's livestock population can be devastating. More importantly, it negatively influences the public perception of the safety of the animal food supply, and has long-term consequences for animal agriculture. It is imperative, therefore, that the tools of agricultural biotechnology and genomics are utilized to increase the level of safety of cattle populations both from a direct economic need, and a public perception need. In addition, with the emerging threat of bioterrorism, new technologies and approaches need to be developed to create safety mechanisms that can diminish or abolish such a threat. The approach described here can

serve as a blueprint for future developments in related areas, and the information generated will benefit any future efforts to utilize the tools of biotechnology to improve the safety of our animal food supply.

Application to cervids is important because, unlike BSE, CWD is a rapidly propagating TSE in the United States with a natural mode of infectivity (horizontal transmission between animals). Moreover, a report documenting 3 unusually young patients with a TSE who regularly consumed venison raises the possibility of transmission of the disease to humans by consuming CWD-infected deer and elk (Belay et al., 2001). Although the economic impact of CWD may be smaller for the cervid industry, the specter of a human variant of CWD (perhaps not unlike the human BSE disease, new variant CJD) makes producing CWD-resistant animals even more urgent.

A. TSE Resistant Alleles

Bovine PrP encodes a protein of either 256 or 264 amino acids with 5 or 6 Gly/Pro-rich octapeptide repeats, respectively (Prusiner et al., 1993). High levels of expression of PrP are detected by Northern analysis in the brain, intermediate levels in heart and lung and low levels in the liver and spleen (Caughey et al., 1988). Inactivation of both endogenous PrP alleles in mice by homologous recombination results in animals that are completely resistant to spongiform encephalopathy (Beuler et al., 1993), although they may exhibit altered sleep-wake cycles and circadian rhythms (Tobler et al., 1996). Such observation is important as altered sleep regulation may have behavioral consequences for cattle.

Naturally occurring sheep PrP genotypes have been discovered that confer resistance to both experimental transmission of BSE and natural scrapie (LaPlanche et al., 1993; Goldman et al., 1994; Westaway et al., 1994. Clouscard et al., 1995; Belt et al., 1995; Foster et al., 2001) yet showed no abnormal behavioral or physiological phenotypes. In each case the resistant animals displayed either a Gln/Arg171 or Arg/Arg171 genotype. In addition, a human polymorphism that changes glutamic acid to lysine at amino acid 219 in human PrP also conferred resistance to classic CJD. Eighty-five CJD cases were examined and in all cases the genotype was Glu/Glu 219 although Glu/Lys 219 occurs in 12% of the general population (Shibuya et al., 1998). Overexpression of a resistant form of PrP in a susceptible background can act as a dominant negative mutation and interfere with the process of amyloid formation (Zulianello et al., 2000).

ì

5

10

15

20

25

This indicates that it may be possible to induce resistance by overexpression of a resistant form of PrP on a wild type background, as well as by replacement of the wild type version of the PrP for the resistant form. Thus it appears from both naturally occurring and experimentally induced changes at amino acids Q171R and Q222K manifest resistance to TSEs even in the heterozygous state.

Sequence analyses of the cattle PrP gene consistently exhibit the susceptible allele at each of these sites. Chronic wasting disease is a TSE of free-ranging and captive deer and elk, confined mainly to the western US. As FIG. 6 illustrates, cervids, just like cattle, consistently exhibit the susceptible genotype Arg154Gln171Gln222 (Raymond et al., 2000).

B. Transgenic Cattle

5

10

15

20

25

30

While transgenic manipulation in mice have been very successful the same was not previously true for cattle. Fortunately, new advances in cloning by nuclear transfer have opened up a unique opportunity to undertake precise genetic modification in cattle. The ability of a number of different laboratory groups to successfully clone cattle is due to numerous research programs focused on nuclear transfer in cattle, and the base of knowledge developed over the last 20 years involving the application of assisted reproductive techniques in cattle. Successful and repeatable procedures for in vitro oocyte maturation, in vitro fertilization, and in vitro embryo culture are now well established for cattle and may find use in the creation of transgenic animals in accordance herewith.

Nuclear transfer has been used by the inventors to reproduce the genotypes of several animals, selected for cloning based on their inherent genetic value. Results obtained to date were similar to those reported by other laboratories. The first case involved a Brahman steer known to be at least 21 years old. Adult fibroblasts were obtained from a skin biopsy and expanded using standard methods for tissue culture prior to being frozen and stored in liquid nitrogen. When nuclear transfer was performed using the fibroblast cells derived from this animal, 28% of the fused couplets (53 of 190) developed into a blastocyst in culture. Twenty-six of these were transferred into 11 recipient cows resulting in 6 pregnancies. Three of these continued to develop through 90 days of gestation and one survived to term. This cloned Brahman bull is now 20 months old and appears normal and healthy for his age (13). The cloning of a Black Angus bull naturally (genetically) resistant to Brucellosis has also been achieved. Gene targeting

technology has also been successfully developed in cultured fetal fibroblasts as described herein. Thus, the combination of the ability to undertake precise genetic modification in somatic cells and utilize those cells in a nuclear transfer procedure allows the creation of transgenic animals having mutated PrP genes.

5

II. Modified PrP Nucleic Acids and Polypeptides

One important aspect of the present invention concerns nucleic acids encoding modified PrP polypeptides and/or the creation and use of at least one recombinant host cell through the application of DNA technology, that expresses the mutant PrP polypeptide. Exemplary nucleic acids for modification include the coding sequence for the PrP gene of cattle, white tail deer, mule deer and elk are given in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7 and SEQ ID NO:9, respectively. The corresponding polypeptides are given in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8 and SEQ ID NO:10, respectively. An alignment of these polypeptide sequences is given in FIG. 6.

15

20

25

10

In certain aspects of the invention, polypeptides corresponding to these sequences are provided in which mutations have been made at selected residues including, for example, residues 154, 171, 222. As used herein, reference to these residues as 'position 154", "position 171" and/or "position 222" individually or collectively, refers to the homologous positions in these and other PrP sequences as indicated by the sequence alignment in FIG. 6. Thus it will be understood to those of skill in the art that various natural or synthetic alleles of the PrP gene that comprise additional or fewer amino acids than the sequences provided herein could be mutated at these corresponding positions and that the mutation will be made at the position that corresponds to the indicated homologous positions in FIG. 6. That is, the position numbers refer to the homologous positions as indicated in FIG. 6 but are not limited to the specified number of amino acid residues from the beginning of the translated polypeptide. These positions will be apparent to one of skill in the art based on the sequence of amino acids flanking each of the targeted positions for mutation.

The present invention concerns mutated DNA segments of PrP genes isolatable from bovines and cervids. As used herein, the term "DNA segment" refers to a DNA molecule that

02079416A2 1 3

has been isolated free of total genomic DNA of a particular species. Therefore, a DNA segment encoding a mutated PrP polypeptide refers to a DNA segment that contains coding sequences yet is isolated away from, and/or purified free from, total genomic DNA. Included within the term "DNA segment", are DNA segments and/or smaller fragments of such segments, and/or recombinant vectors, including, for example, plasmids, cosmids, phage, viruses, and/or the like.

As used herein, the term "nucleic acid" refers to a polymer of DNA, RNA or a derivative or mimic thereof, of two or more bases in length. It will be understood that the term "nucleic acid" encompass the terms "oligonucleotide" and "polynucleotide". These definitions generally refer to at least one single-stranded molecule, but in specific embodiments will also encompass at least one double-stranded molecule. Within the scope of the invention, it is contemplated that the terms "oligonucleotide", "polynucleotide" and "nucleic acid" will generally refer to at least one polymer comprising one or more of the naturally occurring monomers found in DNA (A, G, T, C) or RNA (A, G, U, C).

Similarly, a DNA segment comprising an isolated and/or purified PrP gene or polypeptide refers to a DNA segment including native or mutated PrP protein coding sequences and, in certain aspects, regulatory sequences, isolated substantially away from other naturally occurring genes and/or protein encoding sequences. In this respect, the term "gene" is used for simplicity to refer to a functional protein, polypeptide and/or peptide encoding unit. As will be understood by those in the art, this functional term includes both genomic sequences, cDNA sequences and/or smaller engineered gene segments that express, and/or may be adapted to express, proteins, polypeptides, domains, peptides, fusion proteins and/or mutants.

In particular embodiments, the invention concerns isolated DNA segments and/or recombinant vectors incorporating DNA sequences that encode a mutant PrP polypeptide that includes within its amino acid sequence a mutation at one or more residues selected from positions 154, 171 or 222. In particular embodiments, the mutation is at residue 171. Examples of such mutations include a change in the codon at position 171 of a PrP gene from glutamine to arginine. Further non-limiting examples of mutations include alteration of the arginine codon at position 154 to histidine and modification of the glutamine codon at position 222 lysine. Other modifications will also be known to those of skill in the art in light of the instant disclosure.

5

10

15

20

The term "a sequence essentially as set forth in" when used in combination with a reference to the SEQ ID NOS:2, 4, 6, 8, and/or 10, means that the sequence substantially corresponds to a portion of these sequences collectively or individually and/or has relatively few amino acids that are not identical to, and/or a biologically functional equivalent of, these amino acid sequences. In such instances the amino acid sequence may be about 98% identical to the polypeptide sequence of any of SEQ ID NOS:2, 4, 6, 8, or 10.

It will also be understood that amino acid and/or nucleic acid sequences may include additional residues, such as additional N- and/or C-terminal amino acids and/or 5' and/or 3' sequences, and/or yet still be essentially as set forth in one of the sequences disclosed herein.

Sequences that are essentially the same as those set forth in SEQ ID NOS:1, 3, 5, 7 and 9 may also be functionally defined as sequences that are capable of hybridizing to these sequences under relatively stringent conditions. Suitable relatively stringent hybridization conditions will be well known to those of skill in the art, as disclosed herein.

Hybridization is understood to mean the forming of a double stranded molecule and/or a molecule with partial double stranded nature. Stringent conditions are those that allow hybridization between two homologous nucleic acid sequences, but precludes hybridization of random sequences. For example, hybridization at low temperature and/or high ionic strength is termed low stringency. Hybridization at high temperature and/or low ionic strength is termed high stringency. Low stringency is generally performed at 0.15 M to 0.9 M NaCl at a temperature range of 20°C to 50°C. High stringency is generally performed at 0.02 M to 0.15 M NaCl at a temperature range of 50°C to 70°C. It is understood that the temperature and/or ionic strength of a desired stringency are determined in part by the length of the particular probe, the length and/or base content of the target sequences, and/or to the presence of formamide, tetramethylammonium chloride and/or other solvents in the hybridization mixture. It is also understood that these ranges are mentioned by way of example only, and/or that the desired stringency for a particular hybridization reaction is often determined empirically by comparison to positive and/or negative controls.

For applications requiring high selectivity, it is preferred to employ relatively stringent conditions to form the hybrids. For example, relatively low salt and/or high temperature conditions, such as provided by about 0.02 M to about 0.10 M NaCl at temperatures of about 50°C

5

10

15

20

25

to about 70°C. Such high stringency conditions tolerate little, if any, mismatch between the probe and/or the template and/or target strand, and/or would be particularly suitable for isolating specific genes and/or detecting specific mRNA transcripts. It is generally appreciated that conditions may be rendered more stringent by the addition of increasing amounts of formamide.

5

10

15

The nucleic acid segments of the present invention, regardless of the length of the coding sequence itself, may be combined with other DNA sequences, such as promoters, enhancers, polyadenylation signals, additional restriction enzyme sites, multiple cloning sites, other coding segments, and/or the like, such that their overall length may vary considerably. It is therefore contemplated that a nucleic acid fragment of almost any length may be employed, with the total length preferably being limited by the ease of preparation and/or use in the intended recombinant DNA protocol.

For example, nucleic acid fragments may be prepared that include a contiguous stretch of nucleotides identical to and/or complementary to the PrP coding sequences in SEQ ID NOS 1, 3, 5, 7 and/or 9. These sequences may then be operably linked to desired elements for heterologous expression, including promoter, or termination sequences.

In certain embodiments of the invention, modified PrP coding sequences may be prepared on transformation vectors. It will generally be preferable that the coding sequence be linked to a promoter or other regulatory element. In particular embodiments, the native PrP promoter may be preferred. Marker genes may be used, as is described herein.

20

The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, a ribosome binding site, and possibly, other as yet poorly understood sequences. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

25

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a sequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a protein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence

if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous and, in the case of a secretory leader, contiguous and in reading phase. However enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, then synthetic oligonucleotide adapters or linkers are used in accord with conventional practice.

An "exogenous" element is defined herein to mean nucleic acid sequence that is foreign to the cell, or homologous to the cell but in a position within the host cell nucleic acid in which the element is ordinarily not found.

As used herein, the expressions "cell," "cell line," and "cell culture" are used interchangeably and all such designations include progeny. Thus, the words "transformants" and "transformed cells" include the primary subject cell and cultures derived therefrom without regard for the number of transfers. It is also understood that all progeny may not be precisely identical in DNA content, due to deliberate or inadvertent mutations. Mutant progeny that have the same function or biological activity as screened for in the originally transformed cell are included. Where distinct designations are intended, it will be clear from the context. "Plasmids" are designated by a lower case p preceded and/or followed by capital letters and/or numbers. The starting plasmids herein are commercially available, are publicly available on an unrestricted basis, or can be constructed from such available plasmids in accord with published procedures. In addition, other equivalent plasmids are known in the art and will be apparent to the ordinary artisan.

In certain embodiments of the invention, mutations are made in a PrP polypeptide by replacing one or more codons in the nucleic acid encoding the polypeptide. Such codons that may be used to make the changes are known to those of skill in the art. Mutagenesis may be carried out at random or, alternatively, particular identified sequences can be selectively mutated. In certain aspects of the invention, mutations are selectively made to the polypeptide residues 154, 171 and/or 222 of the PrP polypeptide. The means for mutagenizing a DNA segment comprising a specific sequence are well-known to those of skill in the art. Mutagenesis may be performed in accordance with any of the techniques known in the art, such as, and not limited to, synthesizing an oligonucleotide having one or more desired sequence.

5

10

15

20

Site-specific mutagenesis in particular will find use with the invention. The technique allows introduction of one or more nucleotide sequence changes into a DNA sequence. Site-specific mutagenesis allows the production of mutants through the use of specific oligonucleotide sequences which encode the DNA sequence of the desired mutation, as well as a sufficient number of adjacent nucleotides, to provide a primer sequence of sufficient size and sequence complexity to form a stable duplex on both sides of the deletion junction being traversed. Typically, a primer of about 17 to about 75 nucleotides or more in length is preferred, with about 10 to about 25 or more residues on both sides of the junction of the sequence being altered.

10

15

5

In general, the technique of site-specific mutagenesis is well known in the art, as exemplified by various publications. Various vectors have been used for site-specific mutagenesis, such as the M13 phage, as have double stranded plasmids. Alternatively, the use of PCRTM with commercially available thermostable enzymes such as *Taq* polymerase may be used to incorporate a mutagenic oligonucleotide primer into an amplified DNA fragment that can then be cloned into an appropriate cloning or expression vector. The PCRTM-mediated mutagenesis procedures of Tomic *et al.* (1990) and Upender *et al.* (1995) provide two examples of such protocols.

20

The preparation of sequence variants of the selected coding DNA segments using site-directed mutagenesis is provided as a means of producing potentially useful species and is not meant to be limiting as there are other ways in which sequence variants of DNA sequences may be obtained. For example, recombinant vectors encoding the desired sequence may be treated with mutagenic agents, such as hydroxylamine, to obtain sequence variants.

25

Typically, vector mediated methodologies involve the introduction of the nucleic acid fragment into a DNA or RNA vector, the clonal amplification of the vector, and the recovery of the amplified nucleic acid fragment. Examples of such methodologies are provided by U.S. Patent No. 4,237,224, incorporated herein by reference. A number of template dependent processes are available to amplify the target sequences of interest present in a sample, such methods being well known in the art and specifically disclosed herein.

In modifying a PrP gene it may be desired to consider the structure of the mutated polynucleotides and and/or proteins and other characteristics. For example, certain amino acids may be substituted for other amino acids in a protein structure without appreciable loss of interactive binding capacity with structures such as antigen-binding regions of antibodies, binding sites on substrate molecules, receptors, and such like. So-called "conservative" changes do not disrupt the biological activity of the protein, as the structural change is not one that impinges of the protein's ability to carry out its designed function. It is thus contemplated by the inventors that various changes may be made in the sequence of genes and proteins disclosed herein, while still fulfilling the goals of the present invention.

10

5

1,

In terms of functional equivalents, it is well understood by the skilled artisan that, inherent in the definition of a "biologically functional equivalent" protein and/or polynucleotide, is the concept that there is a limit to the number of changes that may be made within a defined portion of the molecule while retaining a molecule with an acceptable level of equivalent biological activity. Biologically functional equivalents are thus defined herein as those proteins (and polynucleotides) in selected amino acids (or codons) may be substituted.

15

20

Amino acid substitutions are generally based on the relative similarity of the amino acid side-chain substituents, for example, their hydrophobicity, hydrophilicity, charge, size, and/or the like. An analysis of the size, shape and/or type of the amino acid side-chain substituents reveals that arginine, lysine and/or histidine are all positively charged residues; that alanine, glycine and/or serine are all a similar size; and/or that phenylalanine, tryptophan and/or tyrosine all have a generally similar shape. Therefore, based upon these considerations, arginine, lysine and/or histidine; alanine, glycine and/or serine; and/or phenylalanine, tryptophan and/or tyrosine; are defined herein as biologically functional equivalents.

25

30

To effect more quantitative changes, the hydropathic index of amino acids may be considered. Each amino acid has been assigned a hydropathic index on the basis of their hydrophobicity and/or charge characteristics, these are: isoleucine (+4.5); valine (+4.2); leucine (+3.8); phenylalanine (+2.8); cysteine/cystine (+2.5); methionine (+1.9); alanine (+1.8); glycine (-0.4); threonine (-0.7); serine (-0.8); tryptophan (-0.9); tyrosine (-1.3); proline (-1.6); histidine (-3.2); glutamate (-3.5); glutamine (-3.5); asparagine (-3.5); lysine (-3.9); and/or arginine (-4.5).

The importance of the hydropathic amino acid index in conferring interactive biological function on a protein is generally understood in the art. It is known that certain amino acids may be substituted for other amino acids having a similar hydropathic index and/or score and/or still retain a similar biological activity. In making changes based upon the hydropathic index, the substitution of amino acids whose hydropathic indices are within ± 2 is preferred, those which are within ± 1 are particularly preferred, and/or those within ± 0.5 are even more particularly preferred.

It also is understood in the art that the substitution of like amino acids can be made effectively on the basis of hydrophilicity, particularly where the biological functional equivalent protein and/or peptide thereby created is intended for use in immunological embodiments, as in certain embodiments of the present invention. U.S. Patent 4,554,101, incorporated herein by reference, states that the greatest local average hydrophilicity of a protein, as governed by the hydrophilicity of its adjacent amino acids, correlates with its immunogenicity and/or antigenicity, *i.e.*, with a biological property of the protein.

15

20

10

.5

As detailed in U.S. Patent 4,554,101, the following hydrophilicity values have been assigned to amino acid residues: arginine (\pm 3.0); lysine (\pm 3.0); aspartate (\pm 3.0 \pm 1); glutamate (\pm 3.0 \pm 1); serine (\pm 0.3); asparagine (\pm 0.2); glutamine (\pm 0.2); glycine (0); threonine (\pm 0.4); proline (\pm 0.5 \pm 1); alanine (\pm 0.5); histidine (\pm 0.5); cysteine (\pm 1.0); methionine (\pm 1.3); valine (\pm 1.5); leucine (\pm 1.8); isoleucine (\pm 1.8); tyrosine (\pm 2.3); phenylalanine (\pm 2.5); tryptophan (\pm 3.4). In making changes based upon similar hydrophilicity values, the substitution of amino acids whose hydrophilicity values are within \pm 2 is preferred, those which are within \pm 1 are particularly preferred, and/or those within \pm 0.5 are even more particularly preferred.

III. Transgenic animals

25

Certain aspects of the invention concern the creation of genetically transformed cervid and bovine animals. Suitable methods of nucleic acid delivery for carrying out such transformation of a cell, tissue or an organism for use with the current invention are believed to include virtually any method by which a nucleic acid (e.g., DNA) can be introduced into a cell. Such methods include, but are not limited to, direct delivery of DNA such as by injection (U.S.

Patent Nos. 5,994,624, 5,981,274, 5,945,100, 5,780,448, 5,736,524, 5,702,932, 5,656,610, 5,589,466 and 5,580,859, each incorporated herein by reference), including microinjection (Harlan and Weintraub, 1985; U.S. Patent No. 5,789,215, incorporated herein by reference); by electroporation (U.S. Patent No. 5,384,253, incorporated herein by reference; Tur-Kaspa et al., 1986; Potter et al., 1984); by calcium phosphate precipitation (Graham and Van Der Eb., 1973; Chen and Okayama, 1987; Rippe et al., 1990); by using DEAE-dextran followed by polyethylene glycol (Gopal, 1985); by direct sonic loading (Fechheimer et al., 1987); by mediated transfection (Nicolau and Sene. 1982; Fraley et al., 1979; Nicolau et al., 1987; Wong et al., 1980; Kaneda et al., 1989; Kato et al., 1991) and receptormediated transfection (Wu and Wu, 1987; Wu and Wu, 1988). Through the application of techniques such as these, organelle(s), cell(s), tissue(s) or organism(s) may be stably or transiently transformed. Specific, non-limiting examples of transformation methods that may be used with the invention are set forth herein below.

A. Site Specific Integration and Excision of Nucleic Acids

It is specifically contemplated by the inventors that one could employ techniques for the site-specific integration or excision of nucleic acids in connection with the instant invention. For example, site-specific recombination may find use in the elimination of selectable markers and / or for the replacement of a target loci in a genome. Site-specific integration or excision of nucleic acids can be achieved by means of homologous recombination (see, for example, U.S. Patent No. 5,527,695, specifically incorporated herein by reference in its entirety). Homologous recombination is a reaction between any pair of DNA sequences having a similar sequence of nucleotides, where the two sequences interact (recombine) to form a new recombinant DNA species. The frequency of homologous recombination increases as the length of the shared nucleotide DNA sequences increases, and is higher with linearized nucleic acid molecules than with circularized plasmid molecules. Homologous recombination can occur between two DNA sequences that are less than identical, but the recombination frequency declines as the divergence between the two sequences increases.

Introduced DNA sequences can be targeted via homologous recombination by linking a DNA molecule of interest to sequences sharing homology with endogenous sequences of the host cell. Once the DNA enters the cell, the two homologous sequences can interact to insert the

5

10

15

20

25

introduced DNA at the site where the homologous genomic DNA sequences were located. Therefore, the choice of homologous sequences contained on the introduced DNA will determine the site where the introduced DNA is integrated via homologous recombination. For example, if the DNA sequence of interest is linked to DNA sequences sharing homology to a single copy gene of a cell, the DNA sequence of interest will be inserted via homologous recombination at only that single specific site. However, if the DNA sequence of interest is linked to DNA sequences sharing homology to a multicopy gene of the host eukaryotic cell, then the DNA sequence of interest can be inserted via homologous recombination at each of the specific sites where a copy of the gene is located.

10

15

20

5

DNA can be inserted into the host genome by a homologous recombination reaction involving either a single reciprocal recombination (resulting in the insertion of the entire length of the introduced DNA) or through a double reciprocal recombination (resulting in the insertion of only the DNA located between the two recombination events). For example, if one wishes to insert a foreign gene into the genomic site where a selected gene is located, the introduced DNA should contain sequences homologous to the selected gene. A single homologous recombination event would then result in the entire introduced DNA sequence being inserted into the selected gene. Alternatively, a double recombination event can be achieved by flanking each end of the DNA sequence of interest (the sequence intended to be inserted into the genome) with DNA sequences homologous to the selected gene. A homologous recombination event involving each of the homologous flanking regions will result in the insertion of the foreign DNA. Thus only those DNA sequences located between the two regions sharing genomic homology become integrated into the genome.

25

One useful application of homologous recombination is the removal of selectable marker genes or other sequences that may be deemed undesirable for a particular application. One manner of removing sequences is to utilize a site-specific recombinase system. In general, a site specific recombinase system consists of three elements: two pairs of DNA sequence (the site-specific recombination sequences) and a specific enzyme (the site-specific recombinase). The site-specific recombinase will catalyze a recombination reaction only between two site-specific recombination sequences.

A number of different site specific recombinase systems are known and could be employed in accordance with the instant invention, including, but not limited to, the Cre/lox system of bacteriophage P1 (U.S. Patent No. 5,658,772, specifically incorporated herein by reference in its entirety), the FLP/FRT system of yeast (Golic and Lindquist, 1989), the Gin recombinase of phage Mu (Maeser and Kahmann, 1991), the Pin recombinase of *E. coli* (Enomoto *et al.*, 1983), and the R/RS system of the pSR1 plasmid (Araki *et al.*, 1992). The bacteriophage P1 Cre/lox and the yeast FLP/FRT systems constitute two particularly useful systems for site specific integration or excision of transgenes. In these systems, a recombinase (Cre or FLP) will interact specifically with its respective site -specific recombination sequence (lox or FRT, respectively) to invert or excise the intervening sequences. The sequence for each of these two systems is relatively short (34 bp for lox and 47 bp for FRT) and therefore, convenient for use with transformation vectors.

The FLP/FRT recombinase system has been demonstrated to function efficiently in eukaryotic cells. In general, short incomplete FRT sites leads to higher accumulation of excision products than the complete full-length FRT sites. The systems can catalyze both intra- and intermolecular reactions, indicating its utility for DNA excision as well as integration reactions. The recombination reaction is reversible and this reversibility can compromise the efficiency of the reaction in each direction. Altering the structure of the site - specific recombination sequences is one approach to remedying this situation. The site -specific recombination sequence can be mutated in a manner that the product of the recombination reaction is no longer recognized as a substrate for the reverse reaction, thereby stabilizing the integration or excision event.

In the Cre-lox system, discovered in bacteriophage P1, recombination between loxP sites occurs in the presence of the Cre recombinase (see, e.g., U.S. Patent No. 5,658,772, specifically incorporated herein by reference in its entirety). This system has been utilized to excise a gene located between two lox sites which had been introduced into a yeast genome (Sauer, 1987). Cre was expressed from an inducible yeast GALl promoter and this Cre gene was located on an autonomously replicating yeast vector.

Since the lox site is an asymmetrical nucleotide sequence, lox sites on the same DNA molecule can have the same or opposite orientation with respect to each other. Recombination

.5

10

15

20

25

between lox sites in the same orientation results in a deletion of the DNA Segment located between the two lox sites and a connection between the resulting ends of the original DNA molecule. The deleted DNA segment forms a circular molecule of DNA. The original DNA molecule and the resulting circular molecule each contain a single lox site. Recombination between lox sites in opposite orientations on the same DNA molecule result in an inversion of the nucleotide sequence of the DNA segment located between the two lox sites. In addition, reciprocal exchange of DNA segments proximate to lox sites located on two different DNA molecules can occur. All of these recombination events are catalyzed by the product of the Cre coding region.

B. Methods for Genetic Transformation

1. Electroporation

In certain embodiments of the present invention, a nucleic acid is introduced into an organelle, a cell, a tissue or an organism via electroporation. Electroporation involves the exposure of a suspension of cells and DNA to a high-voltage electric discharge. Recipient cells can be made more susceptible to transformation by mechanical wounding.

Transfection of eukaryotic cells using electroporation has been quite successful. For example, mouse pre-B lymphocytes have been transfected with human kappa-immunoglobulin genes (Potter *et al.*, 1984), and rat hepatocytes have been transfected with the chloramphenicol acetyltransferase gene (Tur-Kaspa *et al.*, 1986) in this manner.

2. Injection

In certain embodiments, a nucleic acid may be delivered to an organelle, a cell, a tissue or an organism via one or more injections (*i.e.*, a needle injection), such as, for example, subcutaneously, intradermally, intramuscularly, intervenously, intraperitoneally, etc. Certain embodiments of the present invention thus include the introduction of a nucleic acid by direct microinjection. Direct microinjection has been used to introduce nucleic acid constructs into, for example, *Xenopus* oocytes (Harland and Weintraub, 1985).

5

10

15

20

3. Calcium Phosphate

In other embodiments of the present invention, a nucleic acid is introduced to the cells using calcium phosphate precipitation. Human KB cells have been transfected with adenovirus 5 DNA (Graham and Van Der Eb, 1973) using this technique. Also in this manner, mouse L(A9), mouse C127, CHO, CV-1, BHK, NIH3T3 and HeLa cells were transfected with a neomycin marker gene (Chen and Okayama, 1987), and rat hepatocytes were transfected with a variety of marker genes (Rippe *et al.*, 1990).

4. DEAE-Dextran

In another embodiment, a nucleic acid is delivered into a cell using DEAE-dextran followed by polyethylene glycol. In this manner, reporter plasmids were introduced into mouse myeloma and erythroleukemia cells (Gopal, 1985).

5. Sonication Loading

Additional embodiments of the present invention include the introduction of a nucleic acid by direct sonic loading. For example, LTK⁻ fibroblasts have been transfected with the thymidine kinase gene by sonication loading (Fechheimer *et al.*, 1987).

6. Liposome-Mediated Transfection

In a further embodiment of the invention, a nucleic acid may be entrapped in a lipid complex such as, for example, a liposome. Liposomes are vesicular structures characterized by a phospholipid bilayer membrane and an inner aqueous medium. Multilamellar liposomes have multiple lipid layers separated by aqueous medium. They form spontaneously when phospholipids are suspended in an excess of aqueous solution. The lipid components undergo self-rearrangement before the formation of closed structures and entrap water and dissolved solutes between the lipid bilayers (Ghosh and Bachhawat, 1991). Also contemplated is an nucleic acid complexed with Lipofectamine (Gibco BRL) or Superfect (Qiagen).

Liposome-mediated nucleic acid delivery and expression of foreign DNA in vitro has been very successful (Nicolau and Sene, 1982; Fraley et al., 1979; Nicolau et al., 1987). The

5

10

15

20

feasibility of liposome-mediated delivery and expression of foreign DNA in cultured chick embryo, HeLa and hepatoma cells has also been demonstrated (Wong et al., 1980).

In certain embodiments of the invention, a liposome may be complexed with a hemagglutinating virus (HVJ). This has been shown to facilitate fusion with the cell membrane and promote cell entry of liposome-encapsulated DNA (Kaneda et al., 1989). In other embodiments, a liposome may be complexed or employed in conjunction with nuclear non-histone chromosomal proteins (HMG-1) (Kato et al., 1991). In yet further embodiments, a liposome may be complexed or employed in conjunction with both HVJ and HMG-1. In other embodiments, a delivery vehicle may comprise a ligand and a liposome.

7. Receptor Mediated Transfection

Still further, a nucleic acid may be delivered to a target cell via receptor-mediated delivery vehicles. These take advantage of the selective uptake of macromolecules by receptor-mediated endocytosis that will be occurring in a target cell. In view of the cell type-specific distribution of various receptors, this delivery method adds another degree of specificity to the present invention.

Certain receptor-mediated gene targeting vehicles comprise a cell receptor-specific ligand and a nucleic acid-binding agent. Others comprise a cell receptor-specific ligand to which the nucleic acid to be delivered has been operatively attached. Several ligands have been used for receptor-mediated gene transfer (Wu and Wu, 1987; Wagner et al., 1990; Perales et al., 1994; Myers, EPO 0273085), which establishes the operability of the technique. Specific delivery in the context of another mammalian cell type has been described (Wu and Wu, 1993; incorporated herein by reference). In certain aspects of the present invention, a ligand will be chosen to correspond to a receptor specifically expressed on the target cell population.

In other embodiments, a nucleic acid delivery vehicle component of a cell-specific nucleic acid targeting vehicle may comprise a specific binding ligand in combination with a liposome. The nucleic acid(s) to be delivered are housed within the liposome and the specific binding ligand is functionally incorporated into the liposome membrane. The liposome will thus specifically bind to the receptor(s) of a target cell and deliver the contents to a cell. Such systems have been shown to be functional using systems in which, for example, epidermal

5

10

15

20

growth factor (EGF) is used in the receptor-mediated delivery of a nucleic acid to cells that exhibit upregulation of the EGF receptor.

In still further embodiments, the nucleic acid of a targeted delivery vehicle may be a liposome itself, which will preferably comprise one or more lipids or glycoproteins that direct cell-specific binding. For example, lactosyl-ceramide, a galactose-terminal asialganglioside, have been incorporated into liposomes and observed an increase in the uptake of the insulin gene by hepatocytes (Nicolau et al., 1987). It is contemplated that the tissue-specific transforming constructs of the present invention can be specifically delivered into a target cell in a similar manner.

C. Transgenic Animals

The current invention provides transgenic bovines and cervids. As used herein, the terms "cervid" or "cervids" includes deer and the like, including familiar moose, elk, and caribou. Members of this family occupy a wide range of habitats, from arctic tundras to tropical forests, and native species of cervids can be found over most of the world except Africa south of the Sahara, Australia, and Antarctica. They have also been introduced to a number of areas that originally had no cervids. Currently approximately 44 species of cervids are recognized.

As indicated herein above, the techniques of the present invention may also be used with potentially any bovine. As used herein, the terms "bovine" refers to a family of ruminants belonging to the genus Bos or any closely related genera of the family Bovidae. The family Bovidae includes true antelopes, oxen, sheep, and goats, for example. Preferred bovine animals are the cow and ox. Especially preferred bovine species are Bos taurus, Bos indicus, and Bos buffaloes. Other preferred bovine species are Bos primigenius and Bos longifrons.

Examples of particular cattle breeds that may find use with the invention include, but are not limited to: Aberdeen-Angus, Abigar, Abondance, Abyssian Highland Zebu, Abyssian Shorthorned Zebu, Aceh, Achham, Adamawa, Aden, Afghan, Africander, Africangus, Agerolese, Alambadi, Ala-Tau, Albanian, Albanian Dwarf, Alberes, Albese, Aleutian wild, Alentejana, Aliad Dinka, Alistana-Sanabresa, Alur, American Angus, American Beef Friesian, American Breed, American Brown Swiss, American White Park, Amerifax, Amritmahal, Anatolian Black, Andalusian Black, Andalusian Blond, Andalusian Grey, Angeln, Angoni, Ankina, Ankole-

5

10

15

20

Watusi, Aosta, Aosta Balck Pied, Aosta Chestnut, Aosta Red Pied, Apulian Podolian, Aracena, Arado, Argentine Crillo, Argentine Friesian, Armorican, Arouquesa, Arsi, Asturian, Atpadi Mahal, Aubrac, Aulie-Ata, Aure et Saint-Girons, Australian Braford, Australian Brangus, Australian Charbray, Australain Commercial Dairy Cow, Australain Friesian Sahiwal, Australain Grey, Australian Lowline, Australian Milking Zebu, Australian Shorthorn, Australian White. Austrian Simmental, Austrian Yellow, Avetonou, Avilena, Avilena-Black Iberian, Aweil Dinka, Ayrshire, Azaouak, Azebuado, Azerbaijan Zebu, Azores, Bachaur, Baggara, Baggerbont, Bahima, Baila, Bakosi, Bakwiri, Baladi, Baltic Black Pied, Bambara, Bambawa, Bambey, Bami, Banyo, Baoule, Bapedi, Bargur, Bari, Baria (Vietnam), Baria (Madagascar), Barka, Barotse, Barra do Cuanzo, Barrosa, Barroso, Barzona, Bashi, Basuto, Batanes Black, Batangas, Batawana, Bavenda, Bazadais, Bearnais, Beefalo, Beefmaker (US), Beefmaker (Aussie), Beefmaster, Beef Shorthorn, Beef Synthetic, Beijing Black Pied, Beiroa, Beja, Belgian Black Pied, Belgian Blue, Belgian Red, Belgian Red Pied, Belgian White-and-Red, Belmont Red, Belted Galloway, Belted Welsh, Bengali, Bericiana, Berrendas, Bestuzhev, Betizuak, Bhagnari, Biamal, Black Baldy, Black Forest, Black Iberian, Blanco Orejinergo, Blauw and Blauwbont, Bleu du Nord, Blonde d'Aquitaine, Blonde du Sud-Ouest, Bolivian Criollo, Bonsmara, Boran, Borgou, Boreno Zebu, Braford, Bragado do Sorraia, Braganca, Brahman, Brahmin, Brahorn, Bralers, Bra-Maine, Brahmousin, Brandrood Ijsselvee, Brangus, Bra-Swiss, Bravon, Brazilian Dairy Hybrid, Brazilian Gir, Brazilian Polled, Brazilian Zebu, Breton Black Pied, British Dane, British Friesian, British Holstein, British Polled Hereford, British White, Brown Atlas, Brownsind, Bulgarian Brown, Bulgarian Red, Bulgarian Simmental, Burlina, Burmese, Burwash, Busa, Bushuev, Butana, Byelorussian Red, Byelorussian Synthetic, Cabannina, Cachena, Caiua, Calabrian, Cadeano, Caldelana, Calvana, Camargue, Cambodian, Canadien, Canary Island, Canchim, Cape Bon Blond, Caracu, Carazebu, Cardena, Carpathian Brown, Carrena, Casanareno, Cash, Casina, Castille-Leon, Caucasian, Caucasian Brown, Central American Dairy Criollo, Central Asian Zebu, Central Russian Black Pied, Chagga, Chan-Doc, Chaouia, Cahqueno, Charbray, Charford, Charolais, Charollandrais, Char-Swiss, Charwiss, Cheju, Chernigov, Chesi, Cheurfa, Chiangus, Chianina, Chiford, Chimaine, Chinampo, Chinese Blackand-White, Chino Santandereano, Chittagong, Cholistani, Cildir, Cinisara, Colombian Criollo, Coopelso 93, Cornigliese, Corriente, Corsican, Costeno con Cuernos, Cretan Lowland, Cretan Mountain, Croatian Red, Cuban Criollo, Cuban Zebu, Cukurova, Cuprem Hybrid, Curraleiro, Cutchi, Cyprus, Czech Pied, Dabieshan, Dacca-Faridpur, Dagestan Mountains, Dairy Gir, Dairy

5

:

10

15

20

25

Shorthorn, Dairy Synthetic, Dairy Zebu of Uberaba, Dajjal, Damara, Damascus, Damietta, Danakil, Dangi, Danish Red Pied, Danish Blue-and-White, Danish Jersey, Danish Red, Danish Red Pied, Dashtiara, Dengchuan, Deoni, Devarakota, Devni, Devon, Dexter, Dexter-Kerry, Dhanni, Diali, Didinga, Dishti, Djakore, Dneiper, Doayo, Dobrogea, Dongola, Doran, Dorna, Dortyol, Drakensberger, Droughtmaster, Dun Galloway, Dutch Belted, Dutch Black Pied, East African Zebu, East Anatolian Red, East Anatolian Red and White, Eastern Nuer, East Finnish, East Friesian, East Macedonian, Ecuador Criollo, Egyptian, Enderby Island Shorthorn, Epirus, Estonian Black Pied, Estonian Native, Estonian Red, Ethiopian Boran, Faeroes, Fellata, Ferrandais, Fighting Bull, Finnish, Finnish Ayrshire, Flemish, Flemish Red, Florida Scrub, Fogera, Fort Cross, Franqueiro, Frati, French Brown, French Friesian, Friesland, Frijolillo, FRS, Gacko, Gado da Terra, Galician Blond, Galloway, Gambian N'Dama, Gaolao, Garfagnina, Garre, Gasara, Gascon, Gelbvieh, Georgian Mountain, German Angus, German Black Pied, German Black Pied Dairy, German Brown, German Red, German Red Peid, German Shorthorn, German Simmental, Ghana Sanga, Ghana Shorthorn, Gir, Giriama, Girolando, Glan, Glan-Donnersberg, Gloucester, Gobra, Gole, Golpayegani, Goomsur, Gorbatov Red, Goryn, Grati, Greater Caucasus, Greek Shorthorn, Greek Steppe, Grey Alpine, Greyman, Groningen Whitehead, Grossetana, Guadiana Spotted, Gaunling, Guelma, Guernsey, Gujamavu, Guzera, Guzerando, Hainan, Halhin, Hallikar, Hariana, Harton, Harz, Hatton, Hawaiian wild, Hays Converter, Hereford, Hereland, Herens, Highland, Hinterland, Hissar, Holgus, Holmonger, Holstein, Horro, Hrbinecky, Huangpi, Huertana, Humbi, Hungarian Grey, Hungarian Pied, Hungarfries, Ibage, Icelandic, Illawarra, Ilocos, Iloilo, Improved Rodopi, Indo-Brazilian Zebu, Ingessana, Inkuku, INRA 9, Iraqi, Irish Moiled, Iskar, Israeli Friesian, Istoben, Istrian, Italian Brown, Italian Friesian, Italian Red Pied, Jamaica Black, Jamica Brahman, Jamica Hope, Jamica Red, Japanese Black, Japanese Brown, Japanese Native, Japanese Poll, Japanese Shorthorn, Jarmelista, Jaulan, Javanese, Javanese Ongole, Javanese Zebu, Jellicut, Jem-Jem Zebu, Jenubi, Jerdi, Jersey, Jersian, Jersind, Jiddu, Jijjiga Zebu, Jinnan, Jochberg, Jotko, Kabota, Kabyle, Kachcha Siri, Kalakheri, Kalmyk, Kamasia, Kamba, Kamdhino, Kandahari, Kanem, Kangayam, Kaningan, Kankrej, Kaokoveld, Kappiliyan, Kapsiki, Karamajong, Karan Fries, Karan Swiss, Katerini, Kavirondo, Kazkh, Kazkh Whitehead, Kedah-Kelantan, Kenana, Kenkatha, Kenran, Kenya Boran, Kenya Zebu, Kerry, Keteku, Khamala, Kherigarh, Khevsurian, Khillari, Kholmogory, Khurasani, Kigezi, Kikuyu, Kilara, Kilis, Kinniya, Kisantu, Kochi, Kolubara, Konari, Korean Native, Kostroma, Kravarsky, Krishnagiri, Krishina Valley, Kuchinoshima, Kumamoto, Kumauni,

5

10

15

20

25

Kurdi, Kurgan, Kuri, Kyoga, Ladakhi, Lagune, Lakenvelder, Las Bela, Latuka, Latvian Blue, Latvian Brown, La Velasquez, Lavinia, Lebanese, Lebedin, Lesser Caucasus, Liberian Dwarf, Libyan, Lim, Limiana, Limousin, Limpurger, Lincoln Red, Lithuanian Red, Llanero, Lobi, Local Indian Dairy, Lohani, Longhorn, Lourdais, Lowline, Lucanian, Lucerna, Lugware, Luing, Luxi, Macedonian Blue, Madagascar Zebu, Madaripur, Madura, Magal, Maine-Anjou, Makaweli, Malawi Zebu, Malnad Gidda, Malselv, Maltese cow, Malvi, Mampati, Manapari, Mandalong Special, Mangwato, Mantiqueira, Marchigiana, Maremmana, Marianas, Marinhoa, Maronesa, Maryuti, Masai, Mashona, Matabele, Maure, Mauritius Creole, Mazandarani, Mazury, Meknes Black Pied, Menufi, Merauke, Mere, Mertolenga, Messaoria, Metohija Red, Meuse-Rhine-Yssel, Mewati, Mezzalina, Mhaswald, Milking Devon, Milking Shorthorn, Mingrelian Red, Minhota, Miniature Hereford, Miniature Zebu, Minocran, Mirandesa, Mishima, Modenese, Modicana, Moi, Monchina, Mongalla, Mongolian, Montafon, Montbeliard, Morang, Morenas del Noroeste, Morucha, Mottled Hill, Mozambique Angoni, Mpwapwa, Munshiguni, Murcian, Murgese, Murle, Murnau-Werdenfels, Murray Grey, Muris, Muturu, Nagori, Nakali, Nama, Nandi, Nantais, Nanyang, Ndagu, N'Dama, N'Dama Sanga, Nejdi, Nelore, Nepalese Hill, N'Gabou, Nganda, N'Gaoundere, Nguni, Nilotic, Nimari, Nkedi, Nkone, Normande, Normanzu, North Bangladesh, North Finnish, North Malawi Zebu, North Somali, Norwegian Red, Nuba Mountain, Nuer, Nuras, Nyoro, Okayama, Ongole, Oran, Orapa, Oulmes Blond, Ovambo, Pabna, Pajuna, Palmera, Pakota Red, Pantaneiro, Pantelleria, Paphos, Parthenias, Pechora, Pee Wee, Peloponnesus, Perijanero, Pester, Philippine Native, Piedmont, Pie Rouge de l'Est, Pie Rouge des Plaines, Pinzgauer, Pinzhou, Pisana, Pitangueiras, Polish Black-and-White Lowland, Polish Redand-White Lowland, Polish Simmental, Polled Charolais, Polled Gir, Polled Guzera, Polled Hereford, Polled Jersey, Polled Lincoln Red, Polled Nelore, Polled Shorthorn (US), Polled Simmental, Polled Sussex, Polled Welsh Black, Polled Zebu, Poll Friesian, Poll Hereford, Poll Shorthorn (Aussie), Pontremolese, Ponwar, Porto Amboim, Posavina, Preti, Prewakwa, Puerto Rican, Pul-Mbor, Punganur, Purnea, Pyrenean, Qinchuan, Quasah, Ramgarhi, Ramo Grande, Rana, Randall Lineback, Ranger, Rath, Raya-Azebo, Red and White Friesian, Red and White Holstein, Red Angus, Red Belted Galloway, Red Bororo, Red Brangus, Red Chianina, Red Desert, Red Galloway, Red Kandhari, Red Poll, Red Sindhi, Red Steppe, Reggiana, Regus, Rendena, Renitelo, Retinta, Rhaetian Grey, Rio Limon Dairy Criollo, Riopardense, Rodopi, Rojhan, Romagnola, Roman, Romana Red, Romanian Brown, Romanian Red, Romanian Simmental, Romanian Steppe, Romosinuano, Russian Black Pied, Russian Brown, Russian

5

10

15

20

25

Simmental, Rustaqi, RX3, Sabre, Sahford, Sahiwal, Saidi, Salers, Salorn, Sanhe, San Martinero, Santa Gertrudis, Sarabi, Sardinian, Sardinian Brown, Sardo-Modicana, Savinja Grey, Sayaguesa. Schwyz-Zeboid, Seferihisar, Senepol, Sengologa, Serbo-Cro Pied, Serbo-Cro Pinzau, Sérere, Seshaga, Shahabadi, Shakhansurri, Shandong, Sharabi, Sheko, Shendi, Shetland, Shimane, 5 Shkodra, Shuwa, Siberian Black Pied, Siberian White, Siboney, Simbrah, Simford (Australia), Simford (Israel), Simmalo, Simmental, Sinhala, Siri, Sistani, Slovakian Pied, Slovakian Pinzgau, Slovenian Brown, Slovenian Podolian, Small East African Zebu, Socotra, Sokoto Gudali, Somali, Somba, Sonkheri, Son Valley, South African Brown Swiss, South Anatolian Red, South China Zebu, South Devon, Southern Tswana, Southern Ukrainian, South Malawi Zebu, Spanish 10 Brown, Spreca, Sudanese Fulani, Suia, Suisbu, Suk, Suksun, Sunkuma, Sunandini, Sussex, Swedish Ayrshire, Swedish Friesian, Swedish Jersey, Swedish Mountain, Swedish Polled, Swedish Red-and-White, Swiss Black Pied, Swiss Brown, Sychevka, Sykia, Tabapua, Tagil. Taino, Taiwan Zebu, Tajma, Tamankaduwa, Tambov Red, Tanzanian Zebu, Tarai, Tarentaise, Tarina, Taylor, Telemark, Texas Longhorn, Thai, Thailand Fighting cow, Thanh-Hoa, Thari, 15 Thatparkar, Thessaly, Thibar, Thillari, Tibetan, Tinima, Tinos, Tonga, Toposa, Toro, Toronke, Tottori, Toubou, Toupouri, Transylvanian Pinzgua, Tropical, Tropical Dairy Cattle, Tropicana, TSSHZ-1, Tawana, Tudanca, Tuli, Tuni, Turino, Tukana, Turkish Brown, Turkish Grey Steppe, Turkmen, Tux-Zillertal, Tuy-Hoa, Tyrol Grey, Uganda Zebu, Ujumqin, Ukrainian Grey, Ukrainian Whiteheaded, Umblachery, Ural Black Pied, Valdres, Vale and Vaalbonte, Vaynol, 20 Vendee Marsh, Venezuela Criollo, Venezuelan Zebu, Verinesa, Vianesa, Victoria, Vietnamese, Villard-de-Lans, Vogelsberg, Volnsk, Voderwald, Vosges, Wakwa, Watusi (USA), Welsh Black, Wenshan, West African Dwarf Shorthorn, West African Shorthorn, West Finnish, West Macedonian, White Shorthorn, White Caceres, White Fulani, White Galloway, White Nile, White Park, White Sange, White Welsh, Witrik, Wodabe, Wokalup, Xinjiang, Xuwen, 25 Yacumeno, Yakut, Yanbian, Yaroslavl, Yellow Franconian, Yemeni Zebu, Yunnan Zebu, Yurino, Zambia Angoni, Zanzibar Zebu, Zaobei, Zavot, and Znamensk.

IV. EXAMPLES

The following examples are included to demonstrate preferred embodiments of the invention. It should be appreciated by those of skill in the art that the techniques disclosed in the examples which follow represent techniques discovered by the inventor to function well in the

practice of the invention, and thus can be considered to constitute preferred modes for its practice. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in the specific embodiments which are disclosed and still obtain a like or similar result without departing from the spirit and scope of the invention.

Example 1

Bovine PrP gene

The bovine PrP gene was isolated from a bacterial artificial chromosome (BAC) large-insert library by PCRTM screening of pooled clones (Cai *et al.*, 1995). Three overlapping BAC clones were verified to contain the PrP gene by dideoxy sequencing. Since the efficiency of the process of homologous recombination depends on the targeting construct containing DNA that is identical ("isogenic") to the DNA at the targeted locus, the PrP gene was amplified by long-range PCRTM (LR-PCRTM). Long-range PCRTM has been used previously for obtaining isogenic DNA for the generation of targeting constructs (Randolph *et al.*, 1996). The technology is based on a combination of DNA polymerases and can produce amplicons as large as 35 kb (Barnes, 1994).

More important than the length of homology is the remarkable fidelity of the enzymes with error rates as low as 1.3×10^{-6} per bp per replication (Stratagene). Thus a conservative error rate would be 1 bp mismatch every 30-40 kb. Such a low level of mismatch should not affect the targeting frequency as has been demonstrated by Randolph *et al.*, (1996) who indicated that the targeting frequency did not differ between constructs made the conventional way (cloning of the genomic sequence), versus targeting vectors prepared by long-range PCRTM.

In addition, the sequencing done to confirm identity of several long-range PCRTM products has not identified a single mismatch in over 5 kb of sequences. The proposed method, therefore, is not only technically feasible but is not expected to result in lower targeting rates. The ends of a portion of the cloned PrP gene were sequenced and the sequence data used to synthesize PCRTM primers. As a source of isogenic bovine genomic DNA, fetal fibroblasts were first isolated from a genetically superior Aberdeen Angus 40-day old fetus and DNA extracted by standard procedures. Using optimized LR-PCRTM conditions, a 7 kb isogenic PrP fragment was amplified and cloned into vector pCR2.1, the insert digested with the restriction enzymes *Bam*HI and *Hind*III and the resulting 3.0 kb fragment subcloned into vector pUC19.

A. Use of isogenic targeting DNA generated by long-range PCRTM.

This feature allows rapid generation of isogenic DNA for construction of a targeting vector without having to laboriously construct and screen a genomic library. Since the PCRTM

5

10

15

20

25

product is identical in sequence to the targeted endogenous gene, it facilitates homologous recombination.

B. Use of superior genetics in the fetus used as the source of fetal fibroblasts.

This feature will make the PrP-resistant transgenic calves that the inventors produce much more valuable to the cattle industry as breeding stock.

Example 2

Modification of PrP Gene

Since the desired alteration in the bovine PrP gene is a one base change at amino acid 176 (CAG coding for glutamine to CGG coding for arginine), this modification was introduced by in vitro mutagenesis following the methodology of Deng and Nickoloff (1991).

In order to convert the wild type triplet sequence (CAG) coding for glutamine (Gln) at amino acid 179 to arginine (Arg) coded by the triplet CGG, a mutagenesis primer was synthesized that would convert the middle base of CAG from A to G thereby producing the required CGG triplet coding for Arg rather than Gln (See FIG. 1).

The mutagenesis protocol of Deng and Nicholoff was used to generate the amino acid change indicated above. Briefly, the vector containing wild-type PrP was denatured and then hybridized with the mutagenesis primer that encodes the desired modification (C to G) and a selection primer that alters a unique restriction site. A second strand is synthesized using DNA polymerase and gaps sealed with DNA ligase. Following transformation into an appropriate host, clones containing the mutagenic plasmid are selected by digestion of isolated DNA with the restriction enzyme that digests the altered site.

Plasmids were isolated from individual colonies and digested with EcoRV to distinguish mutated plasmids from parental ones. To confirm that a C to G change had been introduced into PrP (and no other unintended changes introduced), several sequencing primers were synthesized allowing sequencing of the entire coding region on both strands. Only the C to G base change was detected. Since the final transgene was to contain 7 kb of PrP DNA, the mutated region was ligated to a plasmid vector (pBluescriptKS) containing 7.0 kb of PrP gene, replacing the 3 kb fragment containing the wild-type allele with the mutated allele. Sequence analysis confirmed

5

10

15

20

that the mutated allele had been successfully subcloned into the 7 kb PrP DNA fragment. A portion of the endogenous PrP promoter was ligated upstream of the mutated PrP gene and a double selectable marker cassette consisting of the neomycin (neo) and thymidine kinase (TK) gene was ligated downstream of the altered PrP gene. Using this double cassette it is possible to select for the presence (neo) as well as the absence (TK) of the selection cassette. This cassette, in addition, is flanked by small regions of DNA known as loxP sites which act as recognition sites for a DNA recombinase enzyme known as *Cre*, permitting excision of the cassette prior to cloning.

A. Gene modification in null background rather than simple gene knock-out

One difference in the inventors' approach versus the patent of Weissmann *et al.* (5,698,763) is that the modification the inventors have created will leave intact a functional copy of the PrP gene in a null background.

B. Use of loxP-mediated excision of selectable markers

Removal of markers that confer antibiotic resistance (neo) or sensitivity to toxins (TK) may be a regulatory requirement for transgenic animals. Such markers may be readily eliminated in the appropriate constructs.

Example 3

Electroporation Of Dominant Negative Transgene And Nuclear Transfer

The transgene is electroporated into fetal fibroblast cells collected from 40 day-old fetuses derived from genetically superior parents. The transgene may be introduced into a wild-type background or may be electroporated into modified fibroblasts where either one or both PrP alleles have been knocked out (See Example 5 below). Cells resistant to neomycin are expanded, a fraction frozen for future nuclear transfer studies, and the remainder expanded and used for isolation of DNA.

Once transgenic cells are identified, the cells are expanded again, electroporated with a cre-expressing plasmid, and cultured in the presence of ganciclovir. Cells that have lost the TK marker due to the cre-mediated excision will survive in ganciclovir while the other cells will die.

5

10

15

20

The result of the event is a PrP dominant negative transgene expressing a BSE-resistant form of PrP locus identical to the original one except for the amino acid substitution introduced in vitro.

Previous results have indicated that early embryonic and fetal cells have a greater chance of participating in normal embryonic development after nuclear transfer (NT) than do adult somatic cells. Sufficient cells can be obtained from a single fetus to observe even a rare gene targeting event, making it is possible to use superior genetics. This assures that any animals produced have not only the genetic mutation conferring resistance to PrP, but also the genetic potential to perform at the top of their breed.

Cloning of cattle by nuclear transfer using fetal fibroblasts as nuclear donors has been demonstrated by two laboratories (Cibelli *et al.*, 1998; Wells *et al.*, 1998). Since in each case the fetal fibroblast donor cells were genetically modified prior to nuclear transfer, it is reasonable to believe that their manipulation will not substantially alter the efficiency of the NT technology.

Example 4

Inactivation of PrP gene in mice

Creation of transmissible spongiform encephalopathy (TSE)- resistant livestock can be accomplished by knocking out both copies of the PrP gene by homologous recombination.

As an *in vivo* model, the PrP gene of mouse ES cells was disrupted using conventional targeting protocol where a portion of PrP was replaced with a ncoTK cassette. Chimeric offspring were mated to produce homozygous PrP mice (Bueler *et al.*, 1992). When challenged with mouse scrapie prions, the mice remained free of scrapie symptoms (Bueler *et al.*, 1993). This method has the advantage that it has been demonstrated that in mice this knock-out event makes animals resistant to challenge from exogenous sources of virulent TSE isoforms that are highly infectious in otherwise identical mice having the normal pair of PrP alleles.

The major drawback to this approach is the possible physiological and behavioral consequences of eliminating the functioning of a ubiquitously expressed gene. Evidence has now emerged that these mice exhibit profound alterations in day/night rhythms and sleep patterns which might be anticipated to cause severe handling problems in livestock. Moreover, an

5

10

15

20

inherited form of TSE in humans, fatal familial insomnia (FFI), is also associated with sleep abnormalities (Petersen et al., 1992). The disease leads to a gradual reduction in physiological sleep until a complete loss of sleep occurs. Impaired autonomic and motor functions are also manifest (Portaluppi et al., 1994).

5

The present invention utilizes standard techniques of the art to construct a novel configuration of the PrP gene in cattle that provides resistance to the infective agent analogous to the knock-out construct proposed by Weissmann *et al.*, but at the same time leaves an intact, functional copy of the PrP to perform the normal but unknown role of the PrP gene in tissues where it is expressed. In contrast, the transgenic mice described by Weissmann, *et al.* do not express a functional copy of the PrP gene.

10

15

An alternative to the foregoing homologous recombination method is to augment homologous recombination by either co-transforming fetal fibroblasts with a vector carrying the bacterial RecA protein or the bovine Rad51 protein, or directly binding the corresponding RecA or Rad51 proteins to the single stranded DNA targeting construct prior to transfection. Such procedures are described in, for example, U.S. Provisional Patent Application Ser. No. 60/284,635, filed April 18, 2001, the entire disclosure of which is specifically incorporated herein by reference.

Example 5

20

Generation of a BSE-Resistant Form of the Bovine PrP Gene

Primers were developed to exon 3 of the bovine PrP gene based on published data. One primer pair was used to screen a bovine BAC library, yielding three bacterial clones with overlapping restriction digest profiles.

25

In order to identify the region of each BAC clone that contained the PrP gene, DNA from each clone was digested with several restriction enzymes including Avril and EcoRI, the DNA transferred to nylon, and the Southern blot probed with radiolabelled PrP fragment from Exon 3.

Restriction fragments that were shown to contain the PrP gene by Southern analysis were then subcloned into plasmid vector pBluescript (pBS), and the ends of the insert were sequenced to verify that all three clones contained bovine PrP.

Since gene targeting requires the use of "isogenic" DNA, or DNA in the targeting vector that is genetically identical to the targeted locus, primers were developed from the sequenced ends of one of the clones and used to amplify the PrP gene from DNA extracted from a bovine fetal fibroblast primary culture by long-range PCR (LR-PCR).

The LR-PCR product was cloned into vector pCR2.1 and the insert sequenced to verify that the PrP gene had been faithfully amplified. The insert was 100% identical to published sequence data for Exon 3.

In order to convert the wild type triplet sequence (CAG) coding for glutamine (Gln) at amino acid 179 to arginine (Arg) coded to the triplet CGG, a mutagenesis primer was synthesized that would convert the middle base of CAG from A to G thereby producing the required CGG triplet coding for Arg rather than Gln (See FIG. 1).

The mutagenesis protocol of Deng and Nicholoff was used to generate the amino acid change indicated above. Briefly, the vector containing wild-type PrP was denatured and then hybridized with the mutagenesis primer that encodes the desired modification (C to G) and a selection primer that alters a unique restriction site. A second strand is synthesized using DNA polymerase and gaps sealed with DNA ligase. Following transformation into an appropriate host, clones containing the mutagenic plasmid are selected by digestion of isolated DNA with the restriction enzyme that digests the altered site.

To verify that the A to G change has been incorporated at the triplet at position 179, the region flanking the site is sequenced on both strands. As FIG. 1 illustrates, the mutation has been incorporated into bovine PrP. To ensure that no other unintended mutations have been incorporated into the coding region of PrP, both strands were sequenced covering the entire opening reading frame of PrP. No other alterations were detected.

A restriction fragment containing the altered sequence was then subcloned into a transforming vector containing 7.0 kb of isogenic bovine PrP gene, replacing the wild-type sequence with the altered sequence. The coding region is interrupted by a selectable marker, puromycin, that will permit selection of the construct following electroporation into bovine fetal fibroblasts (See FIG. 4).

5

10

15

20

Example 6

Approach

A. Production of PrP-resistant animals with functional copies of the PrP gene.

Two transgenes are generated that overexpress a functional copy of the PrP gene and are resistant to conversion to the pathogenic PrPsc conformation. As there is very high level of amino acid sequence homology in the regions flanking the residue in which the three amino acid substitutions will be made (Prusiner et al., 1993), the substitution is unlikely to disturb secondary and tertiary structure of bovine or cervid PrP. Moreover, the Q171R and E222K are naturally occurring polymorphisms in otherwise perfectly healthy sheep and humans, respectively (Westaway et al., 1994; Shibuya et al., 1998). In addition, when these substitutions were introduced into mouse PrP on plasmids transfected into chronically PrPsc -infected mouse neuroblastoma cultured cells that readily convert the susceptible mouse allele to PrPsc, these substitutions prevented such conversion (Zulianello et al., 2000) thus acting in a dominant negative fashion.

B. Construction of the Transgenes:

Q171R and Q222K substitutions are introduced by single base modification of a CAG codon coding for Gln to CGG (Arg) or AAG (Lys) by site-directed mutagenesis. FIG. 1 demonstrates that the CAG to CGG modification at amino acid 171 was successfully introduced into bovine PrP using sequencing analysis. The substituted PrP exon 3 sequence including endogenous polyA addition site was then ligated downstream of required bovine PrP promoter elements including exon 1, intron1 and exon 2 (Inoue et al., 1997) in a SuperCos cosmid vector. A positive-negative selection cassette containing the neomycin resistance gene (+) and the HSV thymidine kinase gene (-) is flanked by loxP sites. FIG. 3 shows the order of these components in the transgene. The cloned DNA is transduced into fetal fibroblasts, neomycin-resistant colonies isolated and expression levels of the transgene determined by Northern and Western analysis. Clones that show high level expression of the transgene are used as donors for nuclear transfer. Calves will be tested for the presence of the transgene by PCR and Southern analysis. The neomycin selectable marker flanked by loxP sites allows Cre-mediated removal of selectable markers after identification of transgenic colonies (Nagy, 2000). This ensures that any animal generated will not be expressing any antibiotic resistance markers.

5

10

15

20

25

C. Generation of Homozygous Knockout Animals

The bovine PrP gene was isolated from a bacterial artificial chromosome (BAC) large insert library by PCR screening of pooled clones (Cai et al., 1995). The PrP gene was amplified by long-range PCR to develop isogenic targeting constructs (Barnes, 1994; Randolph et al., 1996) and the gene was disrupted by insertion of a promoterless puromycin-resistance gene into the open reading frame of exon 3. The PrP gene is expressed at high levels in fetal fibroblasts allowing for the very effective promoter trap gene targeting approach (Hasty et al., 1999). Successful targeting of the PrP locus was achieved using a combination of conventional enrichment schemes (promoter trap, isogenic DNA, extensive homology). The targeting scheme used to create the PrP knockout is illustrated in FIG. 4.

Targeted cells were identified by long range PCR. Long-range PCR is carried out using primers that amplify both targeted and endogenous genes. Two independent sets of PCR primers are used for amplification. PCR products are transferred to nylon by the Southern procedure and hybridized with ³²P-labelled probe to the test loci and puromycin probes. Only DNA displaying a band characteristic of a targeted gene for all PCR products is scored as positive (targeted) (see FIG. 5).

Targeted cells were then used as nuclear donors for somatic cell nuclear transfer. Reconstructed embryos are currently being transferred to recipient cows. To complete the inactivation of the remaining PrP allele, cell are collected from 50 days PrP +/- fetuses generated as described above and are utilized in an analogous targeting procedure, but using hygromycin as the selectable marker (see, e.g., Brown et al., 1997). In both cases the selectable markers are flanked by loxP sites allowing for the removal of the selectable markers once the cells carrying a fully deleted PrP is identified. Using the culture system described by Vasquez et al. (1998), sufficient cell divisions were obtained prior to senescence to undergo two rounds of selection prior to cloning by nuclear transfer. This indicates that it will be possible to remove the selectable markers prior to cloning without the need for an addition round of fetal fibroblast collection.

5

10

15

20

D. Generating Cervid Transgenes.

Using the published genomic sequence of sheep and bovine PrP genes (Genbank Accession numbers U67922 (SEQ ID NO:8) and AJ298878 (SEQ ID NO:9), respectively), consensus primers were designed to amplify cervid (deer and elk) genomic DNA by long-range PCR from cervid DNA collected from cultured fibroblasts from each species. Since the DNA from the coding region of white-tail deer (*Odocoileus virginianus*), mule deer (*Odocoileus hemionus*) and Rocky Mountain elk (*Cervus elaphus nelsoni*) have been published (Genbank Accession numbers AF156184 (SEQ ID NO:10), AF009181 (SEQ ID NO:11) and AF156182 (SEQ ID NO:12), respectively), this information is used to create, for example, R154H, Q171R and Q222K alleles by single base alterations in each genomic DNA by site-directed mutagenesis using the same technique used to alter bovine PrP DNA (see FIG. 7). Similarly, consensus primers are used to amplify cervid promoter sequence. Transgenes are introduced into cervid fibroblasts and transgenic animals expressing high levels of each transgene are produced by somatic cell nuclear transfer.

E. Generating Homozygous Knockout Cervids.

Targeting constructs similar to those used to target the bovine PrP gene are constructed using cloned cervid PrP DNA already isolated for the production of cervid transgenes. The methods used to target the cervid PrP locus are identical to that used in bovine targeting. Again, as with bovine, knockout cell lines are used for transfection of appropriate transgenes to generate fully resistant animals expressing the transgene in a null PrP genetic background.

F. Production of Nuclear Transfer Embryos:

For nuclear transplantation bovine acolytes are matured in vitro as described in Hill et al., (2000). Oocytes are removed from medium and placed for 15 minutes in HEPES buffered SOF with 4mg/ml BSA that contains 7.5 µg/ml cytochalasin B and 5 µg/ml Hoechst 33342. Oocytes will be enucleated using micromanipulation. Only those in which removal of both the polar body and metaphase chromosomes is confirmed, by observation under UV light, will be utilized. Fibroblasts will be prepared by trypsinization of cells at 60-80% confluence and combined with enucleated oocytes using a 30 µm outside diameter glass pipette. Doublets will then be placed into TCM199 + 10% FCS. The oocyte-fibroblast couplets will be manually aligned and fused in

5

10

15

20

a 3.2mm fusion chamber that contains Zimmermans cell fusion medium using 2x 20 µsec, 1.6 KV/cm DC fusion pulses delivered by a BTX Electrocell Manipulator 200 (BTX Inc. San Diego, CA). Oocyte activation will be performed 3-5 hours after fusion, by a 4 minute incubation in 5 µM ionomycin followed by 4 minutes in 3% BSA in H-SOF then 4 minutes in H-SOF. Fusion will be assessed at this time by light microscopy prior to transfer into 100 µM Butyrolactone (Motlik et al., 1998) in SOF for 4 hours. NT embryos will then be cultured in cSOFMaa for 7 days. Embryos will be transferred to synchronized recipients, and pregnancy closely monitored by ultrasonography starting at day 30. These techniques are routinely utilized by the inventors to produce NT blastocysts, cloned fetuses and live cloned calves.

10

5

* * *

All of the compositions and methods disclosed and claimed herein can be made and executed without undue experimentation in light of the present disclosure. While the compositions and methods of this invention have been described in terms of preferred embodiments, it will be apparent to those of skill in the art that variations may be applied to the compositions and methods and in the steps or in the sequence of steps of the method described herein without departing from the concept, spirit and scope of the invention. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope and concept of the invention as defined by the appended claims.

20

REFERENCES

The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

5

- U.S. Patent No. 5,698,763
- U.S. Patent No. 5,789,655
- U.S. Patent No. 5,834,593
- U.S. Patent No. 5,792,901
- 10 U.S. Patent No. 5,834,593
 - U.S. Patent No. 5,527,695
 - U.S. Patent No. 5,658,772
 - U.S. Patent No. 5,440,013
 - U.S. Patent No. 5,618,914
- 15 U.S. Patent No. 5,670,155
 - U.S. Patent No. 5,446,128
 - U.S. Patent No. 5,710,245
 - U.S. Patent No. 5,840,833
 - U.S. Patent No. 5,859,184
- 20 U.S. Patent No. 5,929,237
 - U.S. Patent No. 5,475,085
 - U.S. Patent No. 5,672,681
 - U.S. Patent No. 5,674,976
 - U.S. Patent No. 4,554,101
- Araki et al., "Site-specific recombinase, R, encoded by yeast plasmid pSR1," J. Mol. Biol. 225:25-37, 1992.
 - Belay, E.D., Gambetti, P., Schonberger, L.B., Parchi, P., Lyon, D.R., Capellari, S., McQuiston, J.H., Bradley, K., Dowdle, G., Crutcher, J.M. and Nichols, C.R. (2001). Creutzfeldt-Jacob disease in unusually young patients who consumed venison. Arch. Neurol. 58, 1673-1678.

Belt, P.B.G.M., Muileman, I.H., Schreuder, B.E.C., Bos-de Ruijter, J., Gielkens, A.L.J., Smits, M.A. (1995). Identification of five allelic variants of the sheep PrP gene and their association with natural scrapie. J. Gen. Virol. 76: 509-517.

- Brown JP, Wei W, Sedivy JM. Bypass of senescence after disruption of p21CIP1/WAF1 gene in normal diploid human fibroblasts. Science 1997, 277: 831-834.
- Bueler, H, Aguzzi, A., Sailer, A., Greiner, R.A., Autereid, P., Aguet, M. and C. Weissmann. (1993) Mice devoid of PrP are resistant to Scrapie. Cell 73: 1339-1347.
- Cai, L., Taylor, J.F., Wing R.A., Gallagher, D.S., Woo, S.S., Davis, S.K.(1995) Construction and characterization of a bovine bacterial artificial chromosome library. Genomics. 29: 413-25.
- Clouscard et al., J. Gen. Virol. (76)2097-2101, 1995.
- Enomoto et al., "Mapping of the pin locus coding for a site-specific recombinase that causes flagellar-phase variation in Escherichia coli K-12," J. Bacteriol., 156:663-668, 1983.
- Foster J. Goldmann W. Parnham D. Chong A. Hunter N. (2001). Partial dissociation of PrP(Sc) deposition and vacuolation in the brains of scrapie and BSE experimentally affected goats. *Journal of General Virology*. 82::267-73.
- Gabizon, R.; Rosenmann, H.; Meiner, Z.; Kahana, I.; Kahana, E.; Shugart, Y.; Ott, J.; and Prusiner, S.B., Am. J. Hum. Genet., 53, 828-835, 1993.
- Goldmann, W., Hunter, N., Martin, T., Dawson, M., Hope, J. (1991). Different forms of the bovine PrP gene have five or six copies of a short, G-C-rich element withinthe protein-coding exon. J. Gen. Virol. 72: 201-204.
- Goldmann, W., Hunter, N., Smith, G., Foster, J., Hope, J. (1994). PrP genotype and agent effects in scrapie: change in allelic interaction with different agents in sheep, a natural host of scrapie. J. Gen. Virol. 75: 989-995.
- Golic and Lindquist, "The FLP recombinase of yeast catalyses site-specific recombination in the Drosophila genome," Cell, 59:499-509, 1989.
 - Hasty P, Abuin A, Bradley A. (1999) Gene targeting, principles, and practice in mammalian cells. In Gene Targeting, 2nd Edition. Edited by A.L. Joyner. Oxford U.P., pp 1-35.
 - Hill JR, Winger QA, Long CR, Looney CR, Thompson JA, Westhusin ME. Development rates of male bovine nuclear transfer embryos derived from adult and fetal cells. Biology of Reproduction 2000; 62:1135-1140.
 - Hunter et al., Vet. Rec., (135):400-403, 1994.

5

10

15

20

Hunter, N., Goldmann, W., Smith, G., Hope, J. (1994). Frequencies of PrP gene variants in healthy cattle and cattle with BSE in Scotland. Vet. Rec. 135: 400-403.

- Inoue, S., Tanaka, M., Horiuchi, M., Ishiguro, N., Shinagawa, M. (1997). Characterization of the bovine prion protein gene: the expression requires interaction between the promoter and intron. J. Vet. Med. Sci. 59: 175-183.
- Johannesson *et al.*, 1999, "Bicyclic tripeptide mimetics with reverse turn inducing properties." *J. Med. Chem.* 42:601-608.
- LaPlanche, J.L., Chatelain, J., Westaway, D., Thomas, S., Dussaucy, M., Brugere-Picoux, J., Launey, J.M. (1993). PrP polymorphisms associated with natural scrapie discovered by denaturing gradient gel electrophoresis. Genomics 15: 30-37.
- Maeser and Kahmann, "The GIN recombinase of phage Mu can catalyse site-specific recombination in plant protoplasts," *Mol. Gen. Genet.*, 230:170-176, 1991.
- Motlik J. Pavlok A. Kubelka M. Kalous J. Kalab P. Interplay between CDC2 kinase and MAP kinase pathway during maturation of mammalian oocytes. *Theriogenology.* 49(2):461-9, 1998 Jan 15
- Nagy A. Cre-recombinase: the universal reagent for genome tailoring. Genesis 2000, 26: 99-109.
- Peretz, D.; Williamson, R.A.; Matsunaga, Y.; Serban, H.; Pinilla, C.; Bastidas, R.; Rozenshteyn, R.; James, T.L.; Houghten, R.A.; Cohen, F.E., et al.; J. Mol. Biol., 173, 614-622, 1997.
- 20 Piedrahita JA, Wells DN, Miller AL, Oliver JE, Berg MC, Peterson AJ, Tervit RH. 2001. Successful cloning in cattle with cytoplasts obtained from follicles of 1-3 mm in diameter. Mol. Reprod. Dev. In Press.
 - Prusiner, S.B. Proc Natl Acad Sci USA (23) 13363-83 (1995)
- Prusiner, S.B., Fuzi, M., Scott, M., Serban, D., Taraboulos, A., Gabriel, J-M., Wells, G.A.H.,
 Wilesmith, J.W.Bradley, R., DeArmond, S.J., Kristensson, K. (1993). Immunologic and
 molecular biologic studies of prion proteins in bovine spongiform encephalopathy. J.
 Infectious Diseases. 167: 602-613.
 - Raymond, G.J., Bossers, A., Raymond, L.D., o'Rourke, K.I., McHolland, L.E., Bryant, P.K., Miller, M.W., Williams, E.S., Smits, M. and Caughy, B.(2000). Evidence of a molecular barrier limiting susceptibility of humans, cattle and sheep to chronic wasting disease. EMBO J. 19: 4425-4430.
 - Ryan and Womack, Animal Genet., (24):23-26, 1993.

30

5

10

Sauer, "Functional expression of the cre-lox site-specific recombination system in the yeast Saccharomyces cerevisiae," Mol. and Cell. Biol., 7: 2087-2096, 1987.

- Shibuya, S., Higuchi, J., Shin, R.-W., Tateishi, J., Kitamoto, T. (1998). Protective prion protein polymorphisms against sporadic Creutzfeldt-Jakob disease. The Lancet 352: 419.
- Tobler, I. Gaus, S.E., DeBoer, T., Achermann, P., Fischer, M., Rulicke, T., Moser, M., Oesch, B., McBride, P.A. and J.C. Manson. (1996) Altered circadian activity rhythms and sleep in mice devoid of prion protein. Nature 380:639-642.
 - Vasquez, J.C., Nogues, C., Rucker, E.B., Piedrahita, J.A (1998). Factors affecting the efficiency of introducing precise genetic changes in ES cells by homologous recombination: tagand-exchange versus the cre-loxP system. Transgenic Research 7: 181-193.
 - Vita et al., (1998), "Novel miniproteins engineered by the transfer of active sites to small natural scaffolds. 47(1):93-100.
 - Weisshoff et al., (1999), "Mimicry of beta II'-turns of proteins in cyclic pentapeptides with one and without D-amino acids.Eur J Biochem. 259(3):776-88
- Westaway, D., Zuliani, V., Cooper, C.M., Da Costa, M., Neuman, S., Jenny, A.L., Detwiler, L., Prusiner, S.B. (1994). Homozygosity for prion protein alleles encoding glutamine 171 renders sheep susceptible to natural scrapie. Genes Devel. 8: 959-969.
 - Westhusin M, Burghardt RC, Ruglia JN, Willingham LA, Liu L, Shin T, Howe LM, Kraemer DC. Potential for cloning dogs. J. Reprod. Fert 2000; In press.
- Zulianello, L., Kanecko, K., Scott, M., Erpel, S., Han, D., Cohen, F.E., Prusiner, S.B. (2000).
 Dominant-negative inhibition of prion formation diminished by deletion mutagenesis of the prion protein. J. Virol. 74: 4351-4360.

5

5

15

25

CLAIMS

- 1. A transgenic bovine comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence that renders said bovine resistant to bovine spongiform encephalopathy disease.
- The transgenic bovine of claim 1, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of
 154 and 222.
 - 3. The transgenic bovine of claim 2, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.
 - 4. The transgenic bovine of claim 1, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.
- 5. The transgenic bovine of claim 4, wherein the glutamine residue at said position 171 has been substituted with arginine.
 - 6. The transgenic bovine of claim 1, further defined as produced by a method comprising introducing a transgene encoding said mutant PrP polypeptide into the genome of a bovine embryo and allowing the embryo to develop into a bovine whose somatic and germ cells comprise said transgene.
 - 7. A progeny of any generation of the transgenic bovine of claim 6, wherein said progeny comprises said transgene.
- 30 8. A fertilized embryo of the transgenic bovine of claim 1, wherein said embryo comprises said transgene.

9. The transgenic bovine of claim 1, further defined as lacking a functional wild type PrP gene.

- 10. The transgenic bovine of claim 9, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.
- 11. A method of producing a transgenic bovine resistant to BSE comprising:
 - a) introducing into a bovine embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence; and
 - b) allowing the embryo to develop into a bovine the somatic and germ cells of which express said transgene, thereby rendering the transgenic bovine resistant to BSE.
- 12. The method of claim 11, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of 154 and 222.
 - 13. The transgenic bovine of claim 12, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.
 - 14. The method of claim 11, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.
- 25 15. The method of claim 14, wherein the glutamine residue at said position 171 has been substituted with arginine.
 - 16. The method of claim 11, wherein the transgenic bovine is further defined as lacking a functional wild type PrP gene.

20

5

17. The method of claim 16, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.

- 18. A transgenic cervid comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence that renders said cervid resistant to transmissible spongiform encephalopathy disease.
- 19. The transgenic cervid of claim 18, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of 154 and 222.
 - 20. The transgenic cervid of claim 19, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.
 - 21. The transgenic cervid of claim 18, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.
- 20 22. The transgenic cervid of claim 21, wherein the glutamine residue at said position 171 has been substituted with arginine.
 - 23. The transgenic cervid of claim 18, further defined as produced by a method comprising introducing a transgene encoding said mutant PrP polypeptide into the genome of a cervid embryo and allowing the embryo to develop into a cervid whose somatic and germ cells comprise said transgene.
 - 24. A progeny of any generation of the transgenic cervid of claim 23, wherein said progeny comprises said transgene.
 - 25. A fertilized embryo of the transgenic cervid of claim 18, wherein said embryo comprises said transgene.

5

15

25

- 26. The transgenic cervid of claim 18, further defined as lacking a functional wild type PrP gene.
- The transgenic cervid of claim 26, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.
 - 28. A method of producing a transgenic cervid resistant to transmissible spongiform encephalopathy comprising:
- a) introducing into a cervid embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence; and
 - b) allowing the embryo to develop into a cervid the somatic and germ cells of which express said transgene, thereby rendering the transgenic cervid resistant to transmissible spongiform encephalopathy.
 - 29. The transgenic cervid of claim 28, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of 154 and 222.
 - 30. The transgenic cervid of claim 29, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.
- 25 31. The transgenic cervid of claim 28, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.
 - 32. The transgenic cervid of claim 31, wherein the glutamine residue at said position 171 has been substituted with arginine.

15

WO 02/079416 PCT/US02/09652 --

33. The method of claim 28, wherein the transgenic cervid is further defined as lacking a functional wild type PrP gene.

34. The method of claim 33, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.

ACC AAC ATG AAG CAT GTG GCA GGA GCT GCT GCA GCA GCA GTG GTA TGG TTG TAC TTC GTA CAC CGT CCT CGA CGT CGA CCT CGT CAC CAT The Ash Met Lys His Val Ala Gly Ala Ala Ala Ala Ala Cly Ala Val GGG GGC CTT GGT GCC TAC ATG CTG GGA AGT GCC ATG AGC AGG CCT CTT CCC CCG GAA CCA CCC ATG TAC GAC CCT TCA CGG TAC TCC TCC GGA GAA Gly Gly Leu Gly G'y Tyr Het Leu Gly Ser Ala Met Ser Arg Pro Leu ATA CAT TIT GGC AGT GAC TAT GAG GAC CGT TAC TAT CGT GAA AAC ATG TAT GTA AAA CCG TCA CTG ATA CTC CTG GCA ATG ATA GCA CTT TTG TAC Ile His Phe Gly Ser Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met CAC CGT TAC CCC AM: CAR GTG TAC TAC AGG CCA GTG GAT CAG TAT AGT GTG GCA ATG GGG TIG GTT CAC ATG ATG TCC GGT CAC CTA GTC ATA TCA His Arg Tyr Pro Am Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Ser CGG GCC Arg 197 AMC CAG AAC AAC TIT GTC CAT GAC TGT GTC AAT ATC ACA GTC AMG GAA TTG GTC TTG TTG APA CAC GTA CTG ACA CAG TTA TAG TGT CAG TTC CTT Asn Gln Asn Asn Pho Val His Asp Cys Val Asn Ile Thr Val Lys Glu CAC ACA GTC ACC ACC ACC AAG GGG GAG AAC TTC ACC GAA ACT GAC GTG TGT CAG TGG TGG TGG TTC CCC CTC TTG AAG TGG CTT TGA CTG His Thr Val Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp

FIG. 1




FIG.2

PrP Dominant-Negative Transgene




FIG. 3

PrP Knockout Vector-Promoter Trap




FIG. 4




FIG. 5

	MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPG	iQ
wtd:	MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPG	iQ
md	MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPG	iQ
e _.	MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPG	Q
sh	MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPC	SO
bov	MVKSHIGSWILVLFVAMVVSDVGLCKKKFR G GGGVVIVI GGGIVIVI	
	GSPGGNRYPPQGGGGWGQPHGGGWGQPHGGG	W
wtd	GSPGGNRYPPQGGGGWGQPHGGGWWGQPHGGGWWGQPHGGGWWGQPHGGGWWGQPHGGGWWGQPHGGGWWGQPHGGWWGQWWGQPHGGWWGQWWGQPHGGWWGQWWGQPHGGWWGQWWGQPHGGWWGQWWGQWWGQPHGGWWGQWWGQPHGGWWGQWWGQPHGGWWGQWWGQQPHGGWWGQWWGQQWWGQ	W
md	GSPGGNRYPPQGGGGWGQPHGGGWGQPHGGGWGQPHGGG	W
е	GSPGGNRYPPQGGGGWGQPHGGGWGQPHGGG	:VV
sh	GSPGGNRYPPQGGGGWGQPHGGGWGQPHGGG	SW.
bov	GSPGGNRYPPQGGGGWGQPHGGGWGQPHGGC	, , ,
	GQPHGGGGWGQGGTHSQWNKPSKPKTNMKHVAGAAAAGAV	/G
wtd	GQPHGGGGWGQGGTHSQWNKPSKPKTNMKHVAGAAAAAGAV	/G
md	GQPHGGGGWGQGGTHSQVVNKPSKPKTNMKHVAGAAAGAV	/G
е	GQPHGGGGWGQGGTHSQWNKPSKPKTNMKHVAGAAAAGAV	/G
sh	GQPHGGGGWGQGGSHSQWNKPSKPKTNMKHVAGAAAAGAV	VG
bov	GQPHGGGGWGQGGTHGQWNKPSKPKTNMKHVAGAAAAGAV	VG
	136 154	171
	136 154	
		VDO -
wtd	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP	VDQ VDO
wtd md	CLCCYMLCSAMSRPLIHFGNDYEDRYYRENMYRYPNUVYYRP	VDQ
	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP	VDQ VDQ
md	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP	VDQ VDQ VDQ
md e	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP	VDQ VDQ VDQ
md e sh	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP	VDQ VDQ VDQ
md e sh	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP	VDQ VDQ VDQ
md e sh bov	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP YNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQ	VDQ VDQ VDQ VDQ IMCI
md e sh bov wtd	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP YNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQ	VDQ VDQ VDQ VDQ IMCI IMCI IMCI
md e sh bov wtd md	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRP YNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEO YNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEO	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNJFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNJFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQ	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e sh	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEQ	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e sh bov	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKLMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEG	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e sh bov	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEQYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEQ	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e sh bov	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEG	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e sh bov wtd md e	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEGTQQRESQAYYQRGASVILFSSPPVILLISFLIFLIVGTQQRESQAYYQRGASVILFSSPPVILLISFLIFLIVGTOYORFSEAYYQRGASVILFSSPPVILLISFLIFLIVG	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI
md e sh bov wtd md e sh bov	GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPGLGGYMLGSAMSRPLIHFGNDYEDRYYRENMHRYPNQVYYRPGLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPYNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYNNQNTFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKQHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEGYSNQNNFVHDCVNITVKEHTVTTTTKGENFTETDIKMMERVVEG	VDQ VDQ VDQ VDQ IMCI IMCI IMCI IMCI

FIG. 6

70 TGC TGC	GGA GGA GGA	CAT	GGT GGT GGT	360 GCC GCA GCA
CTC	140 CCT CCT	CCT	CAA CAA CAA	GCT
ည ည ည ည	1 AGT AGT AGT	210 CAA CAA CAA	OGT GGT GGT GGT	GCT GCT GCT
GTG GTT GTG	GGA	299 299 299	280 C TGG GG' C TGG GG' C TGG GG'	350 GGA GGA GGA GGA
60 GAC GAC GAC	O CAG CAG CAG	TG TG	999	00 409 409 409
agt agt agt	130 G GGA CA G GGA CA G GGA CA	200 66C 1 66C 6	gga gga gga	GTG GTG GTG
766 766 766	9 9 9 0 0 0 0 0	GGT GGT GGT	270 GGT GGT GGT	340 AAG CAT AAG CAT AAG CAT
50 ATG ATG ATG	TAC TAC TAC	GGA GGA GGA	GGT GGT GGT	3 AAG AAG AAG
$\begin{smallmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{smallmatrix}$	120 CGA CGA CGA	car car car	CAT CAT CAT	ATG ATG ATG
GTG GTG GTG	AGC AGC AGC	190 s ccc ca s ccc ca s ccc ca	260 CCA CCA CCA	AAC AAC AAC
40 TTT TTT TTT	999 999 999	5 5 5	CAG CAG CAG	330 ACC ACC
CTC CTC CTC	110 GGG GGG GGG	GGT GGT GGT	666 668 666	AAA AAA AAA
GTT GTT GTT	ACT	180 TGG TGG	50 TGG TGG TGG	CCA
CTA CTA CTA	AAC AAC AAC	299 299 299	250 1 GGC TG 1 GGC TG	320 AGT AAA AGT AAA AGT AAA
30 AIC AIC	70 766 766 766	GGT GGT GGT	99	AGT AGT
766 766 766	100 A GGA TG A GGA TG A GGA TG	170 666 666	GGT GGT GGT	000 000 100 100 100 100 100 100 100 100
AGC AGC AGC	000	66.P 66.P 66.P	240 CAT CAT CAT	10 AAG AAG
20 660 660 660	gga gga gga	CAG CAG CAG	22 22 22 22 22 22 22 22 22	310 3 AAC AA 3 AAC AA 3 AAC AA
ATA ATA ATA	90 CCT CCT CCT	160 cca ccr cca ccr	CAG	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
CAC CAC	AAA AAA AAA		230. GGT GGT GGT	CAG
10 AAA AGC AAA AGC AAA AGC	CCA CCA CCA	TAT TAT TAT	1 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	300 AGT AGT
AAA AAA AAA	80 CGA CGA CGA	090 090	ეენე ეენე ეენე	CAC CAC CAC
GTG GTG GTG	AAG AAG AAG	150 AAC AAC	220 GGA GGT GGA GGT GGA GGT	ACC F ACC
ATG ATG ATG	AAG AAG AAG	099 099	2 GGA GGA GGA	290 GGT 7 GGT 7
wtd elk md				

FIG. 74

410 420 430 GCC ATG AGC AGA CCT CTT ATA CAT TTT GCC ATG AGG CCT CTT ATA CAT TTT GCC ATG AGG CCT CTT ATA CAT TTT	TAC CCC AAC CAA GTG TAC TAC AGG CCA TAC CCC AAC CAA GTG TAC TAC AGG CCA TAC CCC AAC CAA GTG TAC TAC AGG CCA
A AGT A AGT A AGT	CGT CGT
400 G GGA G GGA G GGA	TAC TAC
555	470 AAC ATG AAC ATG AAC ATG
ATG TTG	
TAC TAC	GAA GAA GAA
390 1 660 1 660	460 TAT CGT TAT CGT TAT CGT
r ggr	
CTT CTC CTC	r TAC r TAC r TAC
380 380 9 660 6 660	C CGI C CGI C CGI
A 666 A 666 A 666	450 G GAC G GAC G GAC
G GTA G GTA G GTA	II GAG II GAG II GAG
370 A GTG A GTG) C TAT C TAT
3. 66A 6CA 66A 6CA 66A 6CA	440 GGC AAT GAC GGC AAT GAC
GCT GG GCT GG GCT GG	660 AP
8 8 8	9 9 9

CAT (Arg154His)

570	CAA CAC ACA GIC CAA CAC ACA GIC CAA CAC ACA GIC
560	ACA GTC AAG ACA GTC AAG ACA GTC AAG
550	TGT GTC AAC ATC ACA GTC AAG (TGT GTC AAC ATC ACA GTC AAG (TGT GTC AAC ATC ACA GTC AAG (
540	STG CAT GAC STG CAT GAC STG CAT GAC
530	CAG AAC ACC TIT GTG CAT CAG AAC ACC TIT GTG CAT CAG AAC ACC TIT GTG CAT
002	222
	SIO GTG GAT CAG GTG GAT CAG GTG GAT CAG

CGG (Gln171Arg)

ATG ATG ATG	720 TCC TCC
CAA CAA CAA	100 100 100
0 GAG GAG GAG	TTC TTC TTC
640 GTG G GTG G GTG G	710 CTC CTC
GTT C GTT C	ATC (ATC (ATC (ATC (ATC (ATC (ATC (ATC (
cga cga cga	GTG 1 GTG 1 GTG 1
630 GAG C GAG C GAG C	555
ATG GATG GATG GATG GATG G	700 GCA AC GCA AC GCA AC
ATG A ATG A ATG A	999
AAG AAG AAG AAG AAG AAG AAG	AGA AGA AGA
ATT ATC ATC	690 CAA CAA
GAC	TAC TAC TAC
	TAT TAT TAT
610 GAA ACT GAA ACT GAA ACT	680 GCT GCT GCT
ACC ACC	CAG GAG CAG
TTC	100 100 100
600 AAC AAC	O GAA GAA GAA
gag gag gag	670 AGA G AGA G AGA G
999 999	CAG CAG CAG
590 AAG AAG AAG	TAC TAC
ACC ACC ACC	660 CAG CAG CAG
ACC	ACC ACC ACC
8 8 8	ATC ATC
580 ACC AC ACC AC	650 76C

AAG (Gln222Lys)

0//	TAG	TAG	TAG	
_	GGA	GGA	GGA	
	GTA	GTA	GTA	
760		ATA		
76		CI CI		
		TTT		
		ATT		
750		CIC		
	_	TTC		
		TCT		
740	ATC	ATC.) {	AIC
1	ניים) (2
) [
730	Ç E ⊄) L	ן נ	ATC
1	י י טיני) [ם פ	GIG
	Ę	ָלָ נ	7	CCI
	ָ נ	ָל ל ל	5	CCI

SEQUENCE LISTING

```
<110> DUNNE, PATRICK W.
      PIEDRAHITA, JORGE
<120> TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE
      SPONGIFORM ENCEPHALOPATHIES
<130> TAMK:207-WO
<140> UNKNOWN
<141> 2002-03-28
<150> 60/280,549
<151> 2001-03-30
<160> 10
<170> PatentIn Ver. 2.1
<210> 1
<211> 78056
<212> DNA
<213> Bos taurus
<400> 1
taggaataat caatattgtg aaatgaccat ataccaaatg caacctacag attcaatgag
                                                                      60
atctccatct aacttccaat agcatttttc acagaagtag aacaaaaaat ttcacaattc
                                                                     120
atatggaaac acaaaaggcc ctgaatagcc aatgcagtcc tgagaaagaa gaatggagtt
                                                                     180
ggaggattca accatcctga ctttagatta tactacaaag ctacagtcat caagacagta
                                                                     240
tggtattggc ataaaaacag aaatatagac aaatggaaca agacagaaag cccagaaata
                                                                     300
ageceatgaa eetatgggta eettatteet gacaaaggaa geaagaatat acaatgggge
                                                                     360
agacageete tteaataaat ggtgetggga aaactggaca getacatgta aaagaatgaa
                                                                     420
480
ctttgcaacc ccatggactg cagcatgcca ggcttccctt gtccatcacc aactcctaga
                                                                     540
gcttactcaa actcatgtcc attgagttgg tgatgccatc caaccatctc atcctctgtc
                                                                     600
gtccccttct cctcccacct tcaatcattc tcagcatcag ggttttttcc aatgaggcag
                                                                     660
ttctttgcat caggtggcca aagtattgga ctttcagctt cagcattagt ccttccgatg
                                                                     720
aatattcagg actgatttcc tttaggatgg actggtttga tcttgcagtc caaatgactc
                                                                     780
tcaagagtgt tctccaacac cacagttcaa aagcatcaat tcttcagcac tcagctttct
                                                                     840
ttatagtcca actctcacaa ccatacatga ctactggaaa aaccatagct ttgactagat
                                                                     900
ggagctttgt tggcaaagta atgtctctgc tttttaatat gctgtctagg ttggtcataa
                                                                     960
cttttcttcc aaggagcaag catctttaat ttcatggctg cagtcaccat atgcagtgat
                                                                    1020
tttggagccc ccaaaataaa gtctgtcact gtttccactg tttccccatc tatttgccat
                                                                    1080
gaagtgatgg gaacagatgc catgatctta gtttcctgaa tgttgagttt taagtcaact
                                                                    1140
ttttcactct cctctttcac tttcatcaaa aggctcttta ggtcttcttc tcttaaccat
                                                                    1200
aaggatggtg tcatctgcat atctgaggtt attgatattt ctcctggcaa acttaattcc
                                                                    1260
agettgtget ttatecagte cageatttet egtgatgtae tetgeatata aattaaataa
                                                                    1320
gcagggtgac aatatacagc ctcaatgtac tcctttcctg atttggaacc agtatgttgt
                                                                    1380
tecatgicta gitetaacig tigetteeta actigeatae agattietea ggaggeaggi
                                                                    1440
caggogitet ggtattecca tetetttaag aattteccae agtttgttgt gateeacaea
                                                                    1500
gtcaaaggct ttggcacagt caataaagca aaaatggatg tttttctgga acgctcttac
                                                                    1560
tttttcgatg atccaatgga tgttggcaat ttgatctctg attcctgtgc cttttctaaa
                                                                    1620
tccagcttga acatctggaa gttcatggtt catgtacttt tgaagtctgg cttggagaat
                                                                    1680
ttgagcatta ctttgctagt gtgtgagatg agtgtaatca tgcagtagtt tgagcattct
                                                                    1740
ttggcattgc ctttctttgg gattggaatg aaaactgacc ttttccagtc ctgtggccac
                                                                    1800
tgctgagttt tctaaatttg ctgccatatt gagtgcatca ctttcacagc atcatctttt
                                                                    1860
```

1920

aggatgtgaa atagctcaac tggaattcca tcacctcccc tagctttgtt cataatgatg

cttcctaagg cccacttgac ttcacattct aggatgtctg gttctaggtg agtgatcaca 1980 ccatcatggt tatctgggtc atgaagttct ttcttgtaga gttcttctgt gtattcttgc 2040 cacctettet taatatette tgettttgtt aggtecatae catttetgte etttattgtg 2100 2160 cccatctttg catgaaatgt tcccttggta tctgtaattt tcttgaagag atctctagtt cttcccattc tattgtctcc agggtgacca cccccaqacc ctgtacctgg ggtcatataa 2220 ccacagtttc cacagtgaca tcccttccaa accctgaact tggggttgca cgtccatgtt 2280 2340 ctccagcgtg acacaccctc ttggaccatg cactggggtc acatgtccag gttccaggct aacaccccc cccatactct atacctggca tcaacgtcct catacagcag ggtgaccgaa 2400 ccctcaacat catgtacctg gtgttgaaac tccacagttt ctgcacctca tcagaccttg 2460 tacctggagt cacatgtcca cagtctctag ggtgacagca cttcaccaga cctttgacca 2520 gtgttcacac atccagtctc cagggtgatg cccacttcca gaccctgtac ctggggtaca 2580 2640 tgttcacagt ctccagggtg acagcccccc agactctgta gctgggttaa cagacccacc 2700 tttccagggt gactacacca ctccatattg tgcacctggg gtcacacatc cacaatctet ggggtgacct ctcccagacc ctgtacgtgg gtcacacatc cacagtccca gggtgacccc 2760 actteccaga etgtggaact gggtteacat gtecaeagtt tecaggtgaa teceeeteee 2820 caaagcetgt acetggggte acacatecae agtetecaga gtgaceetag ectecagace 2880 ctctccctgg ggtcacatgt ccatggtcta cagggagata cccctcccag aacctgcacc 2940 3000 tggggtcaca tggccacagt ctccagggtg aacccctacc agaccctgta cctggggtca 3060 catgttcaga gtctccaggg ttacctgcct cccagaccct gcaccttggt tcacatgtct gcagtotoca gtgtgaccoc actootgtac otgtggtcac atgtgcagat tocagggtga 3120 caccectece agaceetgea cetggggtea cacgtatgee atetecaggg tgaceeegee 3180 tcaccagacc ttttacctgg ggtcacacct tcacagtctc cagggtaacc ccccaccca 3240 gactotgoac tiggggtaca aatocacagt ticcagggtg acaccocotc agacottota 3300 cctgaattca gagtttgata gcctcctggg agaccccacc acaccagcga gtgcacctgg 3360 cttcacacgt ccacagcgtc caggatgaca tgcccccaga ccctgtacct agggtcacat 3420 atototagtt cootggtgac cootcoaaga cootgaacot ggggtcatat gtotgcagto 3480 tocagggtga ccaaccacag acactctacc tggggtaata tattcacagt ctacagggtg 3540 acaacccact cagaccctga acctggggac acatgtccac ggtctccagg gtgatcacac 3600 actocagaco otgiacotgg ggicacatat ocacagioto cagggaaaco caacigocca 3660 tactgtgcac ctgggggtca cacatccagt ctccagggtg acccccgcc ccatatcctg 3720 taccttgggc cacatgacct cagcctccag ggtgacccca ccctcaacat catttacctg 3780 gggccaaatc tccacactct ccagggtgac ctcctcccag accctgcacg tggggtcaca 3840 tgtccacagt ctccagggtg accccatgtc acagatcctg cacctgagtc acatgtcaac 3900 3960 cgtctccatg gtgacccctc ccagactgca cctggggtca catatccata gttcccatgg tgatcccacc ctggccctgt acctgtggtc acatgtccac agtttcaggg tgagttccct 4020 eccaegttet gtacetgagg teacatgtee atagteteca gggtgaeece atettetaga 4080 cattgtacca gggttcacag atccacagtc tccagggtga tctccctctc cataccctgt 4140 acctggggtc aacatectea gettecagga tgacecaate etcaacateg tgtacegtgg 4200 4260 gtcaaacgtc cacagtctcc agggtcactg cacctcacta gaccttgtac ctggggtcac atgtgcacag tctctagggt gacattacct caacatacct tttaaatggg ttcacacgtc 4320 cacagtetee cagggtgaet ecceteteag ecteetgeae etgagataca catteacagt 4380 ctccagggtg acatecece cagacactgt acetgggtte acaggtecae ctcctccagg 4440 gtgacctcac cacaccagac cacgcacctg tgatcacaca tecacagtgt ccagggtgac 4500 acceteccag atcetgtace taaggteaca tatetacagt teeetgagag acceteccaa 4560 accetgtace tgggtcacae atceacagte ceagggtgae eccaettece agaetgtgaa 4620 accgggttca catatcaata gtttccaggt gaattcccct ccccaaaccc tgtacctagg 4680 4740 gtcacacgtc cacagtccca gggtgaccct agcctctacc tggggtcaca tgtccacatt ctacagggtg accecetee caggeeetge tectagggte atatggeeag titecacagt 4800 4860 aaaccettcc cagaccetgt acetggggtc acatgtccag agtctccagg gtgatccaca teccaaacte tteacetgge ateacacgte catagtetea agggtgacae ceteccagae 4920 tetgaacetg gggteacatg tecacagtet ceagggtgae ceccacecga ceetgeecet 4980 ggggtcacac gtcttcagtc tccagggtga cacccctccc cagacactgt aactagagcc 5040 acatgtccac agtctacaag ggtgaacccc gcccccccc cataatctgc atgtgggttc 5100 5160 acatatocac agtotocttg gtaacottgc ttoccagtaa cggcacotgg attgcacato 5220 cacagtette atggtgacce ceteceagae tetgeacetg agtteaaatg tetacagtet ccagggtgac ccctcccaaa ccctgcagag ggcctcacat gtccacagtc tccaggctga 5280 accccctcc cagaatctat acctggagtc acatgtccac agtctccagg gtgacacccc 5340 etcecceaga cettgggggt cacattgaaa cagtetecag gtgaccatet teccagacce 5400

tgcacctagg gtcacaagcc cacatctcca atgtgacccc tctcctgctc caggggtcac 5460 atgtccacaa attccaaggt gacacctete ccagacactg cacetgggtt cacatgtece 5520 actgtctcca gggtgacaac ccccatactc tgtacctggg ttcacaggtc cacagtctct 5580 agggtgactc tgccacatca gactgcacag ctgtgggcac atgtccacag tttccagggt 5640 ggcaccctcc cagatectgt acccagggtc acatatttac agtcccctgg gttaacactc 5700 ccagaccctg tacctgaggt catttgtcca cgttgtccag ggtcaaccct tcccagaccc 5760 tacacctcgg ctcacatgtc cacagtctcc agggtgacct cctcccaacc ctgaacttgg 5820 agtcacatgt ccagtctcta gggtgatcac ccccataccc tgtacctggg atcacaaaac 5880 tacagtetee agggtgaeee tgtgeeeaga caetgaatet ggggteaeae atceaeagte 5940 tecagtgtga tgcccactce cagaccatge accaggggte acacatecae agtetecagg 6000 gtgacagcct ctgagaccct gaacctgggg tcacatgccc acagtctaca gggtgacgac 6060 ccctcccaga ccacatacat gggttcacag gttcacagtc tccaggataa caccctccca 6120 gaccetgtae ctatggacae ctatetaeaa teceettggt gteceeteee agacaetata 6180 cctgggttca catgtccaca gtcttcaggg tgacaccctc cagaccctgt acctagggac 6240 acctatctac agtoccottg gtgtoccotc coagacacta tatotggatt caaatgtoca 6300 cagtetecag gttgacecca eceteaagaa ectetacetg tagteatatg accaeagtet 6360 ccagtgtaaa cccacctccc atatcctgca cctggagtac atgtccagtc tccagggtga 6420 ccccacagte cagacectgt acatagggte acagacetea geetcaagag tgatactete 6480 ccagagtttt tacctggggc cacatgttca tagtctccag ggtgatcctc tctcaactct 6540 gcacctgggg tcacacatac aaagtctcca ggtaacaccc cccaataccc tgtgcctggt 6600 gttgcacatc cacagatttc acagtgaccc cacctcccgg accctgcatc tgaagtcaaa 6660 tgcccacagt ctccagtgta aactcacatc ccatgctgtt cctggggtaa atgtccacat 6720 tatccaggat gaccccacct cccagaccct gttccttggg tctcacttac acagtctcca 6780 gagtgtcccc acctctcaga ccctccatct gggatcgaac attgccagta tccagggtga 6840 ccccctccca gactctacac ttggggtcac atgtccagag tttccagggt gactgcctcc 6900 cgaacctgta gctgtggtca caggtccaca gtcttcaggg tgacacccct ctccagacaa 6960 tgtatctgga gtcacacatt cacagtctgc taggcgaacc cagcccccaa accetgcaca 7020 tgggacccca tgttcagtgg ggagtgttga ctaccagcct acaacaacca gctggctgtt 7080 gctgtcagca gcctaattgg gtgaaaaatg gactgggtga tgacttccca ataagaagtg 7140 gcaagtagca tgttcctttc agaaaactca aataatgaac caaagttgtt gtcataatgt 7200 acagacaaat gacctggtgt gtttcttcat ggttggttga gtctgcaact atccaccttt 7260 cccaggatga tcatatagat tttgccatat tactttgatt ccagcctcaa cataacatgt 7320 ttccctgtac atttagagct gggtaaagac actcctggag aaggcaatgg caccccactc 7380 cagtactctt gcctggaaaa tcccatggat ggaggagcct ggtaggctgt agtccatggg 7440 gtcacgaaga gtcagacaca attgagtgac tttactttca cttttcactt tcatgcattg 7500 gagaaggaaa tggcaaccca ctccagtgtt cttgcctgga gagtcccagg gacgggggag 7560 cctggtgagc tgccatctat ggggtcgcag agtcggacac gactgaagca acttagcagc 7620 agccgcagca aagacactcc tagtgtacaa acactgtaca gtttgaggag tatagacagc 7680 agtggagagt gctctatgaa tgtggatggc caggtctgtt tttaccctga gtaggtgaaa 7740 7800 tgcccactca tatgcgactc tttgcaatcc catggactgt agcctatgga ggtcttctgt 7860 ccatggaatt ttccagtcaa gagtactaaa gtgggttgcc aattctttt ccagggaatc 7920 ttcgcgacct gagtatcaaa cctgggtctc ccacatcgca ggcagacact accctcttag 7980 ctaccacgga agcccaccag attcattgaa aactcaactg tttacccgaa gttgttctgg 8040 gattgaagag tagaatgagc ctgctgtgtt tttctgccag gtgggatgct gtaactacac 8100 aggtttcaca gggggaaatg actgctttgg aacgtccgat cccaáttcca ggttcacaaa 8160 aagttgtctc cctgcagttt taaagctgtg taaatgcctt cctaggacac aatgggctct 8220 ctgtgaatgt tgacttctgt atgtgttctt accctattca gcgaaaacag tactgtcaga 8280 ggacttccca tcaagaagtg gcaagcagag tgtttctctc aggtaacaga agtacttgat 8340 gagacttgca gtcctaaaga agggaaaaac gacccgtgtg cttttccgtc aggctggaga 8400 ttgcaagtat tccaggtttg ctaggtgaaa atactgcttt ctcttcaggc cccgagttct 8460 acgttcagag aaacatttcc acacaggttc agagctgtgc caagattcca agaacacact 8520 gtacaatttc tcagaaaaga cttcagtgaa gaatgtcctg caagtggttc tgccataatt 8580 gttaccctga gtgggtggaa ttacactgtc agatgacttt ttagcattaa aaagcaagtg 8640 cctatgcttt cagaaaaggc agatactaaa gctgcgctcg taagaaacag gcaaatgaac 8700 ccgtgtgcat ttctttcagg cttaagactg caaccaccct gcagttacac gaaaaagtgc 8760 tgcttctgcc attaggctcc aaatcccatg tgaacagaaa taaatccccc tgtcattaga 8820 aagctgtgta agtgagccca ggccagaatg caccatacca tgagtaaaga ggtcagtggg 8880

						8940
				tgactgccat		
				ccagtaagaa		9000
				tgtaataatg		9060
tgagtcactg	cgtttcttcc	tagctggttg	gtggctgcaa	ctatccaggt	ttaaggggag	9120 ,
gaatatactg	actttgccat	attaccttat	ttgcagcttc	aggtaacata	tttccctgca	9180
catttagagc	tgtgtaaaga	cactcctaga	gaacaaactg	taccatttgt	ggagcaaaga	9240
tagcggtgga	gagtgctctg	tgaatgtgga	tggtcaggcc	tgtttttagc	ctgatgaggt	9300
				ccacctgatt		9360
				aatgtagctt		9420
				cttgccactt		9480
				gttgcaggca		9540
				cactgattta		9600
				tggcaggtgg		9660
				ccccaattcc		9720
						. 9780
				tcctaggaca		9840
				agctaaaact		
				cagaaaacac		. 9900
				gttttctgtc		9960
				catttcaggc		10020
				aaaacactcc		10080
				tgtgagcgct		10140
cagttgttac	cctgagtggg	aagaattaca	ctgtcaggtg	acttggtagc	attaataagc	10200
tagagtctgt	gctttcagaa	aaagcagaca	cttttagcaa	agttgccttc	gtaaggaagt	10260
ggaaaatgaa	cccgtgtgcc	tttctttcag	gcttaagact	gcaatcaccc	tgtggtcaaa	10320
aaagaaatac	tgcttctgac	attaggctaa	aaagcccaca	tgaaccaaac	aaatgcccct	.10380
gtcgttagaa	agctgtgtaa	gagacccaag	gacagactgc	accagtccat	gagtaaagag	10440
				gtagtcagca		10500
				caagctacat		10560
				cagacaaacg		10620
				agaggaatat		.10680
				cctgcacaag		10740
				aacaaagata		10800
				aagaggtgaa		10860
				tgagaagtaa		10920
						10980
				aggeteetee		11040
				ctcaatggat		11100
				tttacccttt		11160
				aaagctgttc		11220
				gctgcaacca		
				caggtgcaca		11280
				acaatgtgct		11340
				tgtactgcca		11400
				gaaaaatgac		11460
				agtaacaaat		11520
				gcagattcag		11580
agacactcct	agaacacact	gtatcattcc	ctaagaaaag	agttcaggga	agagtgttct	11640
gtgagtactt	ctgccatacc	tgttgttacc	ctgagtgggc	tgaattacag	tgtcaagtga	11700
ctacgtagca	ttaaaaagca	. agggcgtgtt	ctttttgaaa	acacagatac	gtaagtaaaa	.11760
ctaccatcat	aaggaagagg	caaatgaatg	caagtgcatc	tctttcaggc	ttaggactga	11820
aaccacgctg	cagtcacacc	aagtgctgct	tctgccatta	gtctctgaat	cctacgtgag	11880
cataaaaaaa	aaaaaaaaa	aatccctgtt	gtgagaaagd	tgtgtaagag	accccaagga	11940
				tgttctggga		12000
				ccagttgatg		12060
				gaatggccga		12120
				ctgtttggag		12180
				acccagattt		12240
				acttctagtg		12300
				gtgaatgtgg		12360
3-3355				J-J		

ctgttttcac cctgatgac	a tannanta			101/0	302/09052
ctgttttcac cctgatgag	e ctarratt	c tgtcagatg	a ccttgaacc	a agaagtggca	12420
agccgcccgc ttcatgaga	t setenete	c tcagtcatg	t ttgactctt	t gcaatcccat	12480
ggactgtacc ttaacaggo	a coccagion	a cggaatttt	c caggtaaca	g tactagagtg	12540
gcttgccatt tccttctcc	a gggcatett	c ctgacccag	g ttttgaatg	c gggtgttcca	12600,
555- 45-65-66	a coccettiqaq	C Caccaddaa	a occtoctor	~ ~+++~~~~	12660
	a goldelete	и аасоллала	a tamaatmam		12720
222442 949994090	- yaaaccaca	c additacco	a addddaaa+	~ ~ataattta~	12780
J	a ggugdadaa.	a aagatgich	c cttacaaaa		12840
- Journal Colaggaca	c aacguatte.	E ccataaata	t taacttte	++-	12900
5 5-1000 cocaaaacc	g ractycoaqa	a ggaattccc:	a traaraart	7 77777777	12960
55-5- aaagaaggg	y aaaalyccc	: cdadaddtfi	ctatesaggi	- ~~~~~++	13020
January Second	L aacatatoci	E GCEETCAFF	- cacccct.		13080
3-3	- ayurudadad	i cegeggaaa	1 CC2Ctcata;		13140
- J	y LLauyudada	aractatata	7 20tacatat.		13200
2	a cladactique	: aacroactat	- ataggatta-	· +	13260
5 040044409	- ayacacacaa	a decaadetar	· actestasaa		13320
	- LUAUGULLA	i aagtgcaacc	, accetace		13380
33-5- 005000000	g gcaaaaaatt	: acadotoaac	. 9+3336324	+	13440
a same and a same and a same a	- goodagaaaa	: ararrocaco	` =ttccat~~~	· +	13500
J-J-JJ-J- Bucceggga	- acciquitati	: agtageetae	i toaataaaa		13560
5 5	, rygcaagccc	i caddriccht	· ttaaaaaaa		13620
Joeg Coccacac	. guccaqqcaa	l atdadccadt	· acatttatta		13680
5 55-55- accaecage	- LLLCatages	i gaaatatact	· dattttaaa	+-+	13740
	acalleceet	gotoatitao	r tactatataa	2626266	13800
5 5 cccgcacce	LLLYCAGAGG	i aaadadcadt	Transates.	~+ ~+ ~~ +	13860
333- 000000000	aayayytgaa	. aagtactgtc	- addtdaddta	~~~+~~~	13920
3 33 300 000000000	Lyayaaulua	addtactcac	teatattaa		13980
- Journal Benderance	. aggeteeteet	. Orccatoraa	+c++a+		14040
	CCCCaddaaa	LCEEcccaa	202001+a~a		14100
	· · · · · · · · · · · · · · · · · · ·	. uadccaccac	2002220000		14160
5 5 0040224009	aaayuuquu	Ladaatddaa	- Caccacaa+a	~ ~ ~ ~ ~ ~ ~ ~	14220
	gergeaacta	caaaggfffa	CCACCCC	+~~-+	14280
	Cayyuuqaca	gaacaatata	tetacactet	+	14340
5 S-us rectaggaca	- Gaalglacec	tccaagaatg	++ <a>c++++<	~~+~++++	14400
5 Jaco agecadace	gracequeag	addacttccc	atcaacaact	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	14460
33	addatucccc	Largagettt	tacaraa	A	14520
Jeneral ggaccacag	gugudaatoc	Tactttcaff	traggreers	20t+0+2	14580
5 5 55005000	guruayaya	tatacaaaaa	cactcctaga	202024	14640
	acaayyaata	gratectota	attestetaa	a > t > a = t = t +	14700
J July guggettada	alacactatc	aggreachth	Ctaacattaa	G G G G G G G G G G G G G G G G G G G	14760
J-J Gagaaaacqc	acataceraa	OCAAACCEGE	aataataaa		14820
	Cayyyttaaa	GEFGFAACCA	ccctcccc+c	565655	14880
	aaaaaLCC	CEGGEGAACC	222722224	a a a a a b - b	14940
	grucaaqqac	adattocacc	attocatoto	t	15000
2 2222424 2446499946	Lychactac	catacatott	atcaacaaaa	++	15060
22 25	Lucudatad	daadtddcaa	actacatatt	aattta	15120
	MULLUECA	raaroctcaa	2+4242424	~~~ + + + - + +	15180
Jesse and and decided	alccadattt	cacaggaggt	atatagtgat	+++~~~++	15240
333 -3ca3ccca	ayataataca	TEECCCAGCA	tttagaggetg	+~+	15300
5 unaccenge	CCALLEGIA	2002220200	ataataa.		15360
2 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		datdaddtad	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ 		15420
	444CLGCEEC	argagaagtg	22255225	~+ ~~+ ~+ ~	15420
	Medelelace	agaereeree	3 t 0 0 3 t 0 0 0 0	++	15460
	attecent	CECCAGAGGG	tottaataaa	~~~~~	15600
5	Caddedaca	CEFFACCCEC	tasaaaaata	~~~~~	15660
	actacttaac	caaadatatt	ctcccc	20000000	15720
	y cauditadas	Tactacaacc	2020200+++	GGGGSSSSS	15720
aaatgactac tttgggactt	gagaccccaa	ttccagttqc	accagaagac	atctccctcc	15780
			JJ		T00#0

agtttcaaag	ctatgtaaat	gcattcctag	gacacagtgt	actctccatg	aatgttgact	15900
	tttttgcact					15960
	caacttctgg					16020
	aacaagtact					16080 ,
ctgagttcta	agttcagaga	aacatttccc	cacagcttca	aagctctgca	aagacactcc	16140
tagaacaaac	agtatcattc	acttaaacaa	gagaccaggg	aggagtgttc	tgtgagtgct	16200
tctgccatac	cagttgtttc	cttgagtggg	cagaattaca	ctgtcacatg	acttcgtagc	16260
aacaataggc	aagaggctgt	gctttcagaa	aatgcagaca	cggtctgcat	tttagcaaag	16320
ctgtgatcct	aaggaagaag	caaatgaacc	catgtgcatt	tctttcaggc	ttaaggctgc	16380
	cagtcacatg					16440
	aaatgtccct					16500
	ggaaaaagag					16560
	aactgccata					16620
	cagtaagaag					16680
ccgaaagctg	ttgtcataac	gcccagacaa	atgagccagt	gcatttattc	ctggctggtt	16740
	actattcagc					16800
	tcaagataac					16860
	ctctgtaccg					16920
	acctgttttt					16980
	caagccgcct					17040
	atggattgta					17100
	ttgccatttc					17160
	atgcagacag					17220
	aaagctgttc					17280
	gctgcaacta					17340
	ccaggtgcac					17400
	atgtgctctc					17460
	ctatcggagg					17520
	tacttgatga					17580
	tgatggtgat					17640
	ccgagttcta					17700
	·tagaacacac					17760
	ttctgccata					17820
	cattaataag					17880
	taaggaagag					17940
	gcagtacacg					18000
	cctgcaaata					18060
	agccagccac					18120
	attatatgag					18180
	cagtccactc					18240
	tccccactga					18300
	tgtccctggg					18360
	gatttggagt					18420
	cttagcctga					18480
	taaagtatct					18540
	gacagggtcc					18600
	ctcttccctg					18660
	agctctgaag					18720
	gcaacctttt					18780
	actggtgcat					18840
	gagaatcacg					18900
	gttcgggata					18960
	acggactcac					19020
	tagggcatca					19080
	cagcaaaccc		•			19140
	agtttttagt					19200
	tgcgggacac					19260
	gcaacccatt					19320
J JJ		= = = J = = = 0 0 0			JJJJ-3	

tcgaacacaa cttagcagct tcatatctca tgaatcaggc tgcttgccac ttcttgctgt 19380 gagctcatct gacagtacat ttcacctaat cagagtaaaa cagccttggc catccacatt 19440 cacagagece tetecattta tatetttget cageacatgg tacagtgtat gtacaetagg 19500 agtgttaaca tgggatttgg agcctaatgg cagaagcagc atttctttgt gtgactgcag 19560 19620 gtggcttgca actccttgca tcaaggtcct ttccattgga atgtcaactc atctaggtaa caacactatg gcactcagca ctctcaaata ctctcccaca gattttcctc atgggcagtc 19680 19740 ccagtatgac caaggaatct gttcactagt ctcagaaagt ggagggaaac atactggctg 19800 tgactctcaa aattagggcc tgtgtgcaaa tgtggtgttc tcacatcata aaatctagac 19860 agctgctgag agagatgc ctgaaaatca ctctttttc gcctttcatg catcaaagca 19920 ctgtacgttt cccagcgttc tgtttgctga gagtaaccca ctacttgtga atccttgctt 19980 ggaggtaaca atttcccctc acctgtttca cagtacagaa ggaaagcata atcgctgctg cggccgctaa gtcgcttcag tcatgtctga ctgtgcaacc ccatagacgg cagcccacca 20040 20100 ggctcctctg tccctgggat tctccaggca agaatattgg agtgggttgc cacttcttct 20160 ccaaagcata atcacaggga gaaacaagac aaaaacccca agttccaaca acttttctct gtaggaagga tccagtgatc ctaggtctgt cttgaaaatt cttggatact gcagggatac 20220 ctactgagtg tgaacctgga tattgcacct tgatgacaaa attagcattg tctcttggtt 20280 20340 gactctagaa ggctggggtt tagcaactgc ctgaaaatct atccaatgtt gttttcgtac 20400 tttgacagca atagctttgg ttaaaaacat tgggatttct gaagcaagta ggcagcttat aagttottgt gtcaaggtoo tttocaccag aatgtcaatg aatctaggta acaacagtat 20460 20520 ggcactcagc actctcagtc actctcgcgc agactgtttc ttcatgggca gtcccaggat 20580 gacctaggaa tgtattcacc aggctcagaa agtgcagaga aacataccag ctgtgactgt ccaaattaca gcctttgtgc aaacgtggtc ttctcatatc atagaatcta gacagttgct 20640 aacaggtagg tgcctgaaaa acactcccct tttttgcctt tcattcatca aagaaacata 20700 20760 ggtttcccaa cattctgttt gctgagaata acaacactac ttgcaaatct gtgcttggag 20820 gtcattttaa ctaacaatta cccctcacgt gtgtcacagt agggaaggac tgcctacgta 20880 cagggaaaaa caaacaagcc aaaaaactca agttccttac attgcctctg tagaaaagat 20940 ccagtgatcc taggtctgtc agggacacac actgcgtgtg aacctggata ctgaaccttg ctggcaaaat tagcattttc tctcttatgg ccctgaaatg gtgcagccta gcaactgcct 21000 21060 gaaaatccat acaatttttt cccctacttt tgacaccaat agctttggtc aaaaattggg atttctgaag caagcagggg gcttgcaact ccttgcgtca aggtcctttc ctttgggata 21120 21180 tcagctaatc taggtaacag tggtatggca ctcagcactc tcagatactc tcgcacagac 21240 tqtttcctca qqqatqtcac aatatgacct aggcatgtgt tcacaaggct cagaaagggc 21300 agggaaataa actggctgtg actctcgaaa ttacatcagg agggatgctg caactgcaca gggttcccag ggggaaacga ctgctctggg gcatcagatc ccaattccag gtgcacaaga 21360 agacgtctcc ctgcagtttc aaggctgtgt aaatgcattc ctaggacaca gtgtgctctt 21420 cgtgaatggt gacttttata cgtttttgca ctgatcagct aaaactgtac tatcagagga 21480 21540 cttcccatca agaagtagca agcagtgtgt ttctctcaga aaacacaagt acttgatgag acttgcggtc ctacagcagg gaaaattgct cctgtgtgtt tttccatcag gctggagatt 21600 gcaagtattc caggttcatt aggcgcaaaa tgctgctttc atttcagacc ccgagttcta 21660 21720 ggttcaaaga aacatttccc cacagcttca gagctgggca aagatacccc tagaacacac tgtatcattc tcttaggaaa gagaccaggg aagagtgttc tgtgagttct tctgccatac 21780 ctgttgttac cctgagtggg cagaattaca ctgtcgggtg atttgaggca ttaataagca 21840 agtgcctgtg ttttcagaaa acgcagacac tttagcaaag ttgccattgt aaggaaaagg 21900 caaatgaacc catgtggttt tccttcaggc ttaagactgc acccaccctg cagtgacgga 21960 agtgctactt ctgccattag gctccaaacc ccatgtgaac ataaacaaat gtccctgtca 22020 ttataaagct gtgtaagaga actcaaggac agactgcatc atttcatgag taaagagttc 22080 22140 agaagggaat gttctgggag tgttgactgc catacctgtt gtcagcagcc taatttggtg 22200 aaactggact gggtgatggc ttcccagtaa gaagtggcaa gttgcatgtt ccttttggaa gaattaagta atgaaccaat gctgttgttt taatgcccag acaaatgagc cagtgcgttt 22260 cttcctgtct ggttggaagc tgcaattatc cagctttcac aggaggaata tactgatttt 22320 gccgtattat ctggatttgc ggcttcaaga taacacattt ccctgcacat ttacagctgt 22380 22440 gtaaagacac teetagtgta cacaetetae catttgtgga geaaagacag cagtggagag tgctctgtga atgtggatgg ttaggcctgt ctttaccatg atgaggtgaa aagtcctgtc 22500 aggtgacttc acagccagaa gtagcaagca gcctgcttca tgagaattaa cgttgctcag 22560 togtgtgcaa ctctttgcaa toccatggac tgtagcttac cggctcctcc atccacggaa 22620 22680 ttttcctggc aagagtactg aagtggcttt ccatttccta ctccagggga tcttcccgac ttggggatca aacctgggtc tcccaggttg caggcagatg ttttttcctc tgagccacca 22740 gggaagecag ccagatteat tgaaaattea actaettage caaagattte tggaatggaa 22800

gatagactga gcctgttgtc ctttttgggc aggtgggatg ctggaactac gcaggtttcc 22860 catggggaaa ttacttcttt gggacatcag accccaactc caggtgcaca aaaagatgtc 22920 22980 tccctgcagt ttcaaagttg tgtaaatgca tcctaggaca caatgtgcta tccttgaatg 23040 ttgactttca tatctgtttt tgcactgatc agctaaaact gtactgtcag aggacttccc 23100 atcaaaaagt ggtaagcagc atgtttcttc agaaaacaca agtacttgag gagccttgtg 23160 gtcctgatga agcaaaaaaa tgtccccgtg tgcttttcta tcaggctgga gattgcaagt atttcaggtt cgctaggtgc aaatgctgct ttcatttcag cccccaagtt ctaggttcag 23220 agaattgttt ccccacagct tcagagctgt gcaaagacac tcctaggaca gacacactgt 23280 atcatttcct tagaagagtt cagggaagtg tgttctgtaa gtgcttctgc catacccttt 23340 23400 ttttaccctg agtgggcaga attacactgt ctggtgactt gttaacatta gtaagcaagc 23460 accttgcctt cagaaaacac agatacttaa gcagaactgt ggtcataagg aagaggcaaa 23520 tgaacccatg tgcatttctt tcaggcttaa gattgcaacc accctgcagt gacacgaagt 23580 gctgcttctg ccattaggct cagaacccta agtaaacata aacaaatgtc cctgtcctta 23640 gaaagctaat gttggtccag tggtttgtgt aagctttgta taggctgaga cttatgctga 23700 qtttttgttt gttttcctc tgatgggcaa ggctgagtga ttgggtttgt acttttgttt 23760 tgtttgttgt ttagatgagg agtcctgcac agggtgctac tggtggtctg gtgatgccag ggcttgtatt caagtggttt cctttgtgtg agttcacact atttgatact ctctaggatt 23820 23880 agttetetgg ttgtetaggg tettggagtt agtgeteeca etecaaaege ttagggattg 23940 atctctctcc aaagaccagc ttaggtccaa actaccaaga ggaatttcac ttgaaatgaa 24000 agggccttta ctttaccaag aggaatttca cttgaaatga aagggccttt actttaccaa 24060 qaqqaattca ctcgaaatga aagggactta ctgaattcca aaagccagag cacaagaaca 24120 catggagate tetacecaga ggaaacteta ceatgeettg gttgcageag atgttggtee 24180 tottotgott tgatotgtcc cogotttotg tggcagotgc ccagcagagg ccatctgacg 24240 tcattttqtt cattacctqq atgaaggggt gtctccttct cagaggagcc tgagacaaac 24300 aaagggacag tgcagagcca tccccgcacg gaagccccct tccatttaga aatgtttctc 24360 ttaagctatg ttaatgaact atgtatttag cctagactct gtgtttcttc acttaggttc tgcctaagac tcagaactga taatggctca acaaaccagt atgtttttct catacaattg 24420 ttctcctaat ctatgttaat gagactatgt atttgcttgg aaacctgcct tcttcaaaat 24480 24540 tcatgtcaat cattttatgg cctgggatga ctcaccttgt tccaatgtta cctcaaaatg 24600 catgttgtgg gtgaggggcc ctggtgccac tctctgagtt ttgagacatt tcctttcttt aattagtacc cttctgatag gtgtataagt taccattaaa gtctagcagg gggggcactc 24660 24720 tttctgcccc ttctaatgtc tatgttagaa gcttaatctc ttttatactt taataaaact ttatcacaca aaagcttgga gtgatcaagt ctcataactg gccccagatt gaattcttct 24780 24840 cctccaaagg ccaataatcc catcatcttt catggctcag caacaacctt tcaccggggg 24900 ageteatetg ggattettea ggacaaggta aggacaettg gagetetagt tetttgttet 24960 cctggcaaac acattttctg ctgtacttta ctaactctat ggtgtgcttg tgtgtgtgat tgaaagatgc acacatgtgt gaagcaagat ctgggtccaa atctttggtt ctgtggtgac 25020 25080 ctcataccac ttatggcagg aaccetgttg ggggattata ctgacctgct aatgtcaaga 25140 ggcacccaat gtctcctcca gggaaacaga ccaaggtgga taaaacgtgt ggatggaact 25200 ctcctttttt ggccaaactt tctggtctct ttgaccattt cataacttcc tgggaattag 25260 aactactaac ctaatcagtg ggatcataga ctttcaaggg acttgttatc tatgctgtta 25320 25380 ctagceteae taggagteaa tagtttggaa getagatgga gttetaatte caagaacate 25440 tctcaggttt aagattactc aggaaataca gcagtcttct tcctttggta acactagctc 25500 ttagtggacc agaggaggat ctccagttgc ttctgtctca acaccttaga tattcttcct 25560 gtggaatctg tgggaatgaa ctggaaggac tggccataat aacttgagga caaaaatcac 25620 agactcagaa ggaacatctt ggttttatgt ttgtccttta tgatttactg gtcttactgt 25680 ggtcaggaat gtactcaggg ttgtgcatag gcactcagga gacaaatatt tcccttagtg 25740 25800 gtcttagctt gggaggcatt ctggaaggtt actctgactg cacctcgggt ggcatcagag gcaagcaaaa gttttaatgg tgaggaactg ggtattagtc tgggatgcca tcaggtctac 25860 25920 ccctgatgca tctccacccc accgcagtgg tagaatgggg aggggcagta gtggaatacc 25980 tgtggtaaga gacaggttaa ctccagccag ggaaggaagc ttaggtggaa gacctgtctc 26040 cacccccatc tagaacaggg agggacagta gaaggacagt gctggtagct gtttttctct 26100 cttaaaggtg ggagctaacc attccagcct cactcctttg aaaaactggg atagatttga 26160 tececagage etaatgaaga catgeetgat etteetatgt gatactacat ggeeacagta tccattggag gatagcgaat ggtggctggt tggagggtct cttaattaca atattgtttt 26220 26280 acaattaaac tggttctgta gataacaagg aaatgggtag aagtagcata tgtgttgccc

tttttctctc tgtgagacat atcagattta tgtcctaagg gtatatatta gggtatgaaa 26340 26400 acaggogota actootgoat caacaacttg agtttggaaa gotgttgoot atggagatga 26460 atggcttggc aaggaatcat tagggaagag ggaggatgag atagctgccc tccccactgg 26520 ggatcaggca gtcccaacta tagaaccaga ttgggactaa aaggctaaag gatgatggga 26580 taagagtcat ttgtcagatg tgttcttgaa ggactcagac aagctcatgc taagacttta 26640 aatgatgcta atttggcaaa catagaacag gaagagaacg aagcttctgg taaattccta 26700 gatagactga gggaagccct ttgcagattc actgagattg atcctagtca gctccagata 26760 tccactaaaa cacatgtatg gaccaaatca gtctttagat aatctgttgc aattggctca 26820 gtcagtctat tatggcaggg agtatgaggg aagaaagaaa ggcagagaaa gaccaaggta 26880 ctggctgaag cccttgtaat ggctgtcagg actgttctta aacagcctga gaaaaattcc 26940 aggagagacc caggtgaaag gggatgggct tgctatttct gtggaaagga ggagcgcctc 27000 aagcgggatt gccctcaggc atctaagggg tccccagctc catgtttgcc tgtaaggggc 27060 cacactggag gagagactgc ccccagacgc gtaggtccca gtggtgggat tctcaagaca 27120 accaggactg aatgtgccca ggggtcccca cacaaactcc caccctaatt acagctgagg 27180 aaccccaggt attagtaact gtgggtggcc aatctgtcaa tttccttgtg gacaccaggg 27240 . caagttactc tgtgcttact gaagcccctg gtccactttc tccccaatcc gcttctataa 27300 tgggactgtc tggacaagcc aaacattaat attttggtca tcctctaagc tgtcaactgg 27360 gactetgttt ttacagagtg ccagattgtg ccagagtete ceteacecet tttagggagg 27420 gatatactga gcaaggtcca tgcctctgtt tcatgaatat ggagcccttc ctttctccc 27480 ctttaattga acaaaatgta aatcctaaag tgtgagctga tggaaaatct gtgggtcgaa 27540 cacaaaatgc tattcctgta gttgtgaagc tcaaaaaccc actcatactt ccccatcaaa 27600 agcagtatcc actgaaaccc gaggttaaag aagggttaaa acccatcatc gagattttaa 27660 aggagcaggg gctattaatt ccctataaca gtccatgcaa cactcctatt ttgggtataa 27720 agaagtcaaa ttataagtgg agactagttc aagatttaca aataataaat gaggctgtac 27780 atcetttaca ecceatggtg ectaateett atactetatt gtataaaatt actgaacaag 27840 agaaatattt ttcagcatgc tttctagagt taaacctata ctatgtcatc ccctacctat 27900 gactttcaga caattgagag gatttggggg aatcataggc tactgcctca tttggattct 27960 gggttatggg gaacttgcct ggcctatata tgaacttaca actgaaactc aacaagccca 28020 aactgacaaa ctggttcagt ctctagatac tcaaaaggct tttaaagctc ttcagattgc 28080 tctcctgcca gctcctgctt taagcttgcc cacagggtca gaatttaatt tgtttgtcac 28140 tgaaagaaaa ggtatggtct tgggagtttt gacacaaccc cgagggcctc atcagctata 28200 tataggatac ctgaaaaact taaatcctgc cactttcctt cctgacaagg aaaatgaaac 28260 acctgatage aattgtteec aatttetaae tttaaactat teageteggg aagacetgat 28320 ggatacccca ttagacaatc ctgatatgga attatttaca gatggcagtt cttttgttcg 28380 ggatgggaaa cttaaagcag gttacactat aatgcgactg gacagatttt aaaagcaaag 28440 teteteecca gggaatgage geteaggtag tggagettgt ggetetgaee egagetetag 28500 agttaatcaa agggcagcaa gtcaatatct acagtgattc taagtatgct tatttgactt 28560 tacatgttca tgctgtgata cggaaagaaa gacagtttaa aacggcaaca ggagaaccta 28620 ttaagcattt caaaagactg agggactttt aactgctata aattgtccta cagaagtagc 28680 tgttgtgcac tgcaaaggac acagtaggga tgggaataag tagctgaggg taatcagctg 28740 gctgactgtc aagccagaaa accagcagtt taagaaaccc cttcactgca gatgcctttg 28800 aactagacag gtcctgtgga ataggaaaaa catcacaatg aggaagaatt agaaagatat 28860 gagaaagtag gagcaaacat tatcgataaa ggatgcttat agtccaagga tggatgatga 28920 ataattactg aaaattctca atggaaaatt cttaagagtt tacaccagag ttttcattta 28980 ggtgttgaga gcacttacca gatggcttct catttctttg aaggaaaaat gtaatggaaa 29040 ctttagagaa cattatcaaa aactgtgaga tttgtcagaa aaataaccca aagactgaaa 29100 agttagcaaa atctgggtta caatgaagtg gaaaatatcc tggagaggac tgggaaattg 29160 attttactca tatgccaaag gcaaatggat attcttgatt acaagtttgg gtggatatat 29220 ttactggaca gattgaggct tttccctgtc atagtgaaca gcctaagcag gttataagaa 29280 ttttaatcca tgaaattact cccaggcttg ggctgctgtg gagccttcag agtgacaatg 29340 gctttgcctt taaagccact gtaactcagg ggatgtcaaa agctctagga atagacgatc 29400 acttacacgg ctcctggaga ccccgatcct caggaaaggt tgaaaaagct aatgacatta 29460 ttaagagaca tctgtgcaaa ttaactcaag agaggcatga cagttggtgt aaagttctac 29520 acatagettt aatgaggget egaattgeee eecaaaatga gggaetgtee eeetttgagt 29580 gcatttatgg aagacccttc ttacccacag acattgttat agaccttgaa gccttggaat 29640 tatctaactg tgtaactcag cactcagctt ttcaacaggc attaaaggaa ctctgatgtg 29700 actcatgacc cagactctaa gtcaagaaag acactgtctg agccaggaac tgaggtcctg 29760

ataaaaatat tgggatctcg ggggcaatcc ctggagcccc tctgggaagg cctttaccag 29820 gttattctat cttttcccat agctgtcaaa gtgccagata ttgatcattt tacaccacac 29880 ttaagagttg gcatcctgac cagaactaaa tgatgtcact ttatgtcttt attctctaca 29940 ctcttacttt gtacttttca gatcagcctg ataatctatg tgagcttgct tctgctgact 30000 ccaaaaatcc agtgtctgcc gtttgaccct caagacaatg ccctcctgtc ctgggatcac 30060 tectatgetg cattteacat teagtetaat tactgggtet gtggageact ceettettea 30120 30180 tcagtggaag gcttccgtgg tgggcatctc cacttgaagg aaaggagttt cttcaagtct 30240 gcaaatcttt ctacaaagac aataatatgt gatgcctctt cttaatatga taacatctaa caatcctaag atggactggt gcaacacttt gtaccttaac tatgggcact atgagacttt 30300 taactttgct gattgttctg tttttgctgt ttgctccctg catctgtaag agtgtggctg 30360 30420 gatttgtttc tagctgcatg aaggatttta agtgacaaat ggttgctcaa actcctgcca ctgtggcagc ttcctccaac tacctacttg gggcccctgg atcagagacc ctcaatatga 30480 gggttaggag agtatgttgc ctcaccaatt tagggacgat gccccttatc agcttggaag 30540 cagttacaga atgaaaacaa tgcccctttc cctaggaaac ataattctcc taaaagaaaa 30600 30660 cgtgtctgac·tctttgcgac cccatgaatt gcagcatgcc aggcctccct gtccaccacc 30720 aactcccaga gttcactcaa actcatgttc ttcgagtcgg tgatgccatc cagccatctc 30780 atcetetgte gteecettet ceteetgeee ceaatceett ceageatcag agtettttee 30840 aatgagtcaa cccttcacgt gaggtggcca aactattgga gtttcaactt cagcatcagt 30900 ccttccaatg accacccagg accaatctcc tttagaatgg actggttgga tctccttgca 30960 31020 gtccacagga ctctcaagag tcataggttg caaatgtcag acatttttca tctctctct aagtggcagg aggaaacaaa ctgcaagtgt cagatttctt ttcccttctc tatacaaaat 31080 taaaagatgc tttcttttaa aattctgtgt tgccatgaca cctggttcca cctgaactta 31140 acttttctca aatcttgagc caaccaatgc atttttctta tggaaatgtt tttcttaagc 31200 tatgttaatg actatgtatt taacccctag actccgtgtt tcttcaagtc ggtttcacct 31260 31320 aagactcaga accgataatg actcaacaaa ccagtatgtt ttactcatac agttgttctc 31380 ttaatctatg ttaatgagac tgtgtatttg attggaaacc tgcctttctt catgccaatc gtcttatggc ccaggaagat tcaccttgtg ccaatgttat ctcaaaatgc atgttgtggc 31440 tgagtggcct gcagccactc tctgaatttt gatacatttc ctttctctaa ttagtagcct 31500 gctgatatgt atataactta ctgctgaaga ctagcagggg ggcactcttc ctgccccctt 31560 ctcttttcct ctggaggcca agaactctgg tgtctttcat tgctcagcaa caacctttca 31620 ataggaggat actgatattt ctccaagaaa agctatagtt ttgactatac agacctttgt 31680 31740 tggcaaagtg atgtctctgc tttttaatat gctgtctagg tttgtcatag ctttcttccc aaggaacatc ttttttttta atttaatgac tgcattttta atgttgttat gctttggtcc 31800 31860 agetgttgca ttetttetga agetattagt aattaceete tgetetttat eagtagetta ttcgacactt tctgacctga ggggctcatc ttccagtgtc atctattttt gccttttcat 31920 aacatttatg gggtttgggc agcaagaata ctggaggaaa ttcccatttc ctccttcagt 31980 ggaccatgtt ttcccagaat acttcaaatg acctgtccat ttttggtggc cctgcatggc 32040 atggctaata gcttaattga gttatgcgag acccattgcc gcgacagtgc tgtgatccat 32100 gaagagacag gaagctctta gaattacttt ctttttaatg cattctattt attcccctca 32160 gctagattct aagtgtaatt tgtctgttta ttcattgata catttaacag atgtagaaga 32220 32280 gttccttttg tttctaaaat attcaaaata tttctttata tataaaggat attcatgatt 32340 egeteagteg tgteegacte tttgegacee catgaatege ageacgecag geeteeetgt 32400 ccatcaccaa ctgccggagt tcacccagac tcacatccat tgagtcagtg atgtcatcca 32460 gccatctcat cctctatcat ccccttctcc tcctgccgcc aatccttccc agcatcagag 32520 tcttttacaa tcagtcaact cttctcatga ggtggccaaa gtattggagt ttcagcttta 32580 gcatcattcc ttccaaagaa atcccagggc tgatctcctt cagaatggac tggttggatc 32640 tecttgtagt ccaagggact ctcaagagte ttetecaaca ccacagttea aaageateaa 32700 ttetteggag tteagettte tteacagtee aacteteaca tecatacatg accaetggaa 32760 aaaccatage ettgaetaga eggatetttg ttggeaaagt aatgteteta etttteaata 32820 tggtatctag gttggtcata actttttact gtagactact ttttttttt tgagatggca 32880 agaatacaca gaagaactgt acaaaaaaga tetteaegae eeagataate atgatggtgt 32940 gatcactcac ctagagccag acatcctgga atgtgaagtc aagtgggcct tagaaagcat 33000 cactacgaac aaagctagtg gaggtgatgg aattccagtt gagctattcc aaatcctgaa 33060 agatgatgct gtgaaagtgc tgcactcaat atgccagcaa atttggaaaa ctcagcagtc 33120 ccacaggact ggaaaatgtc agttttcatt ccaatctcaa agaaaggcaa tgccaaagaa 33180 tgctcaaact accgcacaat tgcactcatc tcacacgcta gtaagtaatg ctcaaaattc 33240

tccaagccag gcttcagcaa tatgtgaact gtgaacttcc tgatgttcaa ggtggtttta 33300 gaaaaggcag aggaaccaga gatcaaattg ccaacatctg ctggatcatg gaaaaagcaa 33360 aagagttcca gaaaagcatc tatttctact ttattgacta tgccaaggcc tttgactgtg 33420 tggatcacaa taaactgtgg aaaattctga aagagatggg aataccagac cacctgatct 33480 gcctcttgag aaatttatat gcaggtcagg aagcaacagt tagaactgga catggaacaa , 33540° cagactggtt ccaaatagga aaaggagtat gtcaaggctg tatattgtca ccctgcttat 33600 ttaacttata tgcagagtac atcatgagaa acgctggact ggaagaaaca caagctggaa 33660 tcaagattgc caggagaaat atcaataacc tcagatattc agatgacacc acccttatgg 33720 cagaaagtga agaggaacta aaaagcctct tgaggaaagt gaaagtggag agtaaacaag 33780 ttggcttaaa gctcaacatt cagaaaacga agatcatggc atctggtccc accacttcat 33840 gggaaataga tggggaaaca gtggaaacag tgtcagactt tatttttctg ggctccaaaa 33900 tcactacaga tggtgactgc agccatgaag ttaaaagacg cttgctcctt ggatggaaag 33960 ttatgaccaa cctagatagc atattcaaaa cagagacgtt actttgccaa caaaagttcg 34020 tctagtcaag gctatggttt tcctgtggtc atgtatggat gtgagagttg gactgtgaag 34080 aaggotgago gotgaagaat tgatgotttt gaactgtggt gttggagaag actottgaga 34140 gtcccttgga ctacaaggag atccaaccag tccatcctga aggacatcag ccctgggatt 34200 tctttggaag gaatgatgct aaagctgaaa ctccagtact ttggccacct catgtgaaga 34260 gttgactcat tggaaaagac tctgatgctg ggagggattg ggggcaggag gagaagggga 34320 cgacagagga tgagatggct ggatggcatc actgacttga tggatgtgag tctgagtgaa 34380 ctccgggagt tggtgatgga cagggaggcc tggcgtgctg tgattcatgg ggtcgcaaag 34440 agtoggacgt gactgagaga ctgatctttt tttttgtaga ctacttttaa ttcaaagaaa 34500 tgtccgtcaa ttattttctt atgatcacct caactttgta tctatggtaa gcacagaaaa .34560 gttcaaaact ttacctcagc atttcctatt atatttcttc cttgtgtata agtcaataat 34620 atgtgattct agccaaatgc acaaactgtt cagtcatcaa agcacttact aggtgcctga 34680 tactgcagta ggcatgatgg gaagcaacat acatgcatca cagagggaca tgctaaatat 34740 tgttgatata cattaaagga atagttaggg aaaatatcga tataaaggaa atggtaaatc 34800 tgatggagtt tatagaggat tgtgtattgt caaatacaga tgtcaatttc tataagttta 34860 acatataaaa atggagaaca aagggctaca atgagaagat ataaacatta aaatcatcta 34920 gcaaatgtta teteacaatt aaaaaataee ttetgtgeae taaageaeta aaettatttt 34980 tettaaagee ettgaaatta aaggetataa accagttett teaaagggta aacaaaattg 35040 ataaacttta agccagactc atcaagaaaa aaaaagagat ggaaaagaac ccaatgaata 35100 aaatcagaat tgaaaaagga gaaggtacaa cagatataac agaaaccagt ggactatacc 35160 ccaatcaaat gaaaacccta gaagaaatgg acaaattctt agaaatatac aatctccaaa 35220 gactaaacca gtcagaaata gaaaatatga acagaccaat taccagtaat gaaattaatc 35280 agtaatttta acactcccca aaaaataaaa gtccaggaca agacggcttc acaggtgaat 35340 tctatcaatt taacaaacag ttagcaccta tatttctgaa accatttcaa aaaattacag 35400 tgagagaaac acttccaaac acaatctaaa tgccaccatc accttgatat taaaatcaga 35460 aatatgccac aaaaacaaat aaaattacag tccagtaaca ctgatgacag agaaggcaat 35520 ggcaccccac tecagtacte ttgcctggaa aatecegtgg atggaggage etggtagget 35580 gtagtccatg gggtcgctaa gagtccgaca cgactgagcg acttcacctt catttttcac 35640 tttcctgcat tggagaagga aacggcaacc cactccagtg ttcttgcctg gagaatccca 35700 gggacggggg accetggtgg getgetgtet atggggtege acaagtegga cacgactgaa 35760 gtgacttagc agcagcaaca ctgatgaaca tatacacaga aaccaccaca aaatacttgc 35820 aaaccaaatc caacaataca ttaaaaacac cagacaccat ggtgaagtgg gatttatatt 35880 agggatgcaa ggatttttta atatctacaa atcaatcatt agaaaatttg aaaaatgaaa 35940 gcaacctgat tatctcaata ggtgagataa aaaaaaaagg ttttaaaaaaa ttcaatcccc . 36000 acttatgatt aaaaaaaaa ccaataaaag gacatgtggg gaacctacct aaatatgata 36060 aggatcatat acaacaaact cacagcaaaa atcattctca atgctgaaaa ttaaaaggca . 36120 tttcctctga gatcaggaaa aagacaatga tgttcattct caccattttt atttagcata 36180 gtttgggaaa ttctagtcat gggaatcaga gaaaaaaatt aacaaaaaga atgcaaatta 36240 aaaaagagta agtatggact ctgttgcaga gggagagggt gggaagattt gggagaatgg . 36300 cattgaaaca tgtataatat catgtatgaa acgagttgcc agtccagatt cgatgcatga 36360 tactggatgc ttggggctag tgcactggga cgacccagag ggatggtatg gggagggagg 36420 agggaggagg gttcaggatg gggaacacat gtatacctgt ggcagattca ttttgatatt 36480 36540 aaacaatcac tgtttgtaga tgacatgata ctatacatgt gtgtgtacta ggtcacttca . 36600 gttatgtttg actctttttg atcctatgga ctgtatccca acagtctccc ctgttcatgg 36660 gattctccaa gcaagaacac tggagtgggc tgctgaaacc ttctgcaagg gatggtcatg 36720

atctagggac tgaactcgcc tctcttacat ctcctgcatt ggcaggcagg ttctttacca 36780 ctagegecae etgggaagae aaataetata catacaaaat aetaaagaea atteeagaaa 36840 actaaaacag ctaatcaatg aattcagtga ggtttcagga tatggaatta atacacagat 36900 36960 ttcccttgta ttctgataca tgaaaagtaa aagatccata aaaaattaag gtaacaattc 37020 cacttaccat catatcaaaa agaataaaac acctaggaat aaacttacct aatgaggcaa 37080 aagacctata ctcagaaaac gataagatac tgataaaaga aatcaaagat gatacagatg 37140 gagaaatata acaagttttt gagttggaag aatcaatgct gttaaaatga ctgtactacc caaagcaatc tacagattca atgccatccc tgtcaaatca ccagtgacat ttatcccaca 37200 37260 . attagaacaa aatatttttt acactttgta ttgaaacaca aaagaaccca aagagccaca 37320 ccaatcttgt gagagaaaaa aaggagctga aggaatcaag cttcctgacg tcaaattatg ctacaaaaga agagtcatca aaactatatg atactggcac aaaaacagac atatagatca 37380 atgacacagg atgagacccc ataaataaac ccacattett acggccaatt aacctatgac 37440 37500 aaagaaggca agaatataca atgaagaaaa gacactattt gcaataagtt gtgctggaac aaattgacaa ctatatgcaa aagaaaaaat tagaatattc tctaacatca tgtataaaaa 37560 37620 taaagtcaaa atgggtcaaa tacctaagta taaggctaga tacttgaaaa atcttagagt 37680 aaaacacagg tagaacataa attgcagcaa tatctatatt tagatatgta tcctggagaa · atgaaaataa gaaaaacagg caaacgggac caaatgaaac ttaaaatcat ttgcaaagca 37740 · aaggaagcca taaacaaagt gaaaagacaa accagagaat gttagaaaat atttgtaaat 37800 37860 caaatgattg ataagagatt aatttccaac atatacaaag ggcacatgta gctcaacaga 37920 37980 atgtctgact ctgcaacccc atgaaccaca gcacaccaga cttccctgtc catcaccaac 38040 tcccggagtt tacccaaact catgtccatt gagtcagtga tgccatccaa ccatctcatc 38100 · ctctgttgtc cccttctcct cctgccctca atctttccca gcatcagggt cttttcaaat gagtcagccc ttccgcataa agtagccaaa gtattggagt ttcagcttca acatcagtcc 38160 ttccaatgaa cacccagaac tgatttcctt caggatggac tggttggatc tgcttgtagt 38220 ccaagggact ctcaagagtc ttctccaaca ccacagtgca aaagcatcaa ttctttggtg 38280 ctcagctttc tttatagtcc aactctcaca tccatacatg actactggaa aaaccatagc 38340 cttgactaga tggacctttg ttgacatagt aatacctctg ctttttaata tgctgcctag 38400 gttggtcata actttccttc caagaagtaa gagtctttta atttcatggc tgcagtcaca 38460 tctgcagtga ttttggagcc caaagaaata aagtctctca ctgttttcat tgtttcccca 38520 tctatttgcc atgaagtgat aggaccggat gccatgatct tagttttctg aatgttgaac 38580 tttaagccaa ccttttcact ttcctctttc actttcatca agaggctctt tagttcttct 38640 tcattttctg ccataagggt ggtatcatct gcatatatga ggttactgat ttttctccca 38700 38760 gcaatcttga ttccagcttg tgcttcttcc agcccagtga agaatagcaa ggagcgataa 38820 ageetteete agtgateaat geaaagaaac acaggaaaac aatggaatgg gaaagactag agatetette aagaaaatta gagataeeaa gggaacattt cagacaaaga tgggeteaat 38880 aaaggacaga aatggtatgg gcctaacaga agcagaagat attaagaaaa ggtggtaaga 38940 atacatagaa gaactgtaca aaaaagatct tcatgaccca gataatcacg gtggtgtgat 39000 39060 cacccaccta gagecagaca tectggaatg tgaagtcaag tgggeettag gaageateae taccaacaaa gctagtggag gtgaaggaat tccagttgag ctatttcaaa ttctaaaaga 39120 39180 tgatgctgtg aaagtgctgc actcaatatg ccagcaaatt gggaaaactc agcagtggcc 39240 acaggactgg aaaaggtcag tttgcattcc aatcccaaag aaaggaaatg ccaaagaatg ctcaaactac cacacgattg cactcatctc acacgctagt aaagtaatgc tcaaaattct 39300 ccaagccagg cttcagcaat atgtgaactg tgaacttcct gatgttcaag ctggttttag 39360 aaaaggcaga ggaaccagag atcaaattac caacatccgc tggatcatgg aaaaagcaag 39420 agagttccag aaaaacatcc atttctggtt tattgactat gccaaagcct ttgactgtgt 39480 39540 ggatcacaat aaactgtgga aaattctgaa agacatggga ataccagacc acctgatctg cctcttgaga aacctgtatg caggtcagga agcaacagtt agaactggac atggaacaac 39600 agactggttc caaataggaa aaggagtacg tcaaggctgt atattgtcac cctgcttatt 39660 taacttatat gcagagtaca tcatgagaaa tgctgggctg gaggaagcac aagctggaat 39720 caagattgcc gggagaaata tcacctcaga tatgcagatg acaccactct tatggcagaa 39780 agtgaagagg aactaaagag cctcttgatg aaagtgaaag aggatatggc atcaccgact 39840 caacagacat gaggttgtgc aagctccgag agttggttat ggacagggaa gcctggcttg 39900 39960 ctgctgtcca tggggttgca aagagttgac catgactgag cgactgaact gaactgatta attagtgata ttcagtatct ttacatatct ttagtggcca tctgtgtatc ttcttttgag 40020 40080 gaatgtttat ttagatcatc agtccatttt tggcattgcc tttctttggg attggaatga aactgacett ttecagteet gtggeeactg etgagtttta caaatttget ggeatattga 40140 gtgcagcact ttcacagcat catctttcag gatttggaat agctcaactg gaattccatc 40200

acctccacta gctttgttcg tagtgatgct ttctaaggcc cataaccaaa gctaaaacaa 40260 cactcaggtg ttgatgtac tggtgatgga agtaaagtcc gatgctgtaa agaacaatgt 40320 tgcctaggaa cctggaattt taggtccatg aatcaaagta aattggaaat ggtcaaaaag 40380 aagatggcaa gaatgaacat caattatttt aggggtcagt gaactaaaat ggactgtaat 40440 gggtgaattt aactcagttg accattgtat ctacttactg tgggcaagaa tcccttagaa 40500 gaaatggagt agccctaata gtcaacaaaa gagtccaaaa tgcagttttt gggtacaatc 4.0560 tcaaaaacaa cagaatgacc tctctttgtt tccaaggtaa acattatcac agtaatccaa 40620 gtctatgccc caaccagtaa tgctgaagaa gctgatgttg aacggttcta tgaagaccat 40680 tatggagaac tgccccagga gccctgactc tccacgcttt gtgggtgctc ctatcggaga 40740 cagggcaagt tgagacatag ctagagaaag acctgaggca gagacaagag atgcaggcct 40800 tgaggtggga aggtgtcagt gttctggaag cctgcaacag gtgaactcaa gtgggccaag 40860 aaaatgcaag acgaggtctc aacagcatct gttccaagtc tattgagagg tacacaaaac 40920 aatctgagta agctgattca tgttattttc ctggatacgc aaacaatgtc ttagctcagg 40980 ctgctatgac aaagtaccac agactgagtg gcttaaagaa cacaaacatt tctcagtatt 41040 tatcatgctt tgaattctat ttgtgcaatg tttgagggga atgcagtgct tatcttttta 41100 ataggtacat taactgtgtc ttcgtttgga tgtaccaaag gatgagacaa tgggagatgt 41160 gagttggtgg atcgatgcct cagcttcccc ttcttgcagc tggatgatct gaggtgtatt 41220 cccattattt cacagatggt ccctgtggca tcaagctcca ctcacctacc atggtaatcg 41280 . geocaetttt cetgaetttg etecetteet tgteteatgt tttetaette eteaetttge 41340 ttttctggag gctgggaaaa ataagatctt ggtattggtc aatccagtta ctggtgagga 41400 ctctcttcct ggtttgcaga cagctgcctt cttgctatgt tcttatttgg ctgagacagc 41460 aatcatctct catgtctctt ctcataatga cactgataca ggagatagat gggctccagt 41520 ttagacattt ataactggcc tcctgtttgc attttatggg gcagaaaaaa gtgggcttca 41580 ggctggacac ttacaactag ccttctcttt ggatttcctg gacaaggata ggtgggctct 41640 gggtaaggca cttacaacca gccttctgtt tgctctccaa aatggaagta acaatagaaa 41700 cagagtaaat agccagattt tgtctcttgt caatatctta aaacaatagt cgtggcaaga 41760 acaaagaggg gtaaaatcct atttgagtaa aggattaaag gctctctgct cccctccttc 41820 ttgggacaag ggagacacta cacatgcaca gaaaggctac ttgggagaca aaagtcagag 41880 gaaatgccag gccataatga gtttcccctc ccaaatgctt tcaagtcagt tcattttggc 41940 tgaggggtgc atgaacacgt aaggggaggg tcctgagaca aattagctgg ggggacaaaa 42000 caagatgatt agcctgaggg aagaaaaaga cctggaaaac tccccctta taaaggattt 42060 aaacttccca aaggcatgac tcttctctga gcttccctgt gcatcttttc acatgtattt 42120 ttccaataaa atttttactt ttctcattac cttctgcctc ctcacctgaa ttctttcttg 42180 acgagacagg catggactat cgacccaggc tctagccaac tggcctttgt ggtctaatgg 42240 ttaggactcc tgatctggga actaagatct tgctccctgc tactgctctc tgctgcttgc 42300 tgcaaggggt tgcttactga tgctagcatc tgaaatcaac actaagctca tccatgaggg 42360 ttctaccctc acgatctaat cattcccaaa ggtcccatct tcatactggg gataagggtt 42420 caatgagtaa atttgggagg gacacaaaca ttcagtccac agtacataaa gatgtcaatc 42480 ttgcacatat ttatttctaa atacaatgcc attccaataa aaattccaac tacaggtttc 42540 ttggaattca acagaattat ataattaacc tggacagaaa aactaagaat attagagaga 42600 ttctaaagca aagagagat agtggttgat attagtccca ttaagtactg aggcatatga 42660 taaagctttt acccacttca tgtattagta tttatgtggg tttcctagag catgaggaaa 42720 caaacctctt cccatgtagc accccttcct ccagttgtaa caacttgaat tactctgatt 42780 aattgtggag ctatgtaaaa agaaagcagg tatatccacc aagtagggta gcagcttact 42840 gttcaccaat gtgacactgt gctttacaac agtcatccag aagatcacaa tacatttctc 42900 atatatattt agtcatctac tgctcttgat tcacagctcc caaaatctgc gggatttcct 42960 gagcaataag agcaagaaca atgtgagtat cttttgttat aatactgggt ctcttccctc 43020 agttcctaaa atcacttcag agccataaag gtgtcttgtt attaatgcaa gtccctttcc 43080 acaactactg aatttatgtt agtgtaatca cttttcagct teeetggtga eteagttgge 43140 aaacaatctg cttgcaatgc aggagaccac ctgtaatgca ggagtcctgg gtttgttccc 43200 caggicatat cccciggaga aggaaaigga aacccacicc agiaticitg ccigggaaai 43260 cccatagaca gagaagcctg gcaggctaca gtccataggg gtcacaaaga ggtggacact 43320 atttagcgac tgaaccacaa tcaccacaat gacttctgga aagcacctaa ggatgggtgg 43380 ctaattgcca gttgccaggg gggacaacct ggcagaattg acagatggaa cttaagttct 43440 agcccatgac ttttgggctg gggtgagata ctagaagttg aatcaattac caaccaccaa 43500 taatttaatc aatcaacttt atgtaatgaa tootooataa aaccoccaaa ggatggottt 43560 ggagcatccc agttgtgagc atagagactc agtcacatgg acgactccac acggtccctc 43620 aatcccttgc tccatgcatc tcttcatctg actgtttctg aattacaact ttttataata 43680

43740 aaacaggatt gagctataga actcacaaaa atgtgttttt atgagttcta taggcagcat 43800 attaaaaagc agagacatca ctttgtcaac aaaggtccgt ctagtcaagg ctatggtttt 43860 tccagtggtc atgtatggat gtgagagttg gactataaag aaagctgagc accaaaaaat 43920 tgatgctttt gaactgtggt gttggagaag actcttgaga gtcccttgga ctgcaaggag 43980 atccaaccag tccatcctaa aggagatcag tcctgggtgt tcgttggaag gactgatgtt aaagctgaaa ctccaatact ttggccacct gatgtggaga gctgactcat tggaaaagac 44040 44100 cctgatgctg ggaaagactg tgggcaagag gaaaagggga cgacagagga tgagatagtt 44160 ggatggtatc accgactcaa tggacatagg tttgggtgga ctccaggagt tggtgatgga cagggaggcc tggcatgctg cggttcatgg ggttgcaaag agtcagacat gactgagcga 44220 44280 ctgaactgaa ctgaactgat gagccactct agcaagttaa tcacaggaaa ggaaggagtc attggaacct ccagtctata gcagatcagt cagaagcaca gatgacagcc tgaacttaca 44340 actggcatct gagtcaggaa gaggggctat cttatgagac taaatcctta acctgtagga 44400 44460 tctgatacta tctctgggta gatagtgtca gaattgagtt gaattgtagg acttgcaata atgttggaaa attgctcgtg gcagggaaac caccaccact cctagacaca cacacaca 44520 44580 cacacacaca ttgggtttga gtgttagaat cattttaacc agtgataaga aagattacca 44640 atggtgcagg aactgccagt ggaaacacaa agtctcctga ccaaaacaga gcaaatcaga 44700 agccaaacct gggttgagaa acaaagaaat gatgacaaaa atcagacagt ttgtttcgaa aatctgggac caggaagaaa ttaagtgaag agcccaagtg tggcaaaggt tcagggtgac 44760 44820 actaaacttt gttttgcata cctgggaact tcacacatgg ctagacagaa agagaaaagg 44880 acaaattctg tgggaaccaa gggggaaata ggcacagcaa gacgaggaca tgggataggt aaccacactc.gggacattgt ttaactgatt cttctggtag actctcattt gcaaggtcct 44940 45000 gaggetetee teccaageaa tttataaeet agttaaatae ggacagaaca gettaaaatg 45060 gtgctggatg ataccagcca gttgctgctg gagcaggagg aagacagttg agttttgttg gggaaatatg gacagcttca cagaagagag gggtgtgaag gaattcgggg tgaggaaact 45120 gcttgagcag agcttcagcc aaggcaatta aagaaggagc aactggcctc gcaggactga 45180 agcccagcgg ggattcaggg agaaaggttg tcagaaacat ggtctgggct ttttcacaca 45240 atctgaaccc cagactctgg agtctagcca ctaaggaatc attttatgtg tttaaagaat 45300 ggagagatat agccgcctgt aatacatctg caccatgatg gtttctcttt aaattcacaa 45360 tcattcatcc ttagaaaaaa tgtaatttct gatgcaatag cttaaattgc tgaactgaga 45420 aagtcagagg ggagaaaggg ggaggaatga ggtctttgag gacatgaata ccctcaatga 45480 atgggcccat cctaaagagg accctcatta ttagagaaag tttaaaaatac tctccattac 45540 acceatacte tectecaget aatacetatt tetetgttee teccaggaca aaacttetea 45600 gaagaattgt ctctactccc tcaccttcca tttcttcatc aatttactct gtctgttctt 45660 45720 atcactetet tqaaactaat cecateaagg ceceagtaae gacetecaeg teaceaaate 45780 cagtgagtte ttteccacet ceattetatt ttgtetetet atagetgaet cetgeettet tgaaaggcac ctcctctctc acactcttga tatcctccta cttcactggc tgtcactttt 45840 45900 cagtotqtot tqctatotto totttotota attoaaagtg tgactcagca gatcagcaac atctaggaac ccaggagaaa tgcagattct tggacttcat ctcagaatta ctaaatcaga 45960 46020 atctctaagg tgggcccaac cagtccatcc taaaggagat cagtcctggg tgttcattgg aaggactgat gttgaagctg aaactccaat actttggcca cctgacgtga agagctgact 46080 cattggaaaa gaccctgatg ctgggaaaga ttgagggcag gaggagaagg ggacgactga 46140 ggataagatg gttggatggc atcaccgact caatgggtaa actccaggag ttggtgatgg 46200 acagggaggc ctggggtgct gcagtccatg gggtcgcaga gtcggacacg actgagcgac 46260 tgaactgaat tgaactgagg gtgggcccag gaatctgtgt tttatccaga ccccaggtga 46320 tgcacactga aagctaagca ccatgatcta aaactgtctg tttcttacca ttcagtcctg 46380 attoctotto tttoctotgg ctacacttto tttottgatg ttatcatota agoccacaac 46440 46500 tttgaaaatc atctaaatac tggtggtggt ttagtcacct cagtccaact ctttgcaacc ccagacccct ctgtccatgg gatttcccag gcaagaatac tggttgccat ttccttttcc 46560 46620 aggggatett ecegaceaag ggateaaace egggtetaet gtaatgeagg eagattetta 46680 ctgacaattt ctaaatgcac atcttcagca ccaacctcc caatctggag attacattaa aattcaacat accccaaatg gaagaaactt ctctaaaaat ggttgcgtct aaaacttggt 46740 46800 ettectecat tteteaceat tteegaatae atcetetace accaageece atcagtgeee 46860 46920 taaatcttca agggcttcct atcacattta attaaaatct aaagacctgg tcattggctg 46980 ttaggcccta catgacctgg tcactttcta tgtggcttcc tgtattccct ttgttgtcta 47040 atgtcagaaa ctataactat ctagttcaca ctaggttctc tataaattat ttgctgaaca 47100 aaatatttct tcttttgaaa ataagagaaa catagagttt acttcgttag cttctccaca tttgctgagg aggatctatg tgatgttgac aggtaacttc aattgagcca ggacacagga 47160

VV 02/0/2410	trag cacagecagg 47220
gatgcgaagg gagactttca aagaatgtct tcatggtgcc ataacc	catag cottoottat 47280
there are an appropriate the teather than the teather tha	geag eco
statagtagt totogtgatg gtagagacia agaige	aggaa -ga-g- ggg
entergon andetecto otatagacta accaacguga cycus	iccae gaggerb-b
anagageta agaatchaca accccataat qqcaqttill addad	-9gcc
turbe at att occast trans datagrated atgatteding decitions	gaace egenegger
teterate that casta destataged adapted to you	gacac cacs-s-
then and the decaded dealtocade ticeatgury true	Lyaca good
tagged taggettet taagecaggt aagaageted teada	CCCBa . Baosa 3
-t-canagas accadecae ataggaaagt caeqtgaagg caett	caace agoarary
cctcccacc caggtgccag ccatgtaagt gactg	aacca account
-thanksha cotcasocct cadacotcat doddcadagu caagu	CCCCa ccassas
	CCCC CCGGGGGGGG
	Caada ggcaa-g
The street to a accept acquactata tracciting agear	
	agada aggoog-s-
the anticat character totacattoc coctociago agggg	addge edgerers
	acced dagage-5
been according to a totact cacaataaac aatctttaa yaaay	gaagge aaggeee
	lacage eccessions
ctgcctaata ctcatttcta gctggccaca atccatttct gctac	ctgaat catcatcatc 48420
ccatcgtcat gttttataga cctctcattt ctccttccca gcaga	aacttt caggccccca 48480
tocacattca tatattcatc acctcattct acacaattct cctg	Julius Courses
acttgtcccc atcctatttg agagatccac cctgagatat ttacc	cctaat gggtgtctca 48600
atattttaa acctetttee ttgeaagett agtggageet ettge	cccata acaaggggac 48660
tagatattic attiticca ggittatacc cattgecetg gcata	dattad tattggtone
ctcaaaagtg cacaaatttg ggtaatgata tatatgatcc ctcta	aaccct aaaacatgtc 48780
ttctatcact tgccatcctt cacatgagac aaacacctac ataa	aatttt ggcagtaata 48840
atgatcaagt acacaccatg ttttatacaa gaaacctcag gtaa	Lacaca gaacagaaca
gttaaatgga gtgcatttcc ttcacttatg aatatcataa tcta	aatcat ttattttgta 48960
gttaaatgga gtgcatttee tteacttatg aacateataa staa	tatact ttctaggcct 49020
gataatgag aggaactgag taaatgacgg caggtgatgg ctaa	gcaata gaatttttgt 49080
caaattttaa totgaaaatt cacaaacatt gggotcaatc cagg	ctcatt ccctaatctt 49140
ccetttaga aatttetggt taccaaagtt ccagaaattg cttt	tttccc tttaaagatg 49200
tcattttctc cattacgtaa cgagaagctg gggctttggc cgat	saggg tattagctga 49260
attttatcg tcaacaagca atttcagggg gtgatgagcc gggg	egatto ctgggtctgc 49320
tgctagcgtt taagctagtc tcaactcgtt tttcccaggg actt	racaca accatcact 49380
cagtaaaccc cgggcgccgg cagctggtgc gcctgagcgt gcgc	,909090 90-0
coccecct geocetecte etcegeogg egacteace geo	castag cogotagte 49500
acagcegcag agetgagage gtettetete tegcagaage aggt	Ladacag Cogogo-
	logagge ecoagggene
	1999000 0000000
description accepted conductive year	666666
	3199901 991-99
antennana tetatagata atatataga atatagada ata	ccaego og
and at any transcripts deacedgead addageeged ggu	ccgagga aces-
aget cagaag aacaagggg aggcccggg atttgggccc too	cgaagee eagassass
and attack and transport and transport and an according to the	acgggge cogner-cgg
and the containing th	gccgaac coccess
aggregat gootgoosto acgoggotad dadduaccud yyu	ageegem 5-555-555
atatagassa caccaggas tagactataa caaqqaqqaqq	CCC9990 00055
	gaaacc JJ
	laagegaa arriiis
tataanatan taataanaa aasaaasaat caaccaccaa gas	10009-33 33 3333
- aggregatet cogagaacca coctoatolo coaquqayqq yay	Caccer 5
LEFEFFF CCCCFFCACA COFFFCATEA TEAAACAACG AGA	agees
	acgeage
LEELANAARA ARABAAAAAAA CAAAAAAA AAAAAAAAAAAAAA	1666666 3 3 -
tottaacaac aaagcagttt cacctccctg atcatggtta to	ttatctc atggccgggt 50640
Colladiac adagonatic Carriotti	

tattttcttg tacttaagag caatcacgtt ttattaagca gttccccgaa tgctgaacct 50700 ttgaagtgtt acctttcctt acaaaagata ccacatagaa taggattaaa aattttcaca 50760 agttgtcaga gaaaaatagg aacagaaaat tgtataaaaa tgtcagacct ctggaaaatg 50820 aacagctctc tcagatttga aaattaacct atgaaaagga acagttttcc tacggaaaca 50880 50940 ttgaggtgct ctaacaatga aaaagaatca gaaaaggaaa aaaacagagt taggatgtga 51000 tttgtatatg atttgtatct gatgcaaatt tttcatactt gtgaaagaaa aatatcaaga ttataaaaag ataaatggtg aaatgaacaa tcatttatga aataaaatac aaatcaaagc 51060 51120 aaqtctqqat ttacaactac tagtaaaaac aacagtaaca gcaaccactt ctggaaagtt 51180 acctagaaat ttgcatattc agtatgtgag gtggcaaggc tttggagtta gaaatatggc tctgcaacta attttacagt ttgggaccta atttcctcat cccccttttg gacattcata 51240 aaatagagga aattatacct acttcaggag tttgccaaga ttaactgtgt aaaactgacc 51300 tttagtgtgt atacttttat tcttttccta gtcacactgc actgggggac gttgtgaatc 51360 tgtatgaaat ttgtgaaaaa cagtcaggtg atcctttaag ccatgaccct aaaaccccac 51420 51480 tcctgggaac ttacctgtaa tggaggaaac caggaaagaa gaagaaaagc tgcattcacc 51540 .cacagaactc agaatgatct aaaattagat ccagtccgga gacaacctaa atgtattaat 51600 aaaatagcag ggcagcagct aagaaaatca tagcacttta actgaaagga acattgtgta 51660 accatcacga gtcataattt tagagcctct ctgtgatata caggaaaaaa ctgacaggtc 51720 aaagtaagat tactcagaca tggatgcgtt tgtggaaaat ctgaatgaaa aatgaatcca cagtttgctg tgtatgggag gagagttcag tgtcacgttt gctgcttttt ttaagttagc 51780 51840 atcatctctt ttttaaaaat actatcatat tttttccctg agtagattca ttagtggttt 51900 aataatttat atactgttat tetgttaaat aateegttet tagatttate aattatagtt 51960 ttttcttttt tttttaagga cttctgaata tatttgaaaa ctgaacagtt tcaaccaagc 52020 cgaagcatct gtcttcccag agacacaaat ccaacttgag ctgaatcaca gcagatgtag gtaccctgca gaatctcttt ggtcttgtga tggttgaaag tgcccaactg tttcacagaa 52080 gataagggac tgaaaggctg ggatcacaaa tccttgctgt ggaggccact gaaatctata 52140 tatgtaaccc acacctatta tatcactctt tcttgtaaaa gcgtcttgat tttgcaggga 52200 aagggacata gctttctctg gaatcattct gagttatgta agaagcagcc atttaaaaaa 52260 tagtataata aaagcaatta cctaacattt ctgcaccaaa tcaacactga aggtgactat 52320 caacagacaa aaggtttatg aggtaatggt ttttctaagc tttagtttta atttacctat 52380 tocattotoc ottittagat ottatttoct titocaaggo agocagitta toaactgiga 52440 actgctgcat atgaagcatt caaaacctga ctgtgtctaa agctgtgatg gctacagcac 52500 aatcatcttt gagtgaatag tatgtttaac agttcttaca gttgggagaa ttttttctca 52560 gtttgttcat cctttttctc ctaaccgtgt tctgcttatt gctgttctaa tattgtgtga 52620 tcatgtcaag ggaggtgttc ccttttatgc aaaacattat gttaaatgtt gtcttcccga 52680 gaccaagete ggaagattgg etaggagtge agtteegtgg gaageettat tataggttee 52740 taaatctcat cactagatac tcccaggctg ttggcctgat gcagactcta gctatgttgc 52800. ttttcttaaa gctcttcaca tcactctgag gatggactag actggggacc gtttgcccat 52860 ttcagtccag ggctaggcct cagtgtcagt agaaaaacct ccacctcaaa atggtttgta 52920 52980 aatttttgta tagtttgcat tagactcttg ttaagggaca gtgacctcaa aagatgaaaa tatgacaaat gagttccact tagcttatga aaaattggaa atttccccag ggcaaggatg 53040 53100 ggtagaggga ctgtttggtg ccagtttcca atttaaataa gtctcaaggg tataacatat 53160 tttqaqtatc aaaaqtqtqq cccctqqcac atgaccactg gacataagtt cctaccagct ctgattctca atccccatgt ataaaaggga ataagatgaa tgggacaata tatggatttt 53220 gttgttgttg ttccttctct ctcgttccat cgctctgcct ttgtgcttat gcactaatgc 53280 cacgagattg tatttattat agttttccaa tccattctga tacttgccag gccaagtata 53340 ccttagatgt tcttcctgtt cagtaatttc ttcagtcttc ttaattttga gtatcattat 53400 53460 attetttaaa ateetettig agttaggaet gaaattgtat tgaettaatg attaattgga gttgaattgg tatctttcaa aatcttcgat cttgattttc ccaaccataa accttgcctg 53520 totttotttt otttocagto ttocagottt tttoatotaa gttotactat ttattattag 53580 gttaaatctt agtttgaatt ttttgttgcc attaatgagt ggaatttttt tttcacacta 53640 aatcttctaa taattacaac taattggagt attcactctt ttctatatgt tgagttcaaa 53700 aactgccacc ctaataaata agctcattga tttatttgag ggcattttta aatgattgtc 53760 53820 ctggattttc cagatagaaa aatcatacct ggctttctcc atagcagtct aaaatgcagc aatcacttac attcttgtct tgttaatctc attcacgaga atgcttttcc tctttctgtt 53880 aagatagggt gtggaatatg tattacttct agttctatag aaattttttc aacatcttaa 53940 54000 acttaaaaag tcaggaaagc actgattcct gagtttaagt gagaactttg attttaattg 54060 aaaactttgc aacatcagag aatcttttt ttttctcctt agcctactaa taggttaatt gatttcatga ttttgagcca ttcttgtatt cctaaaataa tccttattgt cacagtgtat 54120

tctttcacta aaatatcaaa atcaacttgg tggtattttc tttttggattt tggcacccat 54180 attgctaaag gttgggtagc taagagtgtg agcccttcac tccctgtggc tcttaatact 54240 acateteagg tgaactgeec aaatgtttat etetaetgag taagagtteg agattettat 54300 aacaattgcc taaattgata ctctcacttg aatggctcat agatatagca aagttaatat 54360 atccaaacta tagctttatt ttttctcaca agcctggccc tccattagtt ttcttgtttg 54420 cattaggtgg catcaccacc atctacctag ttccaaaagc cacaaacctg ctcaactctc 54480 actoteccat coactotate agogtaateg tittiteta caaaatacti cocattite 54540 acageteegt getgetttgt cacagtteea ggttacacea ceatetteet ttaateattt 54600 tctaagtggt ctcaccattt cctttcttat ccctcaaatt tttctcttta acacagcagt 54660 aagggtgaac tttaaaaaaa aaaaatctgt gatgtgattc tcctaagcca ctttaatggc 54720 tttgcactgt ttcaggctcc agacacgtat ctccctgtag tcctcaaacc cacaaactaa 54780 atatettace actgtgteet cagecacaga acagtaatat tagaggacat gtaataaata 54840 tttgttaagt aatcaatagt tattgtacat tgtacattgt acatactagc tgttccataa 54900 54960 gaatagaaaa gtaatccctc ccacacagat ttttctttct tttttttt tttttttat 55020 gaagcaagga atatgactac ttagaaagct ggctgccaga gaaaatggca gactaatgtc 55080 ttaaaacaaa tatcagtgtc tagatgccag gttcttttat agaacagaga tggcaggaag 55140 atgaggaaat aaaggcagaa tagagaggga gaagtggggt ggaagtaaag taaaaaaggc 55200 cacgtcctgc aagacatctc cagaaaggcc agcctgtgga agggatgtgt taatctcttc 55260 ttgcctgcaa ccattcacag gtgggaagtg tcaaattatc tccctgtgag ctgaacaaag 55320 gcacttcagt ccaacagtta gagagagga ctgggttttc tgaggcaggc tattatatat 55380 gattgtaaca acaacagcaa caaaaagcaa gtcaaagaaa cagttccaat atggagtcag 55440 aattggttct tctcagcaac agttccccac tgtcaaggtc catttgacaa tcttgtagga 55500 aaaggggaca gtgatctttc tgtttgtcag atgaatcttt ctgggagtgt ctgcctttga 55560 tgccagtgtt ccaaatagtg agatttgttt tctttttgtt cctccttgga aagtgtctac 55620 tttatacttg tcaacttaga aatattggac ttcaaaccca ggagggtttc tcaagttaag 55680 aaattttgca cttttctgtg tatgggaaga tgcaagcgtc agggttcatt aaaattattt 55740 ccttgatgtg taattcagct gtctggggcc tgtgatcctg tattctcaag agtttcctca 55800 aggttcacca tagggagtgg gtgcaatctg atgactgctg gatggcatgt attctccttc 55860 ctgagttttc tccttcctga gttgacttgg ggttcaccag ctcacattag agggcttcaa 55920 ttgttaattc catttctcag gtcttccctt ggtcaggaat ttgaccaata tttgggagac 55980 atttcatggt caeactttgc ttcacggtgc tgtgaggttc atcccaaatc aggcaaaact 56040 tcttgatgta ccactctagg tgctaaattt tggattagac ccccatgaat aattaaagat 56100 tctctggatt ctaattgtca tccaggagac attttccatt gttgcttctt cccataccta 56160 gaatcacact attataatta ttttatgtta taaatgtgat ctattttctc aagatgttta 56220 tccgtagaag ttttgttgga ggcctgatta cacattggtt actgcaagag acaactatct 56280 tataaattag tcaggatata agtaatgcag ctagtaacac tgataatgac atagtgcaac 56340 aggggtgtgc aaagcacaat ctaaaaacaa agaataaagt aaagcaatga ttagtataac 56400 tagttgtagt ccagttgcaa taatctagtg accaaaggag ccataactga tttaatgatc 56460 tatcttcagt ttcattgtac cagccatgcc atagcttaat ctttgagaca agcatatgct 56520 actggcagga tcaaccagat agaagaagat ttaagtttta cttttgctta caaaggatat 56580 aatttaccaa gttactgtaa gtcagaggtt aaggaagttt tccttacacc tgaaaaacag 56640 atttaaacca gttatttta gatagaaacc ataaaaatta taacaagttc agttcactca 56700 gtcctatgta actaatcctt tttgttaaca gctttatgaa gccatcaggt ttcccattag 56760 aattottoaa tgtgttacta gttcagcatt atggtctaaa agtcagaaac ttggatttat 56820 ctgaaagtcc tttttataaa tcttcttaaa gaggagacat ttttacagag gcaacagagt 56880 gagaccataa ctgtccataa tgaccaaaga cttaagaagg cactttaaat ctgattatga 56940 tgcaattgac aaagtaacct ggttactgct gtgacataca acagtttcag gtagtagaag 57000 tagaatcatg actgataata ttctaccagg acatatcaca tttttaggaa ctccatataa 57060 tctctagtat atcagtatca tttatcatat aatttaagat atattattca ttggacaaca 57120 cttgccatgt agtttaacat accaagtgaa tctaattagt ttaatatctc cctttggtgt 57180 gtctcagggg ccctttgaag caccccaaag ttagctaaag atcaaaggaa ctttattgta 57240 acttgatttg ggaagtcttg tcaaaagagc attaagaaaa aatgttttaa aacacaacag 57300 gatcataggt cactgtgaaa caatagttat ttacttagcc aaaatgacaa taaaagattt 57360 caaaagcaaa tatagaacag attatttaaa aggtagaaat aatctgttat caaaggagag 57420 gaaagccaaa tttgttttgt accaggttac tttcaagatt catttagtca attaaaattt 57480 tttaaactta gtcctgatca tgtacaaaac actttttcag ggtccatgtt tcacgaattt 57540 tccatcactt aatttatttt agcacaattt taactttcaa gttgttgaat atctggagat 57600

atcctaaaat ataattattt ctgaaagttc actctaagct cttatcttca tttgcatttt 57660 ctttgcttaa cagtttattc acatcaagtc cctttccttg ctgacaaatt gtatcaacaa 57720 acaaccataa ataccaaata taatttaata ttaaatattt cccagttcac gtgaacctgg 57780 57840 57900 aaccaattaa atagagctct tttacaaatc aactgcagca atattatcca aagacaaaga 57960 tacatacaaa cacacaaaca gagaggcctc agttcttatt tcaagatttc agtcctgagt 58020 caggcaatgt aaaacccatc agtttacata cgaggttgaa ttaaaattgg atttctcata gatggaataa gtcaagctca cttggctaga tagctaaata tttgcagaaa aagcacttag 58080 58140 quattotaat tatottggcc aacccaactt ctaaattact ttaccttctc taaaatttgc 58200 attttaaaaa gacagcataa tgagggttcc tgagaggaca tttgcatctc aaagacattt gcatctcaga gttacaggca agtttttcca aaaatgactt tgtttctcct ttaatactta 58260 caggcctctt aagataacca gggaaggtct ggggagtagt aaaaggattt atgggatttg 58320 58380 gattattttt ggaaccacac ttctggtgct gtaaagacta catttgtaaa acacagtttt 58440 gtttttcttt tttgagtgat actgaaggat tgacataccc atttacctat gttggaaagt 58500 tttatctttc ctcatttagc ttagctcttg ggaagacaca gaggcaacaa tttaggctcc 58560 tgtaaatcag tctggactga ggggggaacg aggtgaagat aagaaagaca ggctgaggaa tecgeeteat agtectacea ggaagatagt ggeeagggeg aatgggteag tgttttgett 58620 58680 gaaccaatgt gtgcttcaca gtgcacagaa gctgtcttgc tggagttgtt gtagccacaa gttccggcaa acaaactcac tcagaaggac aatgcagata gtggagtgca gtttattaca 58740 58800 cctgcgggcc caaggcagag tctcctctta gccaaggacc ccgaccagtt tttgtgaaaa 58860 ccttatatat cctaagtgta tgtgcccaaa cccacctccc cgaattccct gaaactagtc tgaacaaagg aaaagaaaga tacaatcaaa gttaacctgt gattcatatg ccttaagcct 58920 58980 aggtagttaa cagtggacag ttatcaatag gcctgtggtc ataccccaat aagcataata gaatttatga ttctattcgg ttacacagat aattagggta ttcttttagg ctactgagag 59040 tctaggtatg agccctgggg ctcttgcggg ggggggggg ggtctggttt tccagttagt 59100 atgtcatttc catagatact gggcatatag ctcaaagtcc acagtccagc ccaacatgga 59160 qtcctqcttt caagatggag cctqttctgt ctgtttcttc gttcagagtc agatgctcta 59220 atagectggt ccattetgtt acceaettag cetgteacaa gagaetteaa gegaeaggea 59280 ccttaatggc ttttaagtgc ctgacccatg ccctcaaaat attaattggc ctggtactca 59340 gcctaaggga gaaggaggta aggagagccc tgacctgttg ggaggcagct accggggcac 59400 agagggctat taggccttta gaacacccca gagaataacc ctagctagag ttccatagct 59460 attagtctgt ttgcagaggg tttaaggaga aagggatgag ggagtgtgag gagagtggag 59520 accttaaagg aagtacttct ccttttagct caagcaatta gtatcagatg tctatatgtt 59580 59640 accaaagtat ccggaataaa ccaaaatcta gccagctaga gagtcacatt aacatgactt cccagtttca ttagacctgt gacctttgtc caaaatgctt tataaatgga gttttccttc 59700 acaggggtgc ttcccaagct gaagctgaag ctctccactg tcaaagttac ccagggctcc 59760 cgtagggaaa ttagaatcag atgcctcaag tccaagggag tccccaggcc tcttcactta 59820 59880 tatcagagtg ttcctctct ttgcaaaaca cttctaattg caagagtgtg taattgtgag 59940 ccatttaggc ccattgctct tctgatctta acatatctaa tatatgtccc ccaaagcttt 60000 tcttcaggat agatgaaata tttcccattt ttataagttt catagcacca aaacacacac 60060 aaaaataggc aaattccaac ataaatgaca caaattccag taccaataca tagatgaacc 60120 agtttccagc tcaggtaaat aaatttaccc tacaaaacaa atgaactaat cccaactgtg 60180 tgcttgttct gtgcccttcc tctggacgca tgcttgctaa gccgcttcag ttgtgtctga 60240 ctetttgcag etgtttggae tgtgteecac catgeteete tgteeatgge atteteeagg 60300 caagaatact gccatgccct tggatagact ccagtattct tttactccag tatactcatt attettgeet ggagaateee atggteagag gagaetgaea ggetaeagtt catgaggtea 60360 cgaagagtag gacacgactg aaatgacata gcacaaaaca agcacacaag aactagttcc 60420 60480 ccaataaact ggttccaact caggtagaat ccaacaacaa ttcccatctc caacagggta 60540 ccccaaccaa attgactagt cctgtaaagg aaaagcccaa atttagaggg gaatatgttc 60600 tcagtgtgca caccagagca acttacccta caaaatcaag tttgtcaact cgtaatagaa 60660 aagggcacac aaaaccacaa acaaatgagc cagctatcga atgaagaaaa ctaatgctat 60720 gaaattgggt ctgtcaactt gtagaagttt gttgattctt tgcttcaact gccaggccct 60780 agggccactg ataccacttc agggaatctt gaaggagaga tcctcagcac aaatggtccc 60840 agcagetget ggageettge cetaatatte eetaacagag etggetaaac acaaacagca 60900 agtcaaattt gttaccgaat ccaggettge tetactgagt gaacaacagg ccagtgaate 60960 agagatgaga tgttgaggga aagaatgtga ttttattcag taagctggct gaccgagaag 61020 atggcagact aacatctcaa aataaccatc ttcttgggtt ctggagtgcc aggttcttta 61080 tagaacagaa atgaggggaa gtgaggaaat aaaggaaaaa ggcagaatag agagggagag

gcaatgagtc ttgggccatc agtcttgcaa aacatctcta ggaatcccca cacagttttt 61140 taattcataa aacttttaac tttcacagtt aggtctctaa tccatttaga gcgtgctttt 61200 gcatgtagca ttaagctcca atttttattt tccttcaatt tcccagaagt ctctgctaaa 61260 taaactttcc tttctcattg atttgttttg tcaatttatc atttatccag tttggactaa 61320 agtcaatgta tgtggcttta tctctgaact tgttattctg cttcctttga tctatatgtt 61380 catttctagg ttgttaccat atttattact atgactttat actaggattt aatgtttgat 61440 aacagtaggt totcacctca tttcctttct aaggttgagt ttgttatttg tggacatttc 61500 ttcatccttt attgaattcc tcaaaaaatc cagctacaat tttgattgtc attattattc 61560 atattataag ttcatttgta ggaaattgac atctgtataa tactaggggg ttccactgag 61620 actiticcat ititacagai catcititi giictitagi agigiicaai itcititicc 61680 cctagtctta ctttctcttg aattaagtca atcctagata ctttacagta tgaaagtgaa 61740 agtgaaagtt gtatctgact ctttgtgacc ccatggacta tacagtccat ggaattctct 61800 aggccagaat actggagtgg gtagcctttc cttgctccag ggcatcttcc caacccaggg .61860 atcaaaccca ggtctcccac attgcaggca gattctttac gaggtgagcc acaagggaag 61920 cccaagaata ctggagtggg tagcttatcc cttctccagt ggatcttcct gacccaggaa 61980 tcaaactggg gtctcctgca ttgtaggtgg tttctttacc aactgagcta tcagggaagc 62040 ccactttaca gtatgagttg aaattattac tatcttattt attaattttt ttctagtcaa 62100 ttattgctga tatagagaaa tgctgttgat tttttaaaac caatccatag ccttgctgaa 62160 ctctagttga gtttcctgtt acctctgcca agtgtgtgga attttctatg tatatgatca 62220 cattaattcc aaataatgac agctggagct cttttcttac agttattgca ccagtctttg 62280 teettgeata tggeattgga agagggette ceaagtgget caatgttaaa gaatceacet 62340 atcaatgagg agatccaggt ttgattcctg ggtcaggaag atccctttga gaaggaaatg 62400 gccacccact ccgttgttct tgcctgggga atctaatgga cagaggagcc tggagaacta 62460 cagtccatgg ggtcacaaaa gagtcggaca caatctagca actaaaataa caataatggc 62520 actggaagga tetecagtee tgtgacaggg gacgteettg ttttgtttet gateataaag 62580 ggactgcatt caaaaattat ctattaatta tgtttaccat ttctgttata taatctttat 62640 taagttaagc aggtttcctc ctattcctag tctgctaaga gtatttttct tagtgatagg tattcagttc agttcagtct gttgtgtccc actctttgtg tcctccatgg actgcagcat 62760 gccaggette cetgtetate accaacteee agagettaet caaacteatg tecattgagt 62820 cagtgatgcc atccagtcat ctcatcctct gtcatcccct tctcctgccc tcaatctttc 62880 ccagcatcag ggtcttttcc agtgagttct tcacatcagg tggccaaagt gttggagttt 62940 cagetteage atcagteett ecaatgaata tteaggaetg atcteettta ggatggaetg 63000 gttggatctc cctgcagtcc aagggactct caagagtctt ctccaacata acagttcaaa 63060 atctaggttg gtcataactt tccttccaag gagtaagcgt cttttaattt catggctgca 63120 atcaccatct gcagtgatat tggagcccca aaaataaaga taggtattga ctattatcaa 63180 atacttagta tcttgatgtg ctaaaggatt aggcagcaac ctgactattc tctgagaaca 63240 tettatatga agtgttataa cacagecagg catteagaaa eetaatgtge atttetagta 63300 cttttactgt aatcacagat atgtttcttg aatttgctaa tctttgtagc ataatttgta 63360 cagtgagaga ttttggatta aataatacaa gatcttcttt attttatcac aaacagaaag . 63420 aaaattctcc aaggtctcat taagttttga gttcttctta tttttagaaa tgattctcta 63480 cttcaaaaaa attttttatg attttcataa ttaagtgttg cttttgtgtt ctcaactgat 63540 tttaaaatga ttttgtctta atatagttta caattatcca actttattct aatattcaat 63600 tttaaagtaa tgatcagcaa catatgcccg tggccttatg tcctattgcc tgtatctcca 63660 gtccatggtc attcctcacc tccagactca ccaagcttac cagactgact ggtatctctt 63720 gtcccacgtg tagcttgata atggcattgt caaagagaca ctcctcattt gtcttcctat . 63780 ggtcttgctc caccttccgt cttctgtcca cagaattgtc caatccagaa atctgggtgc 63840 cacctcaatt cttctagtct ttcatcttcc atgtcaaaca ccaagccttc cagaaagttc 63900 tcatgttcaa ttccctgagg tgtttgagca gaattgtgag cagcatggaa gccaagatct 63960 gagccccatg agcaaatgga gagatcaggg aagcaggcct gcaaaagacc aggtgcaaga 64020 atgaggecat ttggcatatc ccaggaccct gttcctctgg cctttaccca aaacagactc 64080 caaaaaattct agtagacata gtctgagcag tttaactggc cttataactt tcaaatatat 64140 ttttatttat acccaggcat ttcaataatg atagtagaaa cataaatggg atgttaattc 64200 attgtttagt catccttcct ctgaatatta tccaagttag tctttagttc tgaaggtcat 64260 gaaaaataat tttataatat ttggtgccac ttttatttga agatgtccca gtgctgggga 64320 tgactaatgt cagcattaca acatatgcca tttttggttt tatggcaaat ggtattttgg 64380 aacatgtagt ttgatgtggg gtacagtaga aagtgtttaa tgatcattct actgtgcatc 64440 tttaatttct gcccttggaa ccacccaggg taagtgagat attcattctg aaagatctga 64500 atcttcaatt cattcatcta taatttgatg aatgtacatt cacaaaggtt cataggttat 64560

catgcaggat actttgttcc caaactgtgc ttgcccttac atgtaagata tgtgtctttt 64620 gtaccaaaaa ttaagagaaa ataagtcact tatgaaccat taaatgctga actaagactc 64680 attragtgag tgagtaartg caaatartat gaararager tttcttaccc ctttttgaat 64740 agccccattg tctgtctata gaaagaaaaa ttactttata ggtgtgtttg caaaatcttg 64800 cctgtttcct gtttccaaaa gttattgtat tgagaattcc tttgagaaaa ttcttgttgg 64860 64920 gatttatgtg ttcagaagat gataattcct tcatttaaca gatatctatt gtgtaccttc 64980 tctgtgccag gctctgccct ggcccgctaa gaagatagca gcaaacaaaa gaggctcatt 65040 ccctgcttac attcctacat gaggaaagag gacatgaacc agctattcag aaaagtattt 65100 aatgatetea geacetaeet tggggtette eeaactggae attagaatea etteeatagg 65160 gcccatgcca gggttcagaa ggttccagga actaatatcc cttataacaa cccaataggc 65220 agagtttcta gggtccccac aagaacaagc ccagttgcaa gaatcactac tttaaagaag 65280 ttcaaagcta tggtaaacct accagatgtt tatagtttct tccaatttat gatacagtgt accagtcaga ggttattttt atcataagca atgttgctgg cattctacat ttatcaagtt 65340 actaggaaac agagccagga attattttaa ggtcaacttt gtccttagag aaggaagagt 65400 tgtgttaaca ctttacctat aattactttc gtgagatgta tggaatgtga agaatattta 65460 65520 tgacctagac tgtttatagc tgatgccact gctatgcagt cattatgcta cagactttaa gtgattttta catgggcata tgatgctgac accetettta ttttgcagat aagtcatcat 65580 65640 ggtgaaaagc cacataggca gttggatcct ggttctcttt gtggccatgt ggagtgacgt 65700 gggcctctgc aagaagcgac caaaacctgg aggaggatgg aacactgggg ggagccgata 65760 cccaggacag ggcagtcctg gaggcaaccg ttatccacct cagggagggg gtggctgggg tcagccccat ggaggtggct ggggccagcc tcatggaggt ggctggggcc agcctcatgg 65820 aggtggctgg ggtcagcccc atggtggtgg ctggggacag ccacatggtg gtggaggctg 65880 gggtcaaggt ggtacccacg gtcaatggaa caaacccagt aagccaaaaa ccaacatgaa 65940 gcatgtggca ggagctgctg cagctggagc agtggtaggg ggccttggtg gctacatgct 66000 66060 gggaagtgcc atgagcaggc ctcttataca ttttggcagt gactatgagg accgttacta 66120 tcgtgaaaac atgcaccgtt accccaacca agtgtactac aggccagtgg atcagtatag 66180 taaccagaac aactttgtgc atgactgtgt caacatcaca gtcaaggaac acacagtcac caccaccacc aagggggaga acttcaccga aactgacatc aagatgatgg agcgagtggt 66240 66300 ggagcaaatg tgcattaccc agtaccagag agaatcccag gcttattacc aacgaggggc aagtgtgate etettetett ecceteetgt gateeteete atetetttee teattttet 66360 catagtagga taggggcaac cttcctgttt tcattatctt cttaatcttt accaggttgg 66420 gggagggagt atctacctgc agccccgtag tggtggtgtc tcatttcttg cttctctctt 66480 66540 tgttacctgt atgctaatac ccttggcgct tatagcactg ggaaatgaag agcagacatg 66600 agatgctgtt tattcaagtc ccgttagctc agtatgctaa tgccccatct tagcagtgat tttgtagcaa ttttctcatt tgtttcaaga acacgtgact acatttccct tttggaatag 66660 66720 catttctgcc aagtctggaa ggaggccaca taatattcat tcaaaaaaac aaaccggaaa tccttagttc atagacccag ggtccacctg gttgagagct tgtgtcctgt gtctgcagag 66780 aactataaag gatattctgc attttgcagg ttacatttgc aggtaacaca gccagctatt 66840 gcatcaagaa tggatattca tgcaaccttt gacttacggg tagaggacat tttcacaagg 66900 66960 aatgaacata atacgaaagg cttctgagac taaaaaattc caacatatgg gagaggtgcc 67020 cttggtggca gccttccatt ttgtatgttt aaagcacctt caagtggtat tcctttcttt 67080 agagcaaatc tgttgtttat ctggaaccca ggatgatttt gacattgttt agagatgtga 67140 67200 gagttgaact gtaaagaaag ctgagtgctg aagaattgat gcttttgaac tctagtgttg 67260 gagaaaactt gagagtccct tggactgcaa ggagatcaaa ttagtccatc ctaaaggaga 67320 tcagtcctga atattcattg gaaggactga tgctgaagct gaaactccaa tactttggcc acctgatggg aagaactgaa ggcaggagga gaaggggatg acagaggatg agatggctgg 67380 67440 atggcatcat ggattcaatg gacatgagct tgagtaaact ccaggagttg gcaatcgacg 67500 gagtcctggc atcctgcagt ccatggtgtc gcagagttgg acacgactga gtgactgaac tgaggtgaac ccagatttta acatagagaa tgcagatata aaaactccat attcatttga 67560 67620 ttgaatcttt tccttaacca gtgctagtgt tggactggta agattataac aacaaatata 67680 ggttatgtga tgaagagaat agtgtacaaa gaaaagaaat atgtgcattt ctttattgct 67740 atcataattg tcaaaaaaca aaattaggtc cttggtttct gtaaaattaa cttttgaatc aacagggagg catttaaaga aatatettaa attagagaca gtagaaatet gatacattea 67800 gagtggaaaa agaaattota ttacgattat ttaagaaggt aaaattattt cctgggttgt 67860 tcagtattgt cacctagcag atagacacta ttgttctgca ctgttattac tggcttgcac 67920 67980 tttgtggtat cctatgtaaa aatacatata ttgcatatga cagacttaag aatttctgtt agagcaatta acatctgaac tatctaatgc attacctgtt tttgtaaggt actttttgta 68040

aggtactaag gagacgtggg tttaatccct aggtcatgta aatcccctgg aggaggaaat 68100 agcaacccac tccagtattc ttgccaggag aatcccatgg gcagaggagc ctggcagggt 68160 gcagtccatg catagggttg caaagagtca gacaagactt gagctactaa acaataacaa 68220 caataaatgc tgggttggct aaaaggttca ttaggttttt tttctgtaag atggctgtct 68280 ttaacttcat tcgaaacaat tttgttagat tgtatgtgac agctcttgta tcagcatgca 68340 tttgaaaaag aaaacaactt accaaaattg gtgaattttt gtatagccat tttactattg 68400 aagatggaag aaaagaagca aaattttcag catatcatgc tgtattattt caagaaagat 68460 aacacaacca aaatgcgaaa atgtatttgt gcagtgtatg gagaaggtgc tgcaactgat 68520 caagettgte aaagtagttt gtgaagtttt gtgctggaga tttcttactg gacaatgete 68580 cacagteggg tataceagtt gaagttgata gtgateaaat tgagatattg agaacaatea 68640 atgttatacc acgtgggaga tagctgacat actcaaaata tccaaataga accttgaaaa 68700 ccatttgcac catctcagtt atgttaataa ctttgatgtt tgagttccac ataaattaag 68760 caaaaaaaaa acaaaaacaa aaacacacaa ccttgaccat atttgcatat gcagttctct 68820 actgaaatga atgaaaacac ttttgttttt aaaaacagat tttgatgaac agtggatact 68880 atacaataac gtagaatgga aaagactgtg gggtgagcaa aatgaaccag caccaccaaa 68940 ggccaggctt catccaaaga agatgtgtgt atggtgggat tggaaagtaa tcctctatta 69000 tgggattctt ctggaaaacc aaaaaatcaa ttccaacaag tactgctcct aattagacca 69060 actgaaagca gcattcaatg aaaagcatcc agaattagtc aatagaaagc atataatctt 69120 ccatcaggat aacacaagac tacatttctt tgatgaccca gcatggctga gaggttctga 69180 : ttcacctgct gtattcagac attgcatctt tggatttcca tttatttcag tctacagaat 69240 tatcatcatg aaaaaaattt ccattccctg gaagattgta aagtgcatct ggaaaacttc 69300 tttgctcaaa aagataaaaa gttttgtgaa cacagaatta tgaagttgcc tgaaaaacgg 69360 . cagaagatag tgactatgtt gttcagtaaa gttcttggtg caaatgtgtc ttttattttt 69420 atttaaacac taaaggcacg ttttggccaa cccaatactg aatacttaaa ggaaactctt 69480 ccgtgttgtc cttagcctta cagcgtgcac tgaatagttt tgtataagaa tccagagtga 69540 tatttgaaat acgcatgtgc ttatattttc tatatttgta actttgcatg tacttgtttt 69600 gtgttaaaag tttataaata tttaatatct gactaaaatt aaacaggagc taaaaggagt 69660 atcttccacg gagtgtctgg ctgttttcac cagtgtgcac accatgttgg cagcttcatt 69720 tggggggtta atatgagaaa agtggcacat tcagtcctca cactgccagt tgcggcagga 69780 gggcttctcc tgatcctgcc tcagccttac tcccagtcac atgccagctg ttctctgcta 69840 ccttttcata tttttccatg aatacccgtc aaagttacta ctatagcgga ggaaaacagt 69900 ccttgcattc tggaagattt tttctgacca ggattttgaa atagaggatt ttcgtgatta 69960 agatgagact taacaaagta tctaccttat gcctgtaccc acccttgaca ccatttcagg 70020 tcataaactg tgaggcctgg tgacaacacc cattgaattg aaattcaaca ctgtacggtc 70080 aatatggcta ctttcctttg ttacaggctt tcaaatggtt cttcatatgt ttcctccttc 70140 ccaagtatga ggtgccagct cccagttttc cttcacaaag gttttcttct gcaactgtag 70200 ttcattaaca gccggaagaa ataataaatg atagtggttg aaatcataac atttattaac 70260 actttaataa atgccagtgt ccttcagtat ctgaacagag gatcaacttt gcattaaaaa 70320 tgaaaagatt aaaaatcaac atcttgatat cccataattc acaaaataat ttaaaaatga 70380 cataaaatcc tcaaaagcat tactcagtta atctttaaca taagaagtgc taggactatt 70440 ttcatgctgt ccttttggcc atatgtaaga ttatttaaaa atagactatt cattatctgc 70500 caatcataat ctcccaagaa taccccactg aaaagatgtc agttatacaa agcaaggtat 70560 ttacagggcc gaagtgaatg atacacatct gtatttttct caggctacca tgttttcttc 70620 ctgttacttc caattccttt gagttgtgct aaagaaattt ctttatattt catatgtatt 70680 tttaaataga ggataattac tttacaatat tgtgatggtt tctgccatac atcagcatga 70740 atcagcatag ggcttcccag gtggcactag cggtaaagaa ctcacctgcc agtgcaggag 70800 acataagaga tgtgggttca atccctgagt caggaagatc ccctggaaga gggcatggca 70860 acccactcca gtattettge etegagaate tecatgggea gageageeeg gtgggeeaca 70920 gtccataagg ttgcaaagag tcggacacaa ctgatgtgac ttagcatgca tgcatacata 70980 tggccccttc cctcttgaac cccctctacc acctccctcc ccacccaccc ctctaggttg 71040 tegeagagta etagetttgg ttteeetgea teatacattg aacteteact ggetggetgt 71100 tttacatatg gtatatgttt cagtgctatt ctctcatatc atctcacact ctccttccct 71160 tactgtgtcc aaaatgtctg tgtttccttt gctgccctgc aagtaggact atctttctag 71220 attccatata tatgtgttaa tgtatgatat ttgtctttct ctttctaact tatttcactc 71280 tgtataatag gctctaggtt catccacctc attagaacag actcaaatat gttccttttt 71340 atggctgagt aatattccat tgtgtatatg taccacaact tcattatcca ttcatctgtc 71400 tatggttgga catctaggtt gtttccatgt cctaggtatt gtaaattgtg ctgcaataaa 71460 cattgaggta tatacatctt tttcagttct ggtttcctca gggtatatgc ccagtagtga 71520

gactgctggg tcatatggta actttgggct tcccttgtgg ctctgctggt aaagaatcca 71580 cctgcaatgc gggagacctg ggtttggtcc tgggctggga agaccccctg gagaagggaa 71640 tggctaccca ccccagtatt ctggcctcta gaattccatg gactgtatag tccatggagt 71700 71760 tgcaaagagt tgcacacgac tgagcaactt tcactcacct atggtaactt tatttctagt cttttaagga aactccatac tgttctccat ggtggctgta tcagtttgca ttatgaccaa 71820 71880 cagtgtcaga gagttccctt ttctccacat cctctccagc atttatttt tgtaaacttt 71940 ctgatgatgg ccattctgac caatatgaga tgacatctca ttgtagtttt gtttgcattt ctctaaaatg agtgatgttg agtatctttt catgtaatta ttagtcatct gtcatctttg 72000 gagaaatgtc tgtttgagtc ttctgcccat tttttaaatt tggttgtttt ttgttactga 72060 gctgcttatg tattttggag attaattcct ttcagttgtt tcatttgcta ttatttctc 72120 ccattctgag agttgtcttt tcaccttgct tatggtttcc ttcattgtga aaaaactttt 72180 aagtttaatt aggtcccact tatttatttt tgtttgtatt tccattattc taggaagggg 72240 72300 gtcaaagagg atcttactat tctgcctatg ttttcctcta agagtcttat agtttctgat cttacattta ggtctttcat ccattttgag tttatctttg tgtatggtgt taggaagtgt 72360 tctaatttca ttcttttaca tgtagctgac cagttttccc agtaccagtt attgaagagg 72420 72480 ctgtcttttc tccattgtat atttttgcct cttttgtcaa agataaggtc ctcatcagat cagatcagat cagatcagtc actcagtcat gtctgactct ttgcgacccc atgaatcgca 72540 72600 gcatgccagg cctccctgtc caacaccaac tcccggagtt tactgagact cacgtccatc 72660 qaqtcactqa tqccatccag ccacctcatc ctctgtcatc cccttttcct cctgcccca 72720 atccctccca gcatcagagt cttttccaat gagtcaactc tttgcatgag gtggccaaaa tattggagtt tcagctttag catcattcct tccaaagaaa tcccagggct gatgtccttc 72780 agaatggact ggttggatct ccttgcagtc ggactctcaa gagttctcca acaccacagt 72840 72900 tcaaaagcat caattettea gtgeteagee ttetteacag tecaactete acatecatae atcaccacag gaaaaaccat agccttgact agatggacct tggttggcaa tgtctctgct 72960 tttgaatatg ctatctaggt tggtcataac tttccttcca aggagtaagc atcttttaat 73020 ttcatggctg cagtcaccat ctgcagtgat tttggagccc agaaaaataa agtctgacac 73080 tttccactgt ttccccatct atttcccatg aagtaatggg accggatgcc atgatctttg 73140 ttttctaaat gttgagcttt aagccaactt tttcactctc cactttcact ttcatcaaga 73200 ggctttggtg catggattta tctccaggct ttctattttg ttccattggt ctatatttcc 73260 atttctgtga cagtaccata ctgtcttgat gaccatagct ttgtagtata gtctgaagtc 73320 aggaaggttg attectecag tgtcattett ettteteaag attgetttgg etatttgggg 73380 tcttttgtgt ttccatacaa attgtgaaag tatttgttct agttctgtga caaataccat 73440 tattagtttg ataggaattg cattgaatct atagattgct ttggataaca tagtcatttt 73500 73560 cactatattg attetteega teeaagaaca tggtatatet etgagacagg aaaccegege tgtgagtgct tgatcaagcc caagagaata gtccgcaagc cggtttttgt gtgtttgttt 73620 ttggcccttt ggtaactatc ggtaaattta ttcctaggta tttttgttgt tgttgttgca 73680 atggtqaatq qqattqtttc cataatttct ctttctgatt tttcattgtt agtttatagg 73740 73800 aatqcaaqqq atttctgtgt attaatttta tatcctgtga ctttactgta ttcattgatt agetetagta attittatgt ggeetettta tagagtitee tatatagagg ateacatgat 73860 ctgcaaacag agttttacta cttcttttcc aatctggatc cttgtgttaa aggattttta 73920 73980 ctaaaaaatt aaaatatcaa ttttaaataa ctgagtctaa ctcttacaga aggtttttct 74040 ggaqaaqtqt caggtgtcaa actttctttc ccttcctctc tctctggaat taaagccaaa gaagtgtcct ctgccttgga agaaattttg ggtctgtatt gcttctcact ctagtgggaa 74100 ccttaatatg gccagaacct gagcttcccc aggctcaggc cctgaccttc cattggtcta 74160 agcaactgac ctacatagtt catttccact tgagaatggt cagttcctct ctggctcttt 74220 gaaactcctg gaggatttag cttctcctgc attaactgga ggaactaaac ccatcctttg 74280 74340 ccccactcct gtgaggccta cccctgttct ccaagaagcc acaccttctg ctacacacat teagectatg agetteaact etgeettget acaattttee ttteetggag agetggtgtt 74400 74460 ctgttctttc cctggagtag tgtgcctcaa acttgaatgt gcacctgaca ggggcccaag attctgcatt tcttacaggt tcccagatga tgccatgctg gttctgtgaa acttcactgg 74520 aacageteee teaggattte acaetggage etetaceage accaeetgaa gtteaacaca 74580 74640 agttgctgca ccccacccca gagtttctga ttccagagtg cagggtagga ccagagaatt 74700 tacatttcta acacactccc tggcaatgct gctgttgatg tggagattgc aaatggagct 74760 ccactgctct acaggaagat gtacatggaa tagaaggcaa cctggccctg aaaaatagag 74820 cagttaggag actaaaaatc taattggaat gctccctgag gaggagagag ctgagagctc 74880 tagggatgaa aagcaaagga gacataagga agtagttaat acctgctgcc tgaaaaactg gaagcactgg tgagtcctga ggcccaccac tagtgagaga ttcagctaaa cttggaatag 74940 75000 tagccaggcc acaaatgcag cacttctcaa attcagatgt gcgcacaaat cacccaagaa

ccctgtcaaa	atgcagttct	gaggccatat	gtttgatgta	agettggaga	tgtgtcattt	75060
ctataagctc	ccaggtgatg	tgtggtccca	ataatcccaa	gaccacacca	agaaacaagg	75120
acctagaage	ctaagtcatc	tcttctaacc	gtggccaaga	ctttaaataa	gcattgaagt	75180
ctcaggaggt	agaagaagat	ggggagtagc	caatagagag	tcttcacctt	ttcttgattt	75240
agcctaagt	tttacctatc	gtgctttgag	agcacattcc	tcttacctat	caacctcctq	75300´
ctaccacaa	tgaagtgagg	ttgtgtatta	tetetgaaac	aagctgaatt	agttggctgc	75360
ccatagaaa	tatcaaatcc	agagacactc	tatcaatttt	tcaaggtcat	acaaataqtq	75420
agtgaaatt	ttaattactc	agtcatgtct	gattetttge	aaacttatgg	actatagetg	75480
		aattctccag				75540
		acccggggat				75600
		ctgtctgagc				75660
caccasacca	catteteea	actctttgcc	ttaatttata	tttatattta	aggetttggc	75720
		tcactgtgca				75780
		aggggactca				75840
tagaggagg	tanaaggaaa	ttcagcccaa	aatgcctcct	aggggaactc	attectecat	75900
		cttctctcat				75960
		ccaatcaaac				76020
ccatagatta	gragecerer	cctaggctgg	aggggggg	catasttaga	actoggggt	76080
tgtcacctcg	tasatataat	ggcaaatctg	aggetactag	ccttctctaa	aeegggggee	76140
		cgttatctta				76200
		accettacte				76260
cagtaactct	ttacatttat	tgttgaatat	accetates	ttagttttct	ggggttggg	76320
		cacagattga				76380
LLadadadad	aaaaaagugu	tctgagatta	acggettata	aggettagtt	tcttctctca	76440
actettetgg	agactggaag	gtcttcccac	adjusticati	ttttatatat	ctatatacta	76500
ctigtagatg	geetteettat	gtttattata	tatcatcaca	ccctatege	tatageeete	76560
		gttcatgctc				76620
ataggereere	tyteeacggg	gttttccaga	ggaggatate	ctctatctcc	tacattacaa	76680
otaggcaacc	tratagtara	agggatcaag ccactgggga	accettta	taaggactgg	acttccctta	76740
taggattett	ggtaaagaat	acacgtgcaa	tacaaaaaa	cadggactgg	trectagate	76800
		ggaatggtaa				76860
		gtcgctttag				76920
actigetacty	ergetgetaa	tgtccctggg	attetecad	caacaacact	ggagtgggtt	76980
ggeageeeat	tataasataa	atrasartas	acceceage	taagaacacc	actcctcaaa	77040
						77100
					taatggcttc	77160
ttaaggagta	tanataana	acctateaa	a a a a toto ca	accacageca	ttttgaggta agtgtcagtc	77220
					ctcacagtca	77280
					ctgcccatca	77340
					caaacagaaa	77400
					gctcacacaa	77460
					atacactaca	77520
					tgagtgttag	77580
					tttcccattc	77640
tattattta	. aggggtatte	ttacattact	. ccctgaagag	gactttctta	tctcttcttg	77700
atattatta	gazatataca	ttcacatect	tetetgagaaa	· cttttctcct	ttgcttttcg	77760
					getttttge	77820
					cagaagcagg	77880
					atcttcatga	77940
					aatgtgaagt	78000
		tcactaccas				78056
caagugggcc	LLaygaage	Luactaccas	Laaayccagi	. 390390300	, guarec	. 5050

<210> 2

<211> 256

<212> PRT

<213> Bos taurus

- Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
 20 25 30
- Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly 35 40 . 45
- Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro His
 50 55 60
- Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 65 70 75 80
- Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Gly Trp Gly Gln Gly
 85 90 95
- Gly Thr His Gly Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met 100 105 110
- Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Gly Gly Leu 115 120 125
- Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe 130 135 140
- Gly Ser Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met His Arg Tyr 145 150 155 160
- Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Ser Asn Gln Asn 165 170 175
- Asn Phe Val His Asp Cys Val Asn Ile Thr Val Lys Glu His Thr Val 180 185 190
- Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met
 195 200 205
- Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu 210 215 220
- Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser 225 230 · 235 240
- Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
 245 250 255

<210> 3

1 2 my

<211> 31412

<212> DNA

<213> Ovis aries

<400> 3 gatecaceca gtecatecta aaggagatea gteetgggtg tteattggaa ggaetgatgt 60 tgaagctgaa actccaatac tttggccacc tgatgcgaag agctgactca ttggaaaaga 120 ccctgatgct gggagggatt gagggcagga ggagaagggg acgacagagg atgagatggt 180 tggatggcat cactgactca atggacatgg gtttgggtgg actccgggag ttggtgatgg 240 acaggaagge ctggcatgct gcagttcatg gggtcacaaa gagttggaca tgactgagct 300 actgaactga actgaactga tgagccactc tagcaagtta atcacaggaa aggaaggagt 360 cattggaacc tecagtetat agcagateag teagaageae agatgaeage etggaettae 420 aactggcatc tgagtcagga agaggggcta tcttatgaga ctaaaccctt aacctgtagg 480 atctgatact atctctgggt agatagtgtc agaattgagt tgaattgtag gacatgcagt 540 aatgttggaa aattgctggt ggcagggaaa ccaccaccac tcctacaaac acacacac 600 acacacaca acattgggtt tgagtgttag aatgatttta accagtgata agaaagatta 660 ccaacagtgc aggaactgcc agtggaaaca caaagtctcc gtagtccaga acagagcaaa 720. tcagaagcca aacctgggtt gagaaacaaa gaaatgatga caaaaatcag accgtttgtt 780 tcaaaaatct gggaccagga agaaattaag tgaagagccc aagtgtcgca aaggttcggg 840 gtgacactaa acattctttg catagctggg aacttcacat atggctagac agaaggagaa 900 caggaaaaat tctgtgggaa ccaaggggaa aacaagcaca agaacaagat gagaacgtgg 960 gataggtaac cacactcagg acattgttta actgattctt ctagtagact ctcatttgca 1020 aggtctgagg ctctgctgct gctgctaagt cgcttcagtt gtgtctgact ctgagcgacc 1080 ccatagacgg cagcccacca ggctcccccg tccctgggat tctccaggcg agagtactgg 1140 agtgggttgc catttccttt gaggctctac tcccaagcaa tttataatct agttaaatat 1200 gggcagagca gcttaaaatg gcgctggatg atacaagcca gttgctgctg gagcaggaag 1260 aagatggttg agttttgttg gggaaatatg gacaacttca cagaagagag gagtgtgaag 1320 gaattegggg etgaggaaac tgetggagea gageeteage caaggeaatt aaagaagggg 1380 caactggcct agcaggactg aagcccaggg ggtactcagg gagagaggtt gtcagaaaca 1440 cggtctgggc tttttcacac aatctgaacc ccagaccctg gagtctagcc actaaggaat 1500 cattttatgt gtttaaagag tggagagata tagccgcctg taatacgtct gcagcatgat 1560 ggtttctctt tgaattcaca atcattcatc cttagaaaaa tgtaatttct gatgcaatac 1620 cttaaattgc tgaactgaga aagtcagagg ggagaaaggg ggaggaagga ggtctttgag 1680 gacatgaata cccccaatga atgggcccat cctaaagagg accctcacta ctagagaaag 1740 tttaaaatac tttccattac acccatactc tcctccagct aatgcctatt tctctgctcc 1800 tcccaggaca aaacttctca gaagaattgt ctctactccc tcaccttcca tttcttcatc 1860 aatttactct gtctgttctt atcactctct tgaaactaat cccatcaagg ccccagtaat 1920 gacctccatc accaaatcca gtgagttctt tcccacctct actctatgtg gtctctctaa 1980 agetgacece tgeettettg aaaggeaeet eetetetege getettgata teeteeteet 2040 tcactagctg tcacttttca gtctctcttg ctatcttctc tttctttaat gcaaagtgtg 2100 gctcagcaga tcagtaccat ctaggaaccc aggagaaatg caggttcttg gacttcatct 2160 cagaattact aaatcagaat ctctaaggtg ggcccaacca gtccatccta aaggagatca 2220 gtcctgggtg ttcattggaa ggactgatgt tgaagctgaa actccaatat tttggccacc 2280 tgatacaaag agctgactca ttggaaaaga ccctgatgct gggaaagatt gagggcagga 2340 ggagaagggg acgactgagg atgagatggt tggatggcat caccaagtca atgggtaaac 2400 tctgggagtt ggtgatggac agggaggcct gctgtgctgc agtccatggg gtcgcagagt 2460 cagacacgac tgagcgactg aactgaattg aactgaaggt gggcccagga atctgtgttt 2520 tatccagacc ccaggtgatg cacactgaaa gctaggaacc atgatctaaa actgtctgtt 2580 tottaccatt cagtootgat tootottott toototggot acactttoto cottgatgtt 2640 atcatccaag cccacaactt tgaaaatcat ctaaatactg gtggtggttt agtcacctcc 2700 gtcatgtcca actctttgca agcccaggct cctctgtcca tgggatttcc caggcaagaa 2760 tactggttgc catttccttt tccaggggat cttgctgacc aagggatcaa acccgggtct 2820 cctgtaatgc aggcagattc ttactgacaa tttctaaatg cacatcctca gcaccaaccc 2880 tcccaatctg gaggttacat taaaattcaa cataccccaa atggaagaaa cttctctaaa 2940 acttgttgcc tctaaaactt ggtctttctc cgtttctcac catttcagaa tacctcctct 3000 accaccaage cecacegttg ceceteagge eccacacaac aatcagaatg gtetttggaa 3060 traggtratg traccarret grigaaatri traagggrit criatrigeat traattaaaa 3120 tctaaagacc tggtcattgg ctgttaggcc ctgcatgacc tggtcacttt ctatgtggct 3180 tectgtatte cetttgttgt ctaatgteag aaactatate taatteacae tagggtetet 3240 ataaattatt tgatgaacga aatttttctt cttttgaaaa taagagaaac atagagtttg 3300 acttetttag ettetecaeg tttgetgagg aggatetatg tgatgttgae aggtaaette 3360

agttacgcca ggatgtggga gatgagaagg gagactttca aagaatgtct tcatggtgcc 3420 ataacctcag cacagccagg ccccagagga caaaccctca aacatgcttg tcattcagtt 3480 cagaaagtgg ccttccttat atataatggg atatagtagt tgtggtgatg gtagagactg 3540 agatgaggaa cgatgtaggg ccatttgcaa aagctttctc ctgtaggctg accaatgtga 3600 tectgttett gaggeeaagg acageeeta agaatetaca acceeataat ggeagtttte 3660 aaaaattgcc acaaattctt tgatactctt cccattgaga gatggggtcc atgatccctg 3720 cccttgaatc tgaatgggca tatagctggc tactttggtc aatagcatag agtgaaagtg 3780 atgttatgtg acttttgaga ctatgtgaga agtggcaatg tagcttccat gttgtttact 3840 gacagtetee caettgggte etettgggae ttettaagee aggtaagaag eteateaaae 3900 ttgagactgc tatgctggga ggaagccagg ccacatgggg aagtcatgtg aaggcacttc 3960 aatcagtaca cctgattttc aagtcctccc agcccaggtg ccagccaagc aagtgactga 4020 actgattcca attectaget ateaegteaa ceteagaeae tgagtettee caacageage 4080 ctcatatgtc atggggcaga gtcaagtccc cattgtgcct gtccaactct ttggcctaca 4140 caattcatgg gcataataaa atggtggttt ctttagacca ttaagttttg gagtagttgc 4200 tacatggcaa caatatccag aataggacca aaggcaatgt catttggttc cctcaaaccc 4260 tcacaaacta tattaccttc tgagcatttt cttggttggg ggagggaagg aaagcattca 4320 gccagttgac attggattct tttgaggaaa aaaggctgag tttcggcatc ttctaaacga 4380 gctgtacatt gccccttctg gcaggggaaa gtcaatccct tgcccagcct gatctggtca 4440 ctcactccca gctccaccca gctcaagact caaagagatg cttcactgcc cccaatgcac 4500 ctcacaataa acaatctctg aggaaagaag gtaaggatct aaaagtagtg tcaacttaat 4560 cattatgtaa gactgactgg atagaaaaca gccctggcat tgctgcctaa tactcatttc 4620 taactggcca caatccattt ctgctactga atcatcttca tcccatcgtc atgttttata 4680 gaccteteat freteettee cageagaact treaggeece cateeacatt atatacat 4740 caccicatic tacacaatic tictggcctc tcccctccct cactigtccc catcctattt 4800 gagagatcca ccctgagatg tttaacctaa tgggtgtctc aatattttta aacctctttc 4860cttgcaaget tagtggagec tettgeecat aacaaggggg ctagatatet catttteec 4920 aggtttatac ccattgcccc ggcataatta atattggtac tctcaaaagt gcccaaattt 4980 ggataatgat gtatatgatc cctctaaccc taacatatgt cttctaacac ttgccatcct 5040 tcacatgaga caaaccccta cataaaattt tggcagtaat aatgatcaaa aacacccat 5100 gttttataca agaaatctca ggtaatgtgc agaatggact tgttaaatgg agtgcatttc 5160 cctcacttat gaatatcata atctaaatca tttactttgt aaataatgag caggaactga 5220 gtaaatgacg gcaggtgatg gctaatatcc tttctaggcc tcaaatttta atctgaaaat 5280 tcacaaacat tgggcttaat ccagggtagt agaatttttg tccttttcag aaatttctgg 5340 ttaccagagt tcccgaaatt gctttctcat tccctaatct ttcattttct ccattacgta 5400 acgagaagct ggggctttgg ccgattttcc ctctaaagat gatttttatc gtcaacaagc 5460 aatttcaggg agtgatgagc cagggaggcg gtgttagttg atgctagcgt ttatgctagt 5520 ctcaactcgt ttttcccagg gacttagatt cctgggtctg ccggtaaacc ccgggcgccc 5580 gcagcgggcg cgcctgagcg tgcgcgccc gtcgcctccc ccccccgca gctcctcctc 5640 tgcacggcga ctcaccagcc ctagttgcca gtcgctgaca gccgcagagc tgagagcgtc 5700ttctctccca gaggcaggta aatagccacg tagtccttta aacccccagc ggaggccgcc 5760 cccggcttgc ggccgaggcc ctagggcact cagccggatc ggactggctg ggaggcagac 5820 cttgaccgtg aggaggactg ggggcttccg gcgggcgcgg ggaacgtcgg gcctgtttag 5880 cgtgctcgtt ggtttttgcc agccaccgct cggttttgcc ctcctggtta ggagagctcc 5940 atttactegg aatgtgggeg ggggeegegg etggetggte eeeeteetga agtatgtggg 6000 tggtgtgtag gaatctagcc ccctcccacg ctcgtccact gcgggagtgg catgggcgga 6060 tegcaceggt agaggggeeg cagteegagg aacegetggg gagateagaa gaacaagega 6120 gaggeccegg getetgggee etecegaage ceageggaga egeggaattg ggggtggggg 6180 gtggggaaga agcgggcgcc caacggggcc agacctcggc cgtgaggagt gccggagcga 6240 ccgtgggccc ccagccgctg ctgccgaact cctcccgaga ggcggccctg cttgccatca 6300 cgcggctggg aggtacctgg gtagccgcag cgggtgggtc tctggcagcc ccctggggat 6360 cggctcgggc gggcgtgcgt ggcctgggct tcagcctcgg cgaggggagt catgggcgac 6420 ccggccctct ctccagagaa atccaggtac cgggagcagt gtttcctggg agctctgatg 6480 tggtcgaccc aaaagcaaag cgatattttc gctgtctcga ctgaaggagg gaactcggcc 6540 ctcaggagac tgaggggagg ggatcaggcg cctcttggag aaccaccctc atctgccagt 6600 aagggtggca cetteaegtt tttttttttg ttgttgttgt ttteteaeae gtttgattat 6660 taaacaacga ggagaagtcc gttttttgct gttctttttc gttttttccc ccctctcttt 6720 tettttggta ccatatgtag caaatagatt ttttaaaate ataagaccae cateeteace 6780 atcttgtttt tcagtttcct cgtctccaga ttcttaacaa agcagtttca cttccctgat 6840

K 6 5 %

gatggttatc ctcatctcat ggccaggtta ttttcttgta cttaagagca atcactgttt 6900 attaagcagt ttcccgaatg ctgaaccttt gaagtgttac ctttccttgc aaaagattcc 6960 gtatagaata ggattaaaaa ttttcacaag ttgtcagaga aaaataagaa cagaaaattg 7020 aataaaatgt cagacctctg gaaaatgaac agctttctca aatttgaaaa ttaactataa 7080 aaaggaacag ttttcctacg gagacactga ggcgctctca gtgaaaaaga acgatgaaaa 7140 agaaccagaa aaggaaagaa aacggagtta tgtatatgat ttgtatctga tgcaaatttt 7200 tcatacttgt gaaagaaaaa tatcaagatt ataaaaagat aaatggtgaa atgaagaatc 7260 atttatggaa taaaatacaa atcaaagcaa gtctggatta tcgttttaca actactagta 7320 aaaacagtaa cagcaaccac tootggaagg ttacctagaa atttgcatat togtttatgt 7380 gaggtggcaa ggctttggag ttagaaatat ggctctgcag ctaattttac aatttgggac 7440 ctaatttcgt catcgtcctt ttgtccattt ataaaataga ggaaattata cctacttcag 7500 gagtttgcca agattaactg tgtaaaactg acctttagca tgtatacatt tattctttcc 7560 ctagtcacac tgcactgggg gacatttgtg aatctatgaa atttgtgaaa aatggatcct 7620 ttaagccatg accctgaaac cccactcctg ggaacttacc tgcaatggaa gaaattcgga 7680 aagaagaaaa gctgcattca cccacagggc tcagaatgat ctaaaattag atccagtcca 7740 gagacaacct aaaggtatta agaaaatagc agggcagcag ctaagaaaat catagcactt 7800 taactgaaag gaacattgtg taacccatca cgtggcataa ttttagagcc tctctgtgat 7860 atataggaaa aaagtgacag gtcaaagtaa gattactcag acatggatgc atatgtggaa 7920 aatctgaata aaaaatggac ccacagtttt ctgtgtatgg gaggagagtt cagtgtcatg 7980 tttgctgctt ttttttagtc agcgtcatct cttttaaaaa tactatcata tttttttcct 8040 tgagtagatt cattagtggt ttaataattt atatactgtt attctattaa ataatccgtt 8100 cttagattta tcaattatag tttgttttt tttttaagga cttctgaata tatttgaaaa 8160 ctgaacagtt tcaaccaagc tgaagcatct gtcttcccag agacacagat ccaacttgag 8220 ctgaatcaca gcagatgtag gtacctgcgg aatctctctg gtcttgtgat ggttgaaagt 8280 gcccaactgt ttcaagaaga taagggactg aaagtctggg atcacaaatc cttgctctgg 8340 aggccactgg gatctatata tgtaacccac acctattata tcactttctt gtaaaatcat 8400 cttgattttg cagggaaagg gacatagctt tctctagaat cattctgagt tatgtaagaa 8460 gtagccattt aaaaaacagt ataataaaag caataaccta acattcctgc accgaatcaa 8520 cactgaaggt aactgtcaac agacaaaagg ttttatgagg taacagtttt tctaagctgt 8580 agttttaact tacgtattgc attetecett tttagatett attteetttt ccaaggcaac 8640 cagtttatca actgtgaact gctacatatg aaacattcaa aacctgactg tgtctaaagc 8700 tgtgatggct acagcaaaat aatctttgag tgaatagcat gtttagcagt tcttacagtt 8760 gggagaattt tttctcagtt tgttcatcct tctctcctaa ccatgttctg cttattgctg 8820 tcctaatatt gtgtgatcac gtcaagggag gtgttccctt ttatgcaaaa cattatgtta 8880 attgttttct tcctgagaac aagctcagaa gattggctag gagtgcagtt ccctggaagc 8940 cttattatag attactaaat cccatcacta gataatccca ggctgttggc ctgatgtaga 9000 ctctagctgt gttgcttttc ttaaagctct tcacatcact ctgaggatgg accagactgg 9060 ggactgtttg ccctattcag tccagggtta ggcctcagtg tcactggaaa aacctccacc 9120 tcaaaatggt ttgtaaattt ttgtatagct tgcattagac tctttataag gacagtgacc 9180 tcaaaagatg aaaatatgac aaatgagttc cacttagctt atgaaaaatt ggaaatgtcc 9240 ccagggcaag gatgggtaga gggactgttt ggtgccagtt tccaatttaa ataagtctca 9300 agggtataac atattttgag tatcaaaaat ttggctcctg gcacatgacc actggacata 9360 agttcctacc agctctgatt ctcaatcccc atgtataaaa gggaataaga tgaatgggac 9420 aatatatgga ttttgttgtt gttgttcctt ctctctcatt ccatcgctct gccattgtgc 9480 ttattcacta atgccacttg atcatattta ttatagcttt ccaatccatt ctgatacttg 9540 gcaggccaag tgtaccctag attttcttcc tgttcagtaa tttcttcagt cttcctaatt 9600 ttgagtatca ctatatacta taaaatcctc tttgaattag gactgaaatt gtattgactt 9660 aatgattaat tggagttgaa ttggtatctt tcaaaatctt caatcttgat tttcccaacc 9720 atacaccttg cctgtctttc tttttttcca gtcttccagc ttttttggtc taagttctac 9780 tatttattat tagattaagt cttagtttga attttgggtt gccattaatg agtggaattt 9840 attttacacg ctaaatctcc taagtaatta caactaattg gagtatccac tcttacctat 9900 atgtggagtc caaaaactgc caccctaata aataagctca ttcatttatt tgaagggatt 9960 tggggatgat tgccctgtat ttcccagata gaaaatcata cctggctttc tccatagctg 10020 tctaaaatag cagccatcac ttacattctt gtcttgttaa tctcattcat gagaatgctt 10080 tcctctttat gttaagatag ggtgtgggct gtgtattact tctagttcta tagaaatttt 10140 ttcaacatct gaaacttaaa aagtcaggaa agcactgatt cctgaattta agtgagaact 10200 ttgatttaat tgaaaacttt gcaacatcag agaatctttt ttttctcctt aacctactaa 10260 taggttaatt gatttcatga ttctgagcca ttcttgtatt cctaaaataa tccttattgg 10320

tcacagtgta ttctttcact gaaatatcaa aatcaacttg gtggtatttt cttttggatt 10380 ttggcaccca tattgctgaa ggttgggtag ctaagagtgt gagcccttca ctcccctgtg 10440 gctcttaaat gctacgtctc aggtgaaatt gccccaaatg gtttgtctct actgagtaag 10500 gagtttcaga ttccttataa ccaattacca taaattggat gctcctcact tggaatgggc 10560 tcatgggatg gtaggcaaag gttaatttta tccccaacct attaacttcc aattttttcc 10620 tcacaagggc ctgggcccct tccatcagtt tttctcggtt tttccaatta ggtagcgtca 10680 gcaccatcct acctagttcc caaaagccac caaacctggt caactctgaa ctctctcatc 10740 cactctatca gcttaaaatt ggttttttct acaaaataca tcccattttt cacagctcct 10800 tgctgttttg tcacagtccc agattacacc accatcttcc tttaatcatt ttctaaatgg 10860 totoaccatt tocattotta tocotoaaaa ttttotottt acacaacagt aagggtgaac 10920 tttaaaaaaa agaaaaaaa aaatctgtga tgtgattctc ctaagccact ttaatggctt 10980 cgcactgttt caggctccag acgcttatct ccctgtagtc ctcaaaccca caaattaaat 11040 atcttaccac tgtgtcctca gccacagaac agtaatatta gaagacatgt aataaatatt 11100 tgttcaagta atcaatagtt attgtacagt aacttttttc tccatttctt ttgatgtaag 11160 gtcaagtttt ccatttaaaa actggtacat actagctgtc ccataaaaat ttatttaatg 11220 attgattcaa tgtcagtttt tataattgga tagaaaggta atccctccca cacagatttt 11280 ttttttttt taatgaggca aggaatatga ctacttggaa agctggctgc ctgaaaaaat 11340 ggcagattaa tgtctcaaaa caaatatcag tgtctagacg ccaggttctt ttatagaaca 11400 gagacagtag gaagatgagg aaataaaggc agaataaaga gggagaagcg gtgtggaagt 11460 caagtaaaaa agacccgtgt cttgcaagac atctccagaa atggccagcc tgtggaaggg 11520 atatgttaat ctcttcttc ctgcaaccat tcataggtgg gaagtgtcag attatctccc 11580 tgtgagctga acaaaggcac ttcagtccaa cagttaggca gagggactgg gttttctgag 11640 gcaggccatt atatatgatt ataataacag cagcaacaaa aagcaagtca aagaaacagt 11700 tccaacatgg agtcagaatt ggttcttctc tgcaacagtt ccccactgtc aaggtccatt 11760 tgacaatett gtaggaaaag gggacagtga tetttetgtt tgteagttga atetgggagt 11820 gtctgccttt ggtaccaggg ttccaaatat tgagatttgt tttctttttg gtctccttgg 11880. aaagtgtota otttatactt gtoagottag aaatattgga ottoagacco aggagggttt 11940 ctcaagttaa gaaattttgc acttttctgt gtatgggaag atgcaagagt caggactcat 12000 tattatttcc ttgatatgta attcagctgt ctggggcctg tgatcctgta ttctcaagtt 12060 tecteaaggt teaceatagg gagtggtata atetggtgae tgetagatge aggtattete 12120 . cttcctgagt tttctttcct agttttctcc ttcctgagtt gacttggggt tcaccagctc 12180 acattagagg gcttcagttg ttgattctat ttctcaggtc ttcccttctt ggtcaggaat 12240 ttgactaata tttgggagac atttcatgat caaactttgc ttcacagtgc tgtgaggttc 12300 atcccagatc aggcaaaact tcttgatgta ccactgcagg tgctaaattt tggattagac 12360 ccccatgaat aattaaagat tctctggatt ctgtctagtt gtcatccagg agacattttc 12420 cattgttgct tcttcccata cctagaatca cactattata attatttat gttataaatg 12480. tgatctattt tctcaagatg tttagccgta gaagttttgt tggaggcctg attatacatt 12540. ggttactgca agagacaact atcgtataaa ttagtcagga tataagtaat gcagctagta 12600 acactgataa tgacatagtg caacagggag atacaaaacg caatttaaaa acgaagaatc 12660 aagtaaagca atgattagta tgactagttg tagtccagtt gcaataatct agtgaccaca 12720 ggagccatag ctgatttaac gagctagctt cagtttcatt gtactggccg tggcatagct 12780 taatctttga gacaagcata tgctactggg aggatcaacc agatagaaaa agatttaagt 12840 tttacctttg cttacaaagg atataattta ccaaattact gtaagtcaga ggttaaggaa 12900 gttttcctta cacctggaaa acacagattt aagccagtta tttttagata gaaaccataa 12960 aaattataac aatttatcag ttcactcagt cctatgtaac taatcctttt tgttaacagc 13020 tttatgaagc catcaagttt cccattagaa ttcttcaatg tattactagt tcagcattac 13080 ggtctaaaat tcagaaactt ggatttatcc gaaagtcctt tttataaacc ttaaagagga 13140 ggcattttta cagaggcaac aaagtgaaac cataactgta taatgacaaa agacttaaga 13200 aggcacttta aatctgatta tgatgcagtt gacaaagtaa cctggttact gctgtgacat 13260 acaatatttt caggtaataa aactaaaatt atgactgata atattctacc aggacatagc 13320 acatttttaa gaactccata taatctctag catatcggta tcatttatca tataatttaa 13380 gatttattat tcattggata acacttgcca tgtagtttaa cataccaagt gaatctaatt 13440 agtttaatat ctccctttgg tgtgtctcag gggccctttg aggcacccca aagttagcta 13500 agatcaaagg aactttattg taatttgatt tgggaagtct tgtcaaaaga gcattaagaa 13560 aaaatgtttt aaaacacaac aggatcatag gtcactgtga aacaatattt acttagccaa 13620 aatgacaatg aatgatttca aaggcaaata tagaacagat tatttaaaag gtagaaatac 13680 ttataatctg ttatcaaagg agaagaaagc Caaatttatt ttgtaccaag ttactttcaa 13740 gattcattta tttaattaaa tttgtttcaa acttagtcct gatcatgtac aaaactactt 13800

C F DAY

tttcagggtc catgtttcat gaactttcca tcaattaatt tattttagca caattttaac 13860 tttcaagttg ttgaatatct ggagatatcc taaaatataa ttatttctga aagttcactc 13920 aaagctctaa tcttcatttg cattttcttt cccttaaaag tttcttcaca tcaagtcccg 13980 ttcgttactg acaaattgta tcaacaaaca accatagata ccaaatatta attaatatta 14040 gatatttccc agetcaegtg aacetggage teatttaget taattgtatt tagaattgtt 14100 tggtttgtaa gcacttactt ttatttaaac caattaaata gagctctttt acaaatcagc 14160 tgcagcaaat gttatccaaa gacaaagata catacagaga ggcctcaatt cttatttcaa 14220 gattgcagtc ctgagtcagg caatgtaaaa aaccatcagt ttacatatga ggttgaatta 14280 aaattggatt totoatagat ggaaaaaagt caaactcact tggotagaca gotaaatatt 14340 tgcataaaaa gcacttagga attctaatta tcttggccaa cccaacttct aaattacttt 14400 accttctcta aaatttgcat tttaaaaaga cagcataatg agggttcctg agaagacatt 14460 tgcatctcaa cacaggcaag tttttcctaa aatgactttg tttccccttt gtttaatact 14520 tacaggcctc ttaacataac cagggaggtc tggggagtag taaagttttg atgggatttg 14580 gattattttt ggaacgacac ttctggtact gtaaagacta cttttgtaaa acacagtttc 14640 gtgggggttt tttttgaatg atactgaagg attgacatgc ccatttacct atgttggaaa 14700 gttttatctt tcctcattta gcttagctct tgggaagaca cagaggcaac aatttaggct 14760 cctgtaaatc agtccagact gaggggggaa agaggtgaag ataagaaaga caggctgagg 14820 aatccgtctc atagtcctac caggaagatt gtagccaggg ggaatgggtc actgttttgc 14880 ttgaaccaat gtgtgcttca cagtgcacag aagttgtctt gctggaattg ttgtagccac 14940 aagttccggg aaacaaactt cactcagaag gacaatgcag atagtggagt acagttttat 15000 tacaccggcg ggcccaaggc agagtctcct cttagccaag gactctgacc agtttttgtg 15060 aaaaccttat atatcctaag tgtacgtgct caaacccacc tccccaaatt ccttgaaact 15120 agtctgaaca caagaaaaga aagatacaat caaagttaac ctgtgattca tatgccttaa 15180 gcctaggtag ttaacagtgg acaattatca ataggcctgt ggtcataccc caataagcat 15240 aatagaattt atgattctat tcagttatgc agataattag ggtattcttt taggctactg 15300 agagtccaga tatgagccct gggactcttc catctggggg ggcggtgggt gggtctggtt 15360 ttcctgttag tgtatcatta ccatagatac tgggcatata gctcaaagtc cgcagtccag 15420 cccaacatgg gtcctgcttt caagatggag cctgttctgt ttgtttcctc cttcagagtc 15480 agatgctgta atagtgtggt ccattctgtt acccacttat cctgtcacga gagacttcaa 15540 gagacaggca ccttaatggc ttttaagtgc ctgacccacg ccctcacaat attaattggc 15600 ctggtactca gcctaaggga gaaggaggaa aggagagccc tgacctgctt gggaggcagc 15660 tattggggca cagtaggcta ttaggccttc aaaacactcc agagaataac cctagctaga 15720 gttccatagc tattagtctg tttgcagacg gtttgagaag aaaggaatga gcgagtgtga 15780 ggagggtgaa gatcttaaag gaagtacttc tccttaatag ctcaagcaat tagtatcaga 15840 tgtctgtgtg ttaccaaagt atccagaata aaacaaaatc tagccagcta gagagtcaca 15900 ttaacatgac ttcccagttt cattagacct gtgacctttg tccaaaatgc tttataaatg 15960 gaattteett cacagggggt geteeccaag etgaagetga ageteteeae tgteaaagtt 16020 acccagggct cctgtaggga aattagaatc agatgcctca agtccaaggg agtccccaag 16080 cctcttcatt tattatcaga gtgttcctct cctttgcaaa acacttctaa ttgcaagagt 16140 gtgtaattgt gagccattca ggcccattgc ttttctgatc ttagcatatc taatatatgt 16200 ccccaaagc ttttcttcag gatagatgaa atatttccca tttttataag tttcatagca 16260 ccaaaacaca cacaaaaata ggtgaattcc aacataaatg acacaaattc cagtactaat 16320 acatagatga accagtttcc agctcaggta aataaattta tcctacaaaa caaatgaact 16380 aatcccaact gtgtgcttgt tttgtgccct tcctctggag gcatgcatgc taagccgctt 16440 caattgtgtc tgactctttg caactctttg gactgtgtcc caccaggctc ctctgtccat 16500 gggattetee aggeaagaat actgecatge cettgatata etceagtatt ettataetee 16560 agtatactct gttattcttg cctggagaat cccatggtca gaggagactg aaaggctaca 16620 gttcatgagg tcatgaagag taggacatga ctgaaatgac atagcccaaa acaagcacac 16680 aactagggta ggcttgcccc caaaagaact agttccccaa taaactggtt ccaactcagg 16740 tagagcccaa caacaattcc catctccaac agagtacccc aaccaaattg gcttgtcctg 16800 taaagaaaaa gcccaaattt agaggggaat atgttctcag tgtgcacacc agagcaactt 16860 aaccctacaa aatcaagttt gtcaactctt aatagaaaag ggcacacaaa accacaaaca 16920 aatgagccag ctatcgaatg aagaaaacta atgctatgaa attgggtctg ttgacttgta 16980 gaagtttgtt gattccttgc ttcaactgcc aggccctggg gccactgatg gcacttcagg 17040 gaatettgaa ggagagatee teageacaaa tggteecage agettetaga geettgeeet 17100 aacattccct aacagagctg gctaaacaca agcagcaagt aaaatttgtt accaaatcca 17160 gacttgctct actgagtgaa caacaggcca gtgaatcaga gatgagatgt tgaaggaaag 17220 aatgtgactt tattcagtaa gctggctgac cgagaagatg gcagactaac atcttaaaat 17280 aaccatette ttgggttetg gatgeeaggt tetttacaga acagaaatga ggggaagtga 17340 ggaagtaaag taaaaaggca gaatagagag ggagaggcaa taagtcttgg gtcataagtc 17400 ttgcaaaaca tctctaggaa tccccacaca gttttttaat tcataaaact tttaactttc 17460 acacttaggt ctctaatcca tttagagcct gcttttgcat gtgacattaa ggtccgattt 17520 gttttgttag tttatcattt atccagttgg tactaaagtc aatgtatgtg gctttatctc 17640 tgaacttgtc attctgcttc ctttgatcta tatgttcatt tctaggttgt taccatattt 17700 attactatga ctttatacta ggatttaatg tttgataaca gtaggttttt gaactgtggt 17760 attggagaag actcttgaga gtcccttgga ctgcaaggag atccaaccgg tccattctaa 17820 aggagatcag ccctggaatt tctttggaag aaatgatgct aaagctgaaa ttccagtact 17880 ttggccacct catgcaaaga gttgactcat tggaaaagac tctgatgctg ggagggattg 17940 ggggcaggag gagaagggga cgacagagga tgagatggct ggatggcatc accgactcga 18000 tggacgtgag tctgagtgaa ctccgggagt tattgatgga cagggaggcc tggcgtgctg 18060 ggttctcacc tcatttcctt tttaaggttg agtttgttat ttgtggacat ttcttcatcc 18180 tttattgaat tcctcaaaaa aaaaatccag ctagaatttt gattgtcatt attattcata 18240 ttataagttc atttgtagga aattgacatc tttataatac tgggtggttc caaccaagac 18300 ctttccatgt ttacagatca tcttctgtgt tctttagtag tgttcagttt ctttttcccc 18360 agtottactt tottttgagt taagtoaato otagatactt tacagtatga tagtgaaagt 18420 tgtatctgac tctttgtgac cccatggacc atacagccca tggaattctc taggccagaa 18480 tactggageg ggtageettt cettecacca gggcatette ccaacccagg gateaaacce 18540 aggtctccca cattgcaggc aaattcttta ccaggtgagc cacaagggaa gcccaagaat 18600 actggagtgg gtagcttatc ccttctccag teggtcttcc egacecagga atcaaactgg 18660 qqtttcctqc gttgtcggtg atttctttac caactgagct atcaggaaag cccactttac 18720 agtatgggtt gaaattatta ctatcttatc tattaatttt tttctaggca gttattgctg 18780 gtatagagaa atgctgttga tttttataaa ccaatccata gccttgctga actctagttg 18840 agtotoctgt tacototgcc aagtgtgtgg aattttctat gtatatgatc acattaattc 18900 caaataatga cagctggagc tcttttctta cagttattgt accagtcttt gtccttgcat 18960 atggcattgg aaaagggctt cccaagtggc tcagtgttaa agaatccacc tatcaatgag 19020 gagatccagg tttgattcct gggtcaggaa gatcccttgg agaaggaaat ggccacccac 19080 tccagtgttc ttgcctggga aatctaatgg acagaggagc ctggagagct acagtccatg 19140 gggtcacaag agtcggacac aacttagcaa ctaaaataac aataatggca ctggaaggat 19200 ctccagtcct gtgacagggg acatecttgt tttgtttctg atcataaagg gactgcattc 19260 aaacgttatc tattaattat gtttaccatt tctgttatat aatctttatt aagttaagca 19320 ggtttcctcc tattcctagt ctgctaagag tatttttctt agtgataggt atttagttca 19380 gttcagtcgc tctgttgtgt cccactcttt gcaaccccca tggactgcag catgccaggc 19440 ttccctgtcc atcaccaact cccagagttt actcaaactc atcatggtcc attgagtcgg 19500 tgatgccatc cagtcatctc atcctctgtc atccccttct cctgccctca atctttccca 19560 gcattagggt cttttaccat gatttctttg catcaggtgg ccaaagcatt ggagtttcag 19620 cttcagcatc agtcctttca atgaacaccc aggactgatc tcctttagaa tggactggtt 19680 ggctctccct gcagtccaag ggactctcaa gagtcttttc caacataata acagttcaaa 19740 atctaggttg gtcataactt tccttccaag gagtaagcat cttttaattt catggctgca 19800 gtcaccatct gcagtgattt tggagccccc aaaataaaga taggtattga ctgttatcaa 19860 atacttaata tottgatgtg ctagaggatt aggcagcaac ccgactattc totgataaca 19920 tcttatatga agtgtcataa cacagccagg cattcagaaa cctaatgtgc attcctagca 19980 attttactat aatcacagat atgtttctta aatttgctaa tctttgtaac ataatttgta 20040 cagtgagatt ttagattaaa taatataaga tcttccttat tttattacaa acagaaaatt 20100 ctccaaggtc tcattaagtt ttgagttctt cttgttcttg ttcttgagtt cttctagttc 20160 ttctgattct ctacttcaaa aaaattttt atgatttcca taattaaatg ttgtgctttg 20220 aatcccaaac tggattttaa aatgatttgg ccttaatata gtttatgatt atcccagctt 20280 tattctaata ttcagtttta aagtagtgat cagcaacata tgcccatggc cttatgtcct 20340 gttgcctgta tctctagtcc atgatcgttc ctcagctcca gactcaccaa gcttaccaga 20400 ctcgctggta tctcttgtcc catgtgtagc ttgataatgg cattgtcaaa gtgacactct 20460 tcatttgtct tcctatgggt tggctccacc ttccgtcttc tgtccacaga attgtccaat 20520 ccagaaatct ggctgccgcc tcaattcttc tggtctttca tcttccatat caaacaccaa 20580 gccttcgaga aagttctcat gttcagttcc ctgaggtgtt tgagcagaat tgtgagcagc 20640 atggaagcca agagctgaac cccatgtgca aatggagagt agatcaggga agcaggcctg 20700 caaaagacca ggtgcaagaa tgaggccatt tggcatatcc caggaccctg tccctctggc 20760

ccttacccaa	aacagactcc	agaaattcta	gcagacatat	tctgagcagt	ttaaccoocc	20820
ttataacttt	caaatgtatt	tttatttata	cccaggcatt	tcagttatga	tantaaaaac	20020
ataaagggga	tottaattca	ttatttaatc	atcettecte	tgaatattat	ccaacttact	20000
ctttagttct	gaaggtcatg	aaaaataatt	ttataatatt	tggtgacact	tttatttgaa	21000
gatgtcccag	tactaaggat	gactaatgtc	agcottacao	catatgccat	ttttaattt	21060
gtggcaaatg	gtattttgga	acatotoott	taatataaaa	tacagtagaa	agtgcttaat	21120
gatcattcta	ctatacatct	ttaatctctq	ccctagaac	cacccagggt	agregation	21120
ttcattctga	aagatctgaa	tetteaatte	atteatetet	aatctgatga	atgttagata	21100
acaacggttc	ataggttatc	atgragggta	ctttattccc	aaactgtgct	tagettatat	21240
gtaagatatg	tatttttac	accasasatt	aararaaaat	aagtcactca	tgcaccacac	21360
aatqctqaac	taagactcat	tcagtgagtg	agtgactgca	aatattatga	agaaccatta	21/20
tcttaccccq	ttttgaatag	cccgattgtc	tatatataa	aagaaaaatt	acacageeee	21420
tatqtttqca	aaatcttgcc	tatttcctat	ttccassast	tattgtattg	accetacagg	21400
tgataaaatt	cttattaaca	tttatatgtt	cagaagatgt	taattccttc	atttaacaca	21500
tatctattqt	ttaccttccc	tataccagac	tetaccetaa	cccgctaaga	acctaacaga	21660
aaacaaagag	actcattccc	tgctcacatt	cccacatgag	gaaagaggac	ataaaaaaa	21720
tattcagaaa	attatttcat	gateteagea	cctaccttgg	ggtcttccca	actoracatt	21720
agaatcactt	ccatagggtc	catoccagod	ttcacaacct	tccaggaact	actygacatt	21/00
ataacaaccc	aataggcaga	acttctaggg	tcctcacaac	aacaagccca	attaceccc	21000
tcactacttt	aaagaagtto	saaggatgat	aaacctacca	gatatttata	gttgcaagaa	21900
atttatgata	tagtgtacca	atcagaggt	attttatca	taagcaatgt	tagtaggett	22020
ctgtatttat	caaqttacta	ggaaatgagc	carraattat	ttaaggtca	agttatat	22020
tagaggagaa	agagttgtgt	tactacttta	cctataatta	ctttcatgag	atotatooaa	22000
tgtgaagaac	atttatgacc	tagaatgttt	atagetgatg	ccactgctat	acgcacggaa	22240
attatgctgc	agactttaag	tgatttttag	atagacattt	gatgctgaca	acayccattc	22200
tttqcaqaqa	agtcatcatg	gtgaaaagcc	acatagggg	ttggatcctg	attatatta	22200
taaccatata	gagtgacgtg	gacatataca	adaadcdacc	aaaacctggc	geceeeeeg	22320
acactggggg	gagccgatac	CCdadacada	acaatcctaa	aggcaaccgc	tatccacctc	22300
agggaggggg	taactaaaat	cagccccatg	gaagtaacta	gggccaacct	catecacete	22500
gctqqqqtca	qccccatqqt	gataactaaa	gacagccaca	tggtggtgga	aactaaaata	22560
aaggtggtag	ccacaqtcaq	tggaacaagc	ccagtaagcc	aaaaaccaac	atgaagatg	22500
tggcaggagc	tactacaact	ggagcagt.gg	tagggggcct	tggtggctac	atactagas	22680
gtgccatgag	caggcctctt	atacatttto	gcaatgacta	tgaggaccgt	tactatogto	22740
aaaacatgta	ccgttacccc	aaccaagtgt	actacagacc	agtggatcag	tatagtaacc	22800
agaacaactt	tgtgcatgac	tatatcaaca	tcacagtcaa	gcaacacaca	atcaccacca	22860
ccaccaaggg	ggagaacttc	accgaaactg	acatcaagat	aatggagcga	ataataaaa	22920
aaatgtgcat	cacccaqtac	cagagagaat	cccaggetta	ttaccaaagg	addacaaata	22980
tgatcctctt	ttcttcccct	cctqtqatcc	tcctcatctc	tttcctcatt	tttctcatac	23040
taggataggg	gcaaccttcc	tqttttcatt	atcttcttaa	tctttgccag	attagagaaa	23100
ggagtgtcta	cctgcagccc	tgtagtggtg	gtgtctcatt	tettgettet	ctcttgttac	23160
ctgtataata	atacccttgg	cgcttacagc	actoggaaat	gacaagcaga	catgagatgc	23220
tgtttattca	agtcccatta	gctcagtatt	ctaatqtccc	atcttagcag	tgattttgta	23280
gcaattttct	catttgtttc	aagaacacct	gactacattt	ccctttggga	atagcatttc	23340
tgccaagtct	ggaaggaggc	cacataatat	tcattcaaaa	aaacaaaact	ggaaatcctt	23400
agttcataga	cccagggtcc	accctgttga	gagcatgtgt	cctgtgtctg	cagagaacta	23460
taaaggatat	tctgcatttt	gcaggttaca	tttgcaggta	acacagccat	ctattqcatc	23520
aagaatggat	attcatgcaa	cctttgactt	atgggcagag	gacattttca	caaggaatga	23580
acataatacg	aaaggcttct	gagactaaaa	aattccaaca	tatggaagag	ataccettaa	23640
tggcagcctt	ccattttgta	tgtttaaqca	ccttcaaqtq	atattccttt	ctttagtaac	23700
ataaagtata	gataattaag	gtaccttaat	taaactacct	tctagacact	gagagcaaat	23760
ctgttgttta	tctggaaccc	aggatgattt	tgacattgct	tagggatgtg	agagttggag	23820
tgtaaagaaa	gctgagtgct	gaagagttga	tgcttttgaa	ctatagtgtt	ggagaaaact	23880
cttgagagtc	ccttggactg	aaaggagatc	agtcctgaat	attcattgga	aggactgatg	23940
ctgaagctga	aactccaata	ctttggtcac	ctgatgggaa	gaactgaagg	caggaggat	24000
gctaggaaag	actgaaggca	ggaggagaag	gggacgacag	aggatgagat	ggctagatgg	24060
catcatggac	tcaatggaca	tgagcttaag	taaactccag	gagttggcga	tqqacaqqqa	24120
gacctggcgt	cctgcagtcc	atggtgtcgc	agagtcggac	acgattgagt	gactaaattg	24180
aggtgaaccc	agattttaac	atagagaatg	cagatacaaa	aactccatat	tcatttgatt	24240
		_			-	

gaatcttttc ctgaaccagt gctagtgttg gactggtaag agtataacag catatatagg 24300 ttatgtgatg aagagaatag tgtacatgaa atatgtgcat ttctttattg ctgtcttata 24360 attgtcaaaa aagaaagtta ggtccttggt ttctgtaaaa ttgacttgaa tcaaaaggga 24420 ggcatttaaa gaaataaatt agagatgata gaaatctgat ccattcagag tagaaaaaga 24480 aattccatta ctgttattta agaaggtaaa attatttcct gaattgttca atattgtcac 24540 ctagcagata gacactatta ttctgtactg tttttactag cttgcacctt gtggtatcct 24600 atgtaaaaac gtatttgcat atgacaaact ttttctgtta gagcaattaa catctgaacc 24660 acctaatgca ttacctgttt ttgtaaggta ctttttgtaa ggtactaagg agatgtgggt 24720 ttaatcccta ggtcaggtaa atcccctaga ggaagaaatg gcaacccact ccagtattct 24780 tgccaggaaa atccagtggg cagaggagcc tggcagggta cagtctaagc atggggttgc 24840 aaagagtgag acaagacttg agctactgaa caataaggac aataaatgct gggtcggcta 24900 aaaggttcat taggtttttt ttctgtaaga tggctctagt agtacttgtc tttatcttca 24960 ttcgaaacaa ttttgttaga ttgtatgtga cagctcttgt atcagcatgc atttgaaaaa 25020 gcaaaatttt cagcatatca tgctgtatta tttcaagaaa gataaccaaa atgcaaaaat 25140 gtatttgtga agtgtatgga gaaggggctg caactgatca agcttgtcaa agtagtttgt 25200 gaagtttcgt gctggagatt tcttattgga cgatgctcca cagttggata taccagttga 25260 agttgatagt gatcaaattg agatattgag aataatcgat gttataccac gcgggagata 25320 gctgacatac tcaaaatatc caaatagaac cttgaaaacc atttgcacca tctcagttat 25380 gttaatcact ttgatgtttg agttccacat aagcaaaaaa acaacaacaa caaaaaaaaa 25440 cacaaccttg accatatttg cgcatgcagt tctctactga aatgattgaa aacactttgt 25500 ttttaaaaac agattttgat taacagtggg tacgatacaa taacgtagaa tggaagaaat 25560 tgtagggtga gcaaaatgaa ccaccaccac caaaggccag tcttcctcta aagaagatgt 25620 gtgtatggtg ggattggaaa gtaatcctct attatgaatt cttctggaaa acactgctcc 25680 taattagacc aactgaaagc agcactcaac gaaaagcatc cagaattagt caatagaaaa 25740 cataatcttc catcaggata acgcaagact acatatttct ttgatgaccc agcatggctg 25800 gagtttctga ttcatctgtt gtattcagac gttgcatctt tggatttttt ccatttattt 25860 cagtctacaa aattatcata atggaaaaaa tttccattcc ctggaagatt gtaaagtgca 25920 tctggaaaat ttctttgctc aaaaagataa aaagttttgt gaacacagaa ttatgacgtt 25980 qcctqaaaaa tggcagaagg tagtggaaca aaagagtgac tatgttgttt ggtaaagttc 26040 ttagtgaaaa tgaaaaatgt gtcttttatt tttatttaaa caccaaaggc acattttggc 26100 caacccaata ctgaatactt aaaggaaact cttctgtgtt gtccttagcc ttacagtgtg 26160 cactgaatag ttttgtataa gaatccagag tgatatttga aatacgcatg tgcttatatt 26220 ttttatattt gtaactttgc atgtacttgt tttgtgttaa aagtttataa atatttaata 26280 tctgactaaa attaaacagg agctaaaagg agtatcttcc acggagtgtc tggctgtgtt 26340 caccagtgtg cacactatgt tggcagcttc atttgggggg ttaatatgag aaaagtgaca 26400 cattcagtcc tcacactgcc aattgcagca ggagggctac tcctgatcct gcttcagcct 26460 tattcccagt cacatgccag ctgttttctg ctaccttttc acatttttcc atgaatacct 26520 gtcaagtcac tactatagca gaggaaaaca gtccttgcat tctggaagat tttttctgtc 26580 caggattttg aaatagagga ttttcttgat tacgatgaga cttaacaaag tatctacctt 26640 atgeetgtae ceaecettga aacaetgtat ggteaatatg getaetttee tttgttacag 26700 gctttcaaat ggttcttcat atgtttcctc cttcccaaat atgaggtacc agctcccagt 26760 tttccttctc agaggttttc ttctgcaact atagttcact taacaggtgg aagtaataaa 26820 aaaatgatag tggttgaaat aatatttatt aatactttag caaatgccag tgtccttcag 26880 tatctgaaca gaggatcaac tttgcattaa aaatgtaaag attaaaaatc aacatcttga 26940 tatcccataa ttcacaaaac taattttaaa atgacataaa atcctcaaaa gcattactca 27000 aagttaaatc tttaacataa gaagtgctag gactattttc atgctgtcct tttggccata 27060 tgcaagatta tttaaaaata aactattcat tatctgccag tcataatctc ccaagaatac 27120 cccactgaaa agatgtcagt tatacaaagt aaggtattta cagagccgaa gtgaatgata 27180 cacatetgta tettetcag getaccatgt tttetteetg ttaetteeag tteetttgag 27240 ttgtgctaaa gaaatttttt tatattttat gtattttta aaatggagga taattacttt 27300 acaatattgt gatggtttct gccatacatc aacatgaatc ggcatagggc tttccaagtg 27360 qcactagtgg taaagaactc acctgccaat gcaggagacc taagagatgt gggttcaatc 27420 cctgagtcag gaagatgccc tggaggaggg catggcaacc cattccagta ttcttgcctg 27480 gagaatetee atggacagag gageetggeg ggeeacagte catagggetg caaagagtea 27540 gacacaactg aagtgactta gcatgcatgt atacatatgg ccccttccct cttgaacccc 27600 ctctaccacc tccctccca accctctagg ttgtcacaga gcactagctt tggtttccct 27660 gcatcatacg ttgaactccc actggctctc tgttttacat atggtatatg tttcagtgct 27720

atteteteat ateatetege acteteette cettactgtg tecaaaatgt etgtgtttee 27780 tttgctgccc tgcaagtagg accatcatta ctatctttct agattccata tatatgtgtt 27840 aatgtatgat atttgtcttt ctctttctaa cttatttcac tctataatag gctctaggtt 27900 catccacctc actagaacag actcaaatat gttccttttt gtagctgagt aatattccat 27960 tgtgtgtatg taccacaact tcattatcca ttcatctatg gttggacatc taggttgttt 28020 ccatgtccta ggtattgtaa attgtgctgc aataaacatt gaggtatata tgtctttttc 28080 agttctggtt tcctcagggt ataagcccag tagtgagatt gctgggtcat atggtaactt 28140 tgggctttcc ttgtggctct gctggtaaag aatccacctg caatatggga gacctgggtt 28200 tgatccctgg gctgggaaga ccccctggag aagggaacgg ctatccactc cagtattctg 28260 geetggagaa ttecatgggg tgtatagtee acggggttae aaagagttge acacgaetga 28320 gcaactttca ctcactcatg gtaactttat ttctagtttt ttaaggaagc tccataatgt 28380 tetetatggt ggetgtatea gtttgcattt tgaccaacag tgtcagaggg ttecetttte 28440 tecacatect etecageatt tatttttgt aaactttetg atgatggeea ttetgaceag 28500 taataatgag tgatgttaag tatcttttca tgtgattatt agtcatctgt catctttgga 28560 gaaatgtctg tttgggtcct ctgcccattt taaaaatttg gttgtttttt gttattgagc 28620 tgcatgaact gcttatatat ttttgagatt aattcctttc agttgtttca tttgcttatt 28680 aatttctccc attcggagag ttgtcttttc acctcgctta tggtttcctt cattgtgaca 28740 aagcttttaa gtttagttag gtcccactta tttatttttg tttttatttc cattattcta 28800 ggaagtgggt caaagaggat cttgatgtgg cttatgtcag atagtgttct gccctatgtt 28860 ttcctctaag agtcttatag tttctgatct tacatttagg tctttcatcc atttgagttt 28920 atctttgtgt atggtgttag gaagtgttct aatttcattc ttttactagt agctgaccag 28980 ttttcccagt atgaattatt gaagaggcta tcttttctcc attgtatatt tttgcctctt 29040 ttgtcaaaga taaggtcctc ataggtgcat ggatttatct ccaggctttc tatattgttc 29100 cattggtcta tgcttccatt tctgtgacag tatcatactg tcttgatgac cgtagctttg 29160 cagtatagtc tgaagtcagg aaggttgatt cctccatttc catttctttc tcaagattgc 29220 tttagctatt tagggtcttt tgtgtttcca taaaattgtg agagtacttg ttctagttct 29280 gtgaaaaata ccattattag tttgataggg attgcattga atctatagat tgctttgggt 29340. aatatactca ttttcactat attgattctt ccaatccaag aacacggtat atttctgcat 29400 ctgtttgtgt tgtctttgat ttatttctca agtgtcttat agttttctgc atacaggttt 29460 ttttgtctct tttggtaaat ttattcctag gtattttcgt tgttgcaatg gtgaatggga 29520 ttgtttccgt aatttctctt tctgattttt cattgttagt gtataggaat gcaaggcatt 29580 totatgtatt aattttatat cotatgactt tactatattc attgattagc totagtaatt 29640 ttcgggtggc ctctttagag ttttatatgt agaggagcac ataatctgca aacagtgaga 29700 gttttactac ttcttttcca atctggattc cttgtgttaa aggattttca ctaaaaaatt 29760 aaaataccaa ttttaaataa ctgagtctaa ctctcacaga aggtttttct ggaggagtgt 29820 caagtgtcca ggtgtccaaa cctttccttt ccccctccct ctctcttggg aggaaggtgt 29880 ceccetacce ttggaaggga aatttggggg cetgattget teteacteta gtgggageet 29940 taatatggcc agaacctgag cttccctagg ctcaggccct gaccttccat tggtctaaga 30000 aactgaccta catagttcat ttccacttga gaatggtcag ttcctctctg ctctttgaaa 30060 ctcctggagg atttagcatc tcctgcatta attggaggag ttaaacccat cctttgccac 30120 actectgtga ggeetaceee tgtteteeaa gaageeacae etetgetaca cacacecage 30180 ctatgagett caactetgee ttgetacaat ttteetttee tggagagetg gtgttetgtt 30240 ctttccctgg agcagtgctc ctcaaacttg aatgtgtgcc tgactggagc ccaagattct 30300 gcatttetea caggtteeca gatggtgeea tgetggttet gtgaaactte actggaacaa 30360 ctccctcagg atttcacact gaaacctcta tcagcaccac ctgaaggctt gttcaacaca 30420 agttgctgca tcccacccca gagtttctga ttccagagtg cagggtagga ccagagaatt 30480 tacatttcta acacactccc cggcaatgat gctgttgatg tggagattgc aaatggagct 30540 ccactgetet gcaggaagat gtacatgaaa tagaaggtaa ccatggeeec tgaaaaatag 30600 agcagttagg agactaaaaa cctgactgga acgctccctg gggaggagag agctgagagc 30660 tctagggatg aaaagcaaag gagatgtaag gaagtagtta atacctgctt cctgaaaaac 30720 tggaaggact ggtgagtcct gaggcccacc actagtgaga gattcagcta aacttggaat 30780 agtacccagg ccacaaatgg agcatgtctc aaattcagat atgcacacaa atcacctgag 30840 aaccetgtca aaatgeagtt etgaggeeat atgtttgatg taagettgga gatttgteat 30900 ttctataagc tcctgggtga tgtgtggtcc cagtggtccc aggaccacac caagaaacaa 30960 ggacctagaa gcctaagtca tctcttcaca ccctggccaa gactttgaag aaggattgaa 31020 gtctcaggag ctggggggag ttggggagta gccaatagag agtctttacc ttctcttgat 31080 ttagccctaa gctttgcctc tcctgctttg agagcacatt cctcttacct ggcctgagtt 31140 aaaagaatca acctcctgcc ggcagcagtg aagtcagctt gtgtattatc tcagaaacaa 31200

02079416A2 | >

gecgaattag ttagetgee atgggaaata teaaateeag agacattetg teagtttee 31260 aaggteatae aaatagtgag tgaaaatgtt agttgeteag teatgtetga eeetttgeaa 31320 aettatggae tatagetgee aggeteetet gteeatggaa tteteeagge aagaataetg 31380 gagtgggttg ceataceete eteeagggga te 31412

<210> 4

<211> 256

<212> PRT

<213> Ovis aries

<400> 4

Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala 1 5 10 15

Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
20 25 30

Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly 35 40 45

Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro His
50 55 60

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His 65 70 75 80

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Gly Trp Gly Gln Gly 85 90 95

Gly Ser His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met 100 105 110

Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Gly Gly Leu 115 120 125

Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe 130 135 140

Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr 145 150 155 160

Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Ser Asn Gln Asn . 165 170 175

Asn Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val 180 185 190

Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Ile 195 200 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu 210 215 220

Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser 225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly

245 250 255

<210> 5 <211> 830 <212> DNA <213> Odocoileus virginianus

<400> 5

acacectett tatttgcag ataagteate atggtgaaaa gecacatagg cagetggate 60 ctagttetet ttgtggecat gtggagtgae gtgggeetet geaagaageg acecaaaacet 120 ggaggaggat ggaacactgg ggggageega taceegggae agggaagtee ttggaggeaae 180 cgetateeae etcagggag gggtggetgg ggteageeee atggaggtgg etggggeeaa 240 ceteatggag gtggetggg teageeeea ggtggtgget gggggagee acatggtggt 300 ggaggetggg gteaaagtgg taceeaaag eagetgggeeaaeeae ageeeaaga ageeaaaaee 360 aacatgaage atgtggeag agetgetgee ggtggaaeae ettataeate ttggeaatga ecatgaggee 480 cgttaetate gtgaaaacat gtacegtae gaetgtgea gaetgtgea gaetgtgea gaetgtgea gaetgtgea gaetgtgea gaetgtgea gaetgtgea gaetgtgea teaeeagaa etgaeaaeae 600 acagteaeaa ecaeaaaaee etteeeae tagaggaaaeae ettaeeaaa gaetgatgga ageaaatgtg eateaeeaa taceagaaga aateeeagge ttattaeea 720 agaggggeaa gtgtgatea ggggeaaeet teetgtte attateete etetteete 780 atttteea tagtaggata ggggeaaeet teetgttte attateete etetteete 830

<210> 6

<211> 256

<212> PRT

<213> Odocoileus virginianus

<400> 6

Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala 1 5 10 15

Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly 20 25 30

Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly 35 40 45

Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro His
50 55 60

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His 65 70 75 80

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Gly Trp Gly Gln Gly
85 90 95

Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met 100 105 110

Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Gly Gly Leu 115 120 125

Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe 130 135 140

Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr 145 150 155 160

Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Asn Asn Gln Asn 165 170 175

Thr Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val 180 185 190

Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met 195 200 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu 210 215 220

Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser 225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
245 250 255

<210> 7

<211> 771

<212> DNA

<213> Odocoileus hemionus hemionus

<400> 7

atggtgaaaa gccacatagg cagctggatc ctagttctct ttgtggccat gtggagtgac 60 gtgggcctct gcaagaagcg accaaaacct ggaggaggat ggaacactgg ggggagccga 120 tacccgggac agggaagtcc tggaggcaac cgctatccac ctcaggagg gggtggctgg 180 ggtggtggccc atggaggtgg ctggggccaa cctcatggag gtggctgggg tcagcccat 240 ggtggtggct gggggagccc acatggtgg ggaggctggg gtcaaggtgg tacccacagt 300 cagtggaaca agcccagtaa accaaaaacc aacatgaagc atgtggcagg agctgctga 360 gctggagcag tggtagggg cctcggtggc tacatgctgg gaagtgcat gagcaggcct 420 cttatacatt ttggcaatga ctatgaggac cgttactatc gtgaaaacat gtaccgttac 480 cccaaccaag tgtactacag gccagtggat cagtataata accagaacac ctttgtgcat 540 gactgtgca acatcacag gatgatggag cgagttgtg agcaaacac cagccacaa gggggagaac 600 taccaggag aatcccaggc ttattaccaa agaggggcaa gtgtgatcct cttctctcc 720 cctcctgtga tcctctcat ctcttctc attttctca tagtaggata g

<210> 8

<211> 256

<212> PRT

<213> Odocoileus hemionus hemionus

<400 > 8

Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala 1 5 10 15

Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
20 25 30

- Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
 35 40 45
- Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro His
 50 55 60
- Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His 65 70 75 80
- Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Gly Trp Gly Gln Gly
 85 90 95
- Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met 100 105 110
- Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Gly Gly Leu 115 120 125
- Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe 130 135 140
- Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr 145 150 155 160
- Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Asn Asn Gln Asn 165 170 175
- Thr Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val 180 185 190
- Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met
 195 200 205
- Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu 210 215 220
- Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser 225 230 235 240
- Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly 245 250 255

<210> 9

<211> 830

<212> DNA

<213> Cervus elaphus

<400> 9

acaccetett tattttgcag ataagteate atggtgaaaa gecacatagg cagetggate 60 ctagttetet ttgtggeeat gtggagtgae gttggeetet geaagaageg accaaaacet 120 ggaggaggat ggaacactgg ggggageega taccegggae agggaagtee tggaggeaac 180

cgctatccac ctcaggagg gggtggctgg ggtcagccc atggaggtgg ctggggcaa 240 cctcatggag gtggctgggg tcagcccat ggtggtggct ggggacagcc acatggtggt 300 ggaggctggg gtcaaggtgg tacccacagt cagtggaaca agcccagtaa accaaaaacc 360 aacatgaagc atgtggcag agctgctga gctggagcag tggtaggggg cctcggtggc 420 tacttgctgg gaagtgccat gagcaggcct cttatacatt ttggcaatga ctatgaggac 480 : cgttactatc gtgaaaacat gtaccgttac cccaaccaag tgtactacag gccagtggat 540 cagtataata accagaacac ctttgtgcat gactgtgta acatcacagt caagcaacac 600 acagtcacca ccaccacaa gggggaaac ttcaccgaaa ctgacatcaa gatgatggag 660 cgagttgtgg agcaaatgtg catcacccag taccagagag aatccgaggc ttattaccaa 720 agaggggcaa gtgtgatcc cttctcctc cctctgtga tcctcctcat ctctttcctc 780 atttttctca tagtaggata ggggcaacct tcctgttttc attatcttct

<210> 10

<211> 256

<212> PRT

<213> Cervus elaphus

<400> 10

Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala 1 5 10 15

Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
20 25 30

Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
35 40 45

Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro His
50 55 60

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
65 70 75 80

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Gly Trp Gly Gln Gly
85 90 95

Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met 100 105 110

Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Gly Gly Leu 115 120 125

Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe 130 135 140

Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr 145 150 155 160

Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Asn Asn Gln Asn

Thr Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val 180 185 190

Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met 195 200 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu 210 215 220

Ser Glu Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser 225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
245 250 255

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 10 October 2002 (10.10.2002)

(10) International Publication Number WO 02/079416 A3

- (51) International Patent Classification7: A01K 67/027, C12N 15/00
- (21) International Application Number: PCT/US02/09652
- (22) International Filing Date: 28 March 2002 (28.03.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/280,549

30 March 2001 (30.03.2001)

- (71) Applicant (for all designated States except US): TEXAS A & M UNIVERSITY SYSTEM [US/US]; M/S 3369, College Station, TX 77843-3369 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): DUNNE, Patrick, W. [US/US]; 903 Brandt River Bottom Lane, La Grange, TX 78945-5818 (US). PIEDRAHITA, Jorge [US/US]; 3696 Preakness Circle, College Station, TX 77845 (US).
- (74) Agent: HANSON, Robert, E.; Fulbright & Jaworski, L.L.P., 600 Congress Avenue, Suite 2400, Austin, TX 78701 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GII, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- (88) Date of publication of the international search report: 14 August 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE SPONGIFORM ENCEPHALOPATHIES

(57) Abstract: The invention provides modified prion-encoding genes for the creation of transgenic bovine and cervid animals resistant to transmissible spongiform encephalopathies including bovine spongiform encephalopathy (BSE). The transgenic animals homozygous for the mutant genes continue to express a functional copy of the prion-encoding gene, thereby not interfering with the normal role of the polypeptide and effectively decreasing tendency for alteration of sleep-wake cycles.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/09652

IPC(7)	ASSIFICATION OF SUBJECT MATTER : A01K 67/027; C12N 15/00			
US CL	: 800/15, 16, 25, 21			
According t B. FIE	o International Patent Classification (IPC) or to bot	h national classification and IPC		
Minimum de U.S. : 8	ocumentation searched (classification system follow 800/15, 16, 25, 21	ed by classification symbols)		
Documentat	ion consided other sharps			
	ion searched other than minimum documentation to	the extent that such documents are include	ed in the fields searched	
Electronic d MEDLINE,	ata base consulted during the international search (n CAPLUS, EAST, BIOSIS, EMBASE, PCTFUL, U	name of data base and, where practicable, JSPATFUL	search terms used)	
C. DOC	UMENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.	
Y	HUNTER N et al. Sheep and goats: natural and et influencing incidence of disease. Archives of Vironages 181-188, see the entire document.	Incrimental TCEs and feature	1-34	
Y	FOSTER JD et al. Clinical signs, histopathology and genetics of experimental transmission of BSE and natural scrapie to sheep and goats. Veterinary Record February 10, 2001, Vol. 148, No. 6, pages 165-171, see the entire document.			
&, P	US 2002/0194635 (DUNNE PW et al.) 19 December document.	nber 2002 (19.12.2002), see the entire	1-34	
Y, P	US 6,271,436 (PIEDRAHITA JA et al) 07 August 2001 (07.08.2001), see column 49, 1-34			
Further	documents are listed in the continuation of Box C.	San - 1 - 1		
	ecial categories of cited documents:	See patent family annex.		
A" document	defining the general state of the art which is not considered to cular relevance	"T" later document published after the in priority date and not in conflict with understand the principle or theory un	the application but cited to	
date	olication or patent published on or after the international filing	"X" document of particular relevance; the considered novel or cannot be considered the document is taken along the comment is taken along the considered the comment is taken along the comment of the comment is taken along the comment is taken along the comment of the comment of the comment of the comment is taken along the comment is taken along the comment of the comment of the comment of the comment is taken along the comment is taken along the comment of the comment of the comment of the comment is taken along the comment is taken along the comment of the comment is taken along	cred to involve an inventive	
document to establis (as specifi	which may throw doubts on priority claim(s) or which is cited h the publication date of another citation or other special reason ed)	"Y" document of particular relevance; the considered to involve an inventive ate combined with one or more other suc-	p when the document is	
	referring to an oral disclosure, use, exhibition or other means	combination being obvious to a perso	n skilled in the art	
	published prior to the international filing date but later than the		-	
	tual completion of the international search	Date of mailing of the international sear	ch report	
	3 (26.03.2003) ling address of the ISA/US	U2 MAX 2003		
Comm	nissioner of Patents and Trademarks	Authorized officer		
	ington, D.C. 20231	Ram R. Shukla		
	(703)305-3230	Telephone No. 703/308-0196	Ollins &	
m PC I/ISA	/210 (second sheet) (July 1998)		P	

BNSDOCID: <WO _ ____02079416A3 I_>

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/09652

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)			
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:			
Claim Nos.: because they relate to subject matter not required to be searched by this Authority, namely:			
2. Claim Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:			
3. Claim Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).			
Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)			
This International Searching Authority found multiple inventions in this international application, as follows: Please See Continuation Sheet			
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.			
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.			
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:			
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:			
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.			

Form PCT/ISA/210 (continuation of first sheet(1)) (July 1998)

	PCT/US02/09652
INTERNATIONAL SEARCH REPORT	
	
BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LA	CYMIC
This application contains the following inventions or groups of inventions which	CALING
inventive concept under PCT Rule 13.1. In order for all inventions to be examin	are not so linked as to form a single general
be paid.	ied, the appropriate additional examination lees must
, 00 p. 10 .	
Group I, claim(s) 1-17, drawn to a transgenic bovine comprising a mutant PrP po	Numeritide and the method of producing the
transgenic bovine.	sypeptice and the method of producing the
Group II, claim(s) 18-34, drawn to a transgenic cervid comprising a mutant PrP j	polypentide and the method of producing the
transgenic cervid.	polypopina and the method of producing the
The inventions listed as Groups I-II do not relate to a single general inventive con	ncept under PCT Rule 13.1 because, under PCT Rule
13.2, they lack the same or corresponding special technical features for the follow	wing reasons:
The transgenic bovine of group I belongs to a different animal species than the transfer of the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of group I belongs to a different animal species than the transgenic bovine of the properties of the	ansgenic cervid of group II. Additionally, the art of
making transgenic animals is unpredictable among different animals species, there	efore, even though the animals of the two groups
comprising same protein, they will have different characteristics. Accordingly, t	the transgenic animals of the groups I and II lack the
same special technical feature.	
	•
	•

Form PCT/ISA/210 (second sheet) (July 1998)